

SSA-398330: Vulnerabilities in the additional GNU/Linux subsystem of the SIMATIC S7-1500 CPU 1518(F)-4 PN/DP MFP V3.1

Publication Date: 2023-12-12
Last Update: 2024-03-12
Current Version: V1.3
CVSS v3.1 Base Score: 9.8
CVSS v4.0 Base Score: 9.4

SUMMARY

Multiple vulnerabilities have been identified in the additional GNU/Linux subsystem of the firmware version V3.1 for the SIMATIC S7-1500 CPU 1518(F)-4 PN/DP MFP (incl. SIPLUS variant).

These GNU/Linux vulnerabilities have been externally identified. Siemens is preparing fix versions and recommends specific countermeasures for products where fixes are not, or not yet available.

Note: This SSA advises vulnerabilities for firmware version V3.1 only; for versions < V3.1 refer to Siemens Security Bulletin SSB-439005 (<https://cert-portal.siemens.com/productcert/html/ssb-439005.html>).

AFFECTED PRODUCTS AND SOLUTION

Affected Product and Versions	Remediation
SIMATIC S7-1500 CPU 1518-4 PN/DP MFP (6ES7518-4AX00-1AB0): All versions >= V3.1.0 affected by all CVEs	Currently no fix is available See recommendations from section Workarounds and Mitigations
SIMATIC S7-1500 CPU 1518-4 PN/DP MFP (6ES7518-4AX00-1AC0): All versions >= V3.1.0 affected by all CVEs	Currently no fix is available See recommendations from section Workarounds and Mitigations
SIMATIC S7-1500 CPU 1518F-4 PN/DP MFP (6ES7518-4FX00-1AB0): All versions >= V3.1.0 affected by all CVEs	Currently no fix is available See recommendations from section Workarounds and Mitigations
SIMATIC S7-1500 CPU 1518F-4 PN/DP MFP (6ES7518-4FX00-1AC0): All versions >= V3.1.0 affected by all CVEs	Currently no fix is available See recommendations from section Workarounds and Mitigations
SIPLUS S7-1500 CPU 1518-4 PN/DP MFP (6AG1518-4AX00-4AC0): All versions >= V3.1.0 affected by all CVEs	Currently no fix is available See recommendations from section Workarounds and Mitigations

WORKAROUNDS AND MITIGATIONS

Siemens has identified the following specific workarounds and mitigations that customers can apply to reduce the risk:

- Only build and run applications from trusted sources.

Please follow the [General Security Recommendations](#).

GENERAL SECURITY RECOMMENDATIONS

As a general security measure, Siemens strongly recommends to protect network access to devices with appropriate mechanisms. In order to operate the devices in a protected IT environment, Siemens recommends to configure the environment according to Siemens' operational guidelines for Industrial Security (Download: <https://www.siemens.com/cert/operational-guidelines-industrial-security>), and to follow the recommendations in the product manuals. Additional information on Industrial Security by Siemens can be found at: <https://www.siemens.com/industrialsecurity>

PRODUCT DESCRIPTION

The SIMATIC S7-1500 MFP CPUs provide functionality of standard S7-1500 CPUs with the possibility to run C/C++ Code within the CPU-Runtime for execution of own functions / algorithms implemented in C/C++ and an additional second independent runtime environment to execute C/C++ applications parallel to the STEP 7 program if required.

SIPLUS extreme products are designed for reliable operation under extreme conditions and are based on SIMATIC, LOGO!, SITOP, SINAMICS, SIMOTION, SCALANCE or other devices. SIPLUS devices use the same firmware as the product they are based on.

VULNERABILITY DESCRIPTION

This chapter describes all vulnerabilities (CVE-IDs) addressed in this security advisory. Wherever applicable, it also documents the product-specific impact of the individual vulnerabilities.

Vulnerability CVE-2013-0340

expat 2.1.0 and earlier does not properly handle entities expansion unless an application developer uses the XML_SetEntityDeclHandler function, which allows remote attackers to cause a denial of service (resource consumption), send HTTP requests to intranet servers, or read arbitrary files via a crafted XML document, aka an XML External Entity (XXE) issue. NOTE: it could be argued that because expat already provides the ability to disable external entity expansion, the responsibility for resolving this issue lies with application developers; according to this argument, this entry should be REJECTed, and each affected application would need its own CVE.

CVSS v3.1 Base Score	9.1
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:N/A:H/E:P/RL:O/RC:C
CVSS v4.0 Base Score	8.8
CVSS Vector	CVSS:4.0/AV:N/AC:L/AT:N/PR:N/UI:N/VC:H/VI:N/VA:H/SC:N/SI:N/SA:N
CWE	CWE-611: Improper Restriction of XML External Entity Reference

Vulnerability CVE-2013-4235

shadow: TOCTOU (time-of-check time-of-use) race condition when copying and removing directory trees

CVSS v3.1 Base Score	4.7
CVSS Vector	CVSS:3.1/AV:L/AC:H/PR:L/UI:N/S:U/C:N/I:H/A:N/E:P/RL:O/RC:C
CVSS v4.0 Base Score	5.7
CVSS Vector	CVSS:4.0/AV:L/AC:H/AT:N/PR:L/UI:N/VC:N/VI:H/VA:N/SC:N/SI:N/SA:N
CWE	CWE-367: Time-of-check Time-of-use (TOCTOU) Race Condition

Vulnerability CVE-2014-7209

run-mailcap in the Debian mime-support package before 3.52-1+deb7u1 allows context-dependent attackers to execute arbitrary commands via shell metacharacters in a filename.

CVSS v3.1 Base Score	9.0
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:L/UI:R/S:C/C:H/I:H/A:H/E:P/RL:O/RC:C
CVSS v4.0 Base Score	9.4
CVSS Vector	CVSS:4.0/AV:N/AC:L/AT:N/PR:N/UI:A/VC:H/VI:H/VA:H/SC:H/SI:H/SA:H
CWE	CWE-77: Improper Neutralization of Special Elements used in a Command ('Command Injection')

Vulnerability CVE-2015-20107

In Python (aka CPython) up to 3.10.8, the mailcap module does not add escape characters into commands discovered in the system mailcap file. This may allow attackers to inject shell commands into applications that call mailcap.findmatch with untrusted input (if they lack validation of user-provided filenames or arguments). The fix is also back-ported to 3.7, 3.8, 3.9

CVSS v3.1 Base Score	7.6
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:L/I:H/A:L/E:P/RL:O/RC:C
CWE	CWE-77: Improper Neutralization of Special Elements used in a Command ('Command Injection')

Vulnerability CVE-2016-3189

Use-after-free vulnerability in bzip2recover in bzip2 1.0.6 allows remote attackers to cause a denial of service (crash) via a crafted bzip2 file, related to block ends set to before the start of the block.

CVSS v3.1 Base Score	6.5
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:N/A:H/E:P/RL:O/RC:C
CWE	CWE-311: Missing Encryption of Sensitive Data

Vulnerability CVE-2016-3709

Possible cross-site scripting vulnerability in libxml after commit 960f0e2.

CVSS v3.1 Base Score	6.1
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N/E:P/RL:O/RC:C
CWE	CWE-79: Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Vulnerability CVE-2016-4658

xpointer.c in libxml2 before 2.9.5 (as used in Apple iOS before 10, OS X before 10.12, tvOS before 10, and watchOS before 3, and other products) does not forbid namespace nodes in XPointer ranges, which allows remote attackers to execute arbitrary code or cause a denial of service (use-after-free and memory corruption) via a crafted XML document.

CVSS v3.1 Base Score	9.8
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H/E:P/RL:O/RC:C
CWE	CWE-119: Improper Restriction of Operations within the Bounds of a Memory Buffer

Vulnerability CVE-2016-5131

Use-after-free vulnerability in libxml2 through 2.9.4, as used in Google Chrome before 52.0.2743.82, allows remote attackers to cause a denial of service or possibly have unspecified other impact via vectors related to the XPointer range-to function.

CVSS v3.1 Base Score	8.8
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:H/I:H/A:H/E:P/RL:O/RC:C
CWE	CWE-416: Use After Free

Vulnerability CVE-2016-9318

libxml2 2.9.4 and earlier, as used in XMLSec 1.2.23 and earlier and other products, does not offer a flag directly indicating that the current document may be read but other files may not be opened, which makes it easier for remote attackers to conduct XML External Entity (XXE) attacks via a crafted document.

CVSS v3.1 Base Score	5.5
CVSS Vector	CVSS:3.1/AV:L/AC:L/PR:N/UI:R/S:U/C:H/I:N/A:N/E:P/RL:O/RC:C
CWE	CWE-611: Improper Restriction of XML External Entity Reference

Vulnerability CVE-2016-10228

The iconv program in the GNU C Library (aka glibc or libc6) 2.31 and earlier, when invoked with multiple suffixes in the destination encoding (TRANSLATE or IGNORE) along with the -c option, enters an infinite loop when processing invalid multi-byte input sequences, leading to a denial of service.

CVSS v3.1 Base Score	5.9
CVSS Vector	CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:N/I:N/A:H/E:P/RL:O/RC:C
CWE	CWE-20: Improper Input Validation

Vulnerability CVE-2016-10739

In the GNU C Library (aka glibc or libc6) through 2.28, the getaddrinfo function would successfully parse a string that contained an IPv4 address followed by whitespace and arbitrary characters, which could lead applications to incorrectly assume that it had parsed a valid string, without the possibility of embedded HTTP headers or other potentially dangerous substrings.

CVSS v3.1 Base Score	5.3
CVSS Vector	CVSS:3.1/AV:L/AC:L/PR:L/UI:N/S:U/C:L/I:L/A:L/E:P/RL:O/RC:C
CWE	CWE-20: Improper Input Validation

Vulnerability CVE-2017-0663

A remote code execution vulnerability in libxml2 could enable an attacker using a specially crafted file to execute arbitrary code within the context of an unprivileged process. This issue is rated as High due to the possibility of remote code execution in an application that uses this library. Product: Android. Versions: 4.4.4, 5.0.2, 5.1.1, 6.0, 6.0.1, 7.0, 7.1.1, 7.1.2. Android ID: A-37104170.

CVSS v3.1 Base Score	7.8
CVSS Vector	CVSS:3.1/AV:L/AC:L/PR:N/UI:R/S:U/C:H/I:H/A:H/E:P/RL:O/RC:C
CWE	CWE-787: Out-of-bounds Write

Vulnerability CVE-2017-7375

A flaw in libxml2 allows remote XML entity inclusion with default parser flags (i.e., when the caller did not request entity substitution, DTD validation, external DTD subset loading, or default DTD attributes). Depending on the context, this may expose a higher-risk attack surface in libxml2 not usually reachable with default parser flags, and expose content from local files, HTTP, or FTP servers (which might be otherwise unreachable).

CVSS v3.1 Base Score	9.8
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H/E:P/RL:O/RC:C
CWE	CWE-611: Improper Restriction of XML External Entity Reference

Vulnerability CVE-2017-7376

Buffer overflow in libxml2 allows remote attackers to execute arbitrary code by leveraging an incorrect limit for port values when handling redirects.

CVSS v3.1 Base Score	9.8
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H/E:P/RL:O/RC:C
CWE	CWE-119: Improper Restriction of Operations within the Bounds of a Memory Buffer

Vulnerability CVE-2017-9047

A buffer overflow was discovered in libxml2 20904-GITv2.9.4-16-g0741801. The function xmlSprintfElementContent in valid.c is supposed to recursively dump the element content definition into a char buffer 'buf' of size 'size'. The variable len is assigned strlen(buf). If the content->type is XML_ELEMENT_CONTENT_ELEMENT, then (i) the content->prefix is appended to buf (if it actually fits) whereupon (ii) content->name is written to the buffer. However, the check for whether the content->name actually fits also uses 'len' rather than the updated buffer length strlen(buf). This allows us to write about "size" many bytes beyond the allocated memory. This vulnerability causes programs that use libxml2, such as PHP, to crash.

CVSS v3.1 Base Score	7.5
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:P/RL:O/RC:C
CWE	CWE-119: Improper Restriction of Operations within the Bounds of a Memory Buffer

Vulnerability CVE-2017-9048

libxml2 20904-GITv2.9.4-16-g0741801 is vulnerable to a stack-based buffer overflow. The function xmlSprintfElementContent in valid.c is supposed to recursively dump the element content definition into a char buffer 'buf' of size 'size'. At the end of the routine, the function may strcat two more characters without checking whether the current strlen(buf) + 2 < size. This vulnerability causes programs that use libxml2, such as PHP, to crash.

CVSS v3.1 Base Score	7.5
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:P/RL:O/RC:C
CWE	CWE-119: Improper Restriction of Operations within the Bounds of a Memory Buffer

Vulnerability CVE-2017-9049

libxml2 20904-GITv2.9.4-16-g0741801 is vulnerable to a heap-based buffer over-read in the xmlDict-ComputeFastKey function in dict.c. This vulnerability causes programs that use libxml2, such as PHP, to crash. This vulnerability exists because of an incomplete fix for libxml2 Bug 759398.

CVSS v3.1 Base Score	7.5
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:P/RL:O/RC:C
CWE	CWE-125: Out-of-bounds Read

Vulnerability CVE-2017-9050

libxml2 20904-GITv2.9.4-16-g0741801 is vulnerable to a heap-based buffer over-read in the xmlDictAddString function in dict.c. This vulnerability causes programs that use libxml2, such as PHP, to crash. This vulnerability exists because of an incomplete fix for CVE-2016-1839.

CVSS v3.1 Base Score	7.5
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:P/RL:O/RC:C
CWE	CWE-125: Out-of-bounds Read

Vulnerability CVE-2017-16931

parser.c in libxml2 before 2.9.5 mishandles parameter-entity references because the NEXTL macro calls the xmlParserHandlePEReference function in the case of a '%' character in a DTD name.

CVSS v3.1 Base Score	9.8
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H/E:P/RL:O/RC:C
CWE	CWE-119: Improper Restriction of Operations within the Bounds of a Memory Buffer

Vulnerability CVE-2017-16932

parser.c in libxml2 before 2.9.5 does not prevent infinite recursion in parameter entities.

CVSS v3.1 Base Score	7.5
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:P/RL:O/RC:C
CWE	CWE-835: Loop with Unreachable Exit Condition ('Infinite Loop')

Vulnerability CVE-2017-17512

sensible-browser in sensible-utils before 0.0.11 does not validate strings before launching the program specified by the BROWSER environment variable, which allows remote attackers to conduct argument-injection attacks via a crafted URL, as demonstrated by a `-proxy-pac-file` argument.

CVSS v3.1 Base Score	8.8
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:H/I:H/A:H/E:P/RL:O/RC:C
CWE	CWE-74: Improper Neutralization of Special Elements in Output Used by a Downstream Component ('Injection')

Vulnerability CVE-2017-18258

The xz_head function in xzlib.c in libxml2 before 2.9.6 allows remote attackers to cause a denial of service (memory consumption) via a crafted LZMA file, because the decoder functionality does not restrict memory usage to what is required for a legitimate file.

CVSS v3.1 Base Score	6.5
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:N/A:H/E:P/RL:O/RC:C
CWE	CWE-770: Allocation of Resources Without Limits or Throttling

Vulnerability CVE-2018-0495

Libgcrypt before 1.7.10 and 1.8.x before 1.8.3 allows a memory-cache side-channel attack on ECDSA signatures that can be mitigated through the use of blinding during the signing process in the `_gcry_ecc_ecdsa_sign` function in `cipher/ecc-ecdsa.c`, aka the Return Of the Hidden Number Problem or ROHNP. To discover an ECDSA key, the attacker needs access to either the local machine or a different virtual machine on the same physical host.

CVSS v3.1 Base Score	4.7
CVSS Vector	CVSS:3.1/AV:L/AC:H/PR:L/UI:N/S:U/C:H/I:N/A:N/E:P/RL:O/RC:C
CWE	CWE-203: Observable Discrepancy

Vulnerability CVE-2018-12886

`stack_protect_prologue` in `cfgexpand.c` and `stack_protect_epilogue` in `function.c` in GNU Compiler Collection (GCC) 4.1 through 8 (under certain circumstances) generate instruction sequences when targeting ARM targets that spill the address of the stack protector guard, which allows an attacker to bypass the protection of `-fstack-protector`, `-fstack-protector-all`, `-fstack-protector-strong`, and `-fstack-protector-explicit` against stack overflow by controlling what the stack canary is compared against.

CVSS v3.1 Base Score	8.1
CVSS Vector	CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:H/I:H/A:H/E:P/RL:O/RC:C
CWE	CWE-209: Generation of Error Message Containing Sensitive Information

Vulnerability CVE-2018-14404

A NULL pointer dereference vulnerability exists in the `xpath.c:xmlXPathCompOpEval()` function of `libxml2` through 2.9.8 when parsing an invalid XPath expression in the `XPATH_OP_AND` or `XPATH_OP_OR` case. Applications processing untrusted XSL format inputs with the use of the `libxml2` library may be vulnerable to a denial of service attack due to a crash of the application.

CVSS v3.1 Base Score	7.5
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:P/RL:O/RC:C
CWE	CWE-476: NULL Pointer Dereference

Vulnerability CVE-2018-14567

`libxml2` 2.9.8, if `--with-lzma` is used, allows remote attackers to cause a denial of service (infinite loop) via a crafted XML file that triggers `LZMA_MEMLIMIT_ERROR`, as demonstrated by `xmlint`, a different vulnerability than CVE-2015-8035 and CVE-2018-9251.

CVSS v3.1 Base Score	6.5
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:N/A:H/E:P/RL:O/RC:C
CWE	CWE-835: Loop with Unreachable Exit Condition ('Infinite Loop')

Vulnerability CVE-2018-18928

International Components for Unicode (ICU) for C/C++ 63.1 has an integer overflow in `number::impl::DecimalQuantity::toScientificString()` in `i18n/number_decimalquantity.cpp`.

CVSS v3.1 Base Score	9.8
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H/E:P/RL:O/RC:C
CWE	CWE-190: Integer Overflow or Wraparound

Vulnerability CVE-2018-19591

In the GNU C Library (aka glibc or libc6) through 2.28, attempting to resolve a crafted hostname via `getaddrinfo()` leads to the allocation of a socket descriptor that is not closed. This is related to the `if_nametoindex()` function.

CVSS v3.1 Base Score	7.5
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:P/RL:O/RC:C
CWE	CWE-20: Improper Input Validation

Vulnerability CVE-2018-20482

GNU Tar through 1.30, when `--sparse` is used, mishandles file shrinkage during read access, which allows local users to cause a denial of service (infinite read loop in `sparse_dump_region` in `sparse.c`) by modifying a file that is supposed to be archived by a different user's process (e.g., a system backup running as root).

CVSS v3.1 Base Score	4.7
CVSS Vector	CVSS:3.1/AV:L/AC:H/PR:L/UI:N/S:U/C:N/I:N/A:H/E:P/RL:O/RC:C
CWE	CWE-835: Loop with Unreachable Exit Condition ('Infinite Loop')

Vulnerability CVE-2018-20843

In `libexpat` in `Expat` before 2.2.7, XML input including XML names that contain a large number of colons could make the XML parser consume a high amount of RAM and CPU resources while processing (enough to be usable for denial-of-service attacks).

CVSS v3.1 Base Score	7.5
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:P/RL:O/RC:C
CWE	CWE-611: Improper Restriction of XML External Entity Reference

Vulnerability CVE-2018-25032

`zlib` before 1.2.12 allows memory corruption when deflating (i.e., when compressing) if the input has many distant matches.

CVSS v3.1 Base Score	7.5
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:P/RL:O/RC:C
CWE	CWE-787: Out-of-bounds Write

Vulnerability CVE-2019-3855

An integer overflow flaw which could lead to an out of bounds write was discovered in `libssh2` before 1.8.1 in the way packets are read from the server. A remote attacker who compromises a SSH server may be able to execute code on the client system when a user connects to the server.

CVSS v3.1 Base Score	8.8
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:H/I:H/A:H/E:P/RL:O/RC:C
CWE	CWE-787: Out-of-bounds Write

Vulnerability CVE-2019-3856

An integer overflow flaw, which could lead to an out of bounds write, was discovered in `libssh2` before 1.8.1 in the way keyboard prompt requests are parsed. A remote attacker who compromises a SSH server may be able to execute code on the client system when a user connects to the server.

CVSS v3.1 Base Score	8.8
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:H/I:H/A:H/E:P/RL:O/RC:C
CWE	CWE-787: Out-of-bounds Write

Vulnerability CVE-2019-3857

An integer overflow flaw which could lead to an out of bounds write was discovered in libssh2 before 1.8.1 in the way SSH_MSG_CHANNEL_REQUEST packets with an exit signal are parsed. A remote attacker who compromises a SSH server may be able to execute code on the client system when a user connects to the server.

CVSS v3.1 Base Score	8.8
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:H/I:H/A:H/E:P/RL:O/RC:C
CWE	CWE-787: Out-of-bounds Write

Vulnerability CVE-2019-3858

An out of bounds read flaw was discovered in libssh2 before 1.8.1 when a specially crafted SFTP packet is received from the server. A remote attacker who compromises a SSH server may be able to cause a Denial of Service or read data in the client memory.

CVSS v3.1 Base Score	9.1
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:N/A:H/E:P/RL:O/RC:C
CWE	CWE-125: Out-of-bounds Read

Vulnerability CVE-2019-3859

An out of bounds read flaw was discovered in libssh2 before 1.8.1 in the `_libssh2_packet_require` and `_libssh2_packet_requirev` functions. A remote attacker who compromises a SSH server may be able to cause a Denial of Service or read data in the client memory.

CVSS v3.1 Base Score	9.1
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:N/A:H/E:P/RL:O/RC:C
CWE	CWE-125: Out-of-bounds Read

Vulnerability CVE-2019-3860

An out of bounds read flaw was discovered in libssh2 before 1.8.1 in the way SFTP packets with empty payloads are parsed. A remote attacker who compromises a SSH server may be able to cause a Denial of Service or read data in the client memory.

CVSS v3.1 Base Score	9.1
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:N/A:H/E:P/RL:O/RC:C
CWE	CWE-125: Out-of-bounds Read

Vulnerability CVE-2019-3861

An out of bounds read flaw was discovered in libssh2 before 1.8.1 in the way SSH packets with a padding length value greater than the packet length are parsed. A remote attacker who compromises a SSH server may be able to cause a Denial of Service or read data in the client memory.

CVSS v3.1 Base Score	9.1
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:N/A:H/E:P/RL:O/RC:C
CWE	CWE-125: Out-of-bounds Read

Vulnerability CVE-2019-3862

An out of bounds read flaw was discovered in libssh2 before 1.8.1 in the way SSH_MSG_CHANNEL_REQUEST packets with an exit status message and no payload are parsed. A remote attacker who compromises a SSH server may be able to cause a Denial of Service or read data in the client memory.

CVSS v3.1 Base Score	9.1
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:N/A:H/E:P/RL:O/RC:C
CWE	CWE-125: Out-of-bounds Read

Vulnerability CVE-2019-3863

A flaw was found in libssh2 before 1.8.1. A server could send a multiple keyboard interactive response messages whose total length are greater than unsigned char max characters. This value is used as an index to copy memory causing in an out of bounds memory write error.

CVSS v3.1 Base Score	8.8
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:H/I:H/A:H/E:P/RL:O/RC:C
CWE	CWE-787: Out-of-bounds Write

Vulnerability CVE-2019-5018

An exploitable use after free vulnerability exists in the window function functionality of Sqlite3 3.26.0. A specially crafted SQL command can cause a use after free vulnerability, potentially resulting in remote code execution. An attacker can send a malicious SQL command to trigger this vulnerability.

CVSS v3.1 Base Score	8.1
CVSS Vector	CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:H/I:H/A:H/E:P/RL:O/RC:C
CWE	CWE-416: Use After Free

Vulnerability CVE-2019-5094

An exploitable code execution vulnerability exists in the quota file functionality of E2fsprogs 1.45.3. A specially crafted ext4 partition can cause an out-of-bounds write on the heap, resulting in code execution. An attacker can corrupt a partition to trigger this vulnerability.

CVSS v3.1 Base Score	7.5
CVSS Vector	CVSS:3.1/AV:L/AC:H/PR:H/UI:N/S:C/C:H/I:H/A:H
CWE	CWE-787: Out-of-bounds Write

Vulnerability CVE-2019-5188

A code execution vulnerability exists in the directory rehashing functionality of E2fsprogs e2fsck 1.45.4. A specially crafted ext4 directory can cause an out-of-bounds write on the stack, resulting in code execution. An attacker can corrupt a partition to trigger this vulnerability.

CVSS v3.1 Base Score	7.5
CVSS Vector	CVSS:3.1/AV:L/AC:H/PR:H/UI:N/S:C/C:H/I:H/A:H
CWE	CWE-787: Out-of-bounds Write

Vulnerability CVE-2019-5435

An integer overflow in curl's URL API results in a buffer overflow in libcurl 7.62.0 to and including 7.64.1.

CVSS v3.1 Base Score	3.7
CVSS Vector	CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:N/I:N/A:L/E:P/RL:O/RC:C
CWE	CWE-190: Integer Overflow or Wraparound

Vulnerability CVE-2019-5436

A heap buffer overflow in the TFTP receiving code allows for DoS or arbitrary code execution in libcurl versions 7.19.4 through 7.64.1.

CVSS v3.1 Base Score	7.8
CVSS Vector	CVSS:3.1/AV:L/AC:L/PR:L/UI:N/S:U/C:H/I:H/A:H/E:P/RL:O/RC:C
CWE	CWE-787: Out-of-bounds Write

Vulnerability CVE-2019-5443

A non-privileged user or program can put code and a config file in a known non-privileged path (under C:/usr/local/) that will make curl <= 7.65.1 automatically run the code (as an openssl "engine") on invocation. If that curl is invoked by a privileged user it can do anything it wants.

CVSS v3.1 Base Score	7.8
CVSS Vector	CVSS:3.1/AV:L/AC:L/PR:N/UI:R/S:U/C:H/I:H/A:H/E:P/RL:O/RC:C
CWE	CWE-427: Uncontrolled Search Path Element

Vulnerability CVE-2019-5481

Double-free vulnerability in the FTP-kerberos code in cURL 7.52.0 to 7.65.3.

CVSS v3.1 Base Score	9.8
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H/E:P/RL:O/RC:C
CWE	CWE-415: Double Free

Vulnerability CVE-2019-5482

Heap buffer overflow in the TFTP protocol handler in cURL 7.19.4 to 7.65.3.

CVSS v3.1 Base Score	9.8
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H/E:P/RL:O/RC:C
CWE	CWE-787: Out-of-bounds Write

Vulnerability CVE-2019-6109

An issue was discovered in OpenSSH 7.9. Due to missing character encoding in the progress display, a malicious server (or Man-in-The-Middle attacker) can employ crafted object names to manipulate the client output, e.g., by using ANSI control codes to hide additional files being transferred. This affects refresh_progress_meter() in progressmeter.c.

CVSS v3.1 Base Score	6.8
CVSS Vector	CVSS:3.1/AV:N/AC:H/PR:N/UI:R/S:U/C:H/I:H/A:N/E:P/RL:O/RC:C
CWE	CWE-116: Improper Encoding or Escaping of Output

Vulnerability CVE-2019-6110

In OpenSSH 7.9, due to accepting and displaying arbitrary stderr output from the server, a malicious server (or Man-in-The-Middle attacker) can manipulate the client output, for example to use ANSI control codes to hide additional files being transferred.

CVSS v3.1 Base Score	6.8
CVSS Vector	CVSS:3.1/AV:N/AC:H/PR:N/UI:R/S:U/C:H/I:H/A:N/E:P/RL:O/RC:C
CWE	CWE-838: Inappropriate Encoding for Output Context

Vulnerability CVE-2019-6111

An issue was discovered in OpenSSH 7.9. Due to the scp implementation being derived from 1983 rcp, the server chooses which files/directories are sent to the client. However, the scp client only performs cursory validation of the object name returned (only directory traversal attacks are prevented). A malicious scp server (or Man-in-The-Middle attacker) can overwrite arbitrary files in the scp client target directory. If recursive operation (-r) is performed, the server can manipulate subdirectories as well (for example, to overwrite the .ssh/authorized_keys file).

CVSS v3.1 Base Score	5.9
CVSS Vector	CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:N/I:H/A:N/E:P/RL:O/RC:C
CWE	CWE-22: Improper Limitation of a Pathname to a Restricted Directory ('Path Traversal')

Vulnerability CVE-2019-6488

The string component in the GNU C Library (aka glibc or libc6) through 2.28, when running on the x32 architecture, incorrectly attempts to use a 64-bit register for size_t in assembly codes, which can lead to a segmentation fault or possibly unspecified other impact, as demonstrated by a crash in __memmove_avx_unaligned_erms in sysdeps/x86_64/multiarch/memmove-vec-unaligned-erms.S during a memcpy.

CVSS v3.1 Base Score	7.8
CVSS Vector	CVSS:3.1/AV:L/AC:L/PR:L/UI:N/S:U/C:H/I:H/A:H/E:P/RL:O/RC:C
CWE	CWE-404: Improper Resource Shutdown or Release

Vulnerability CVE-2019-7309

In the GNU C Library (aka glibc or libc6) through 2.29, the memcmp function for the x32 architecture can incorrectly return zero (indicating that the inputs are equal) because the RDX most significant bit is mishandled.

CVSS v3.1 Base Score	5.5
CVSS Vector	CVSS:3.1/AV:L/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H/E:P/RL:O/RC:C
CWE	CWE-311: Missing Encryption of Sensitive Data

Vulnerability CVE-2019-8457

SQLite3 from 3.6.0 to and including 3.27.2 is vulnerable to heap out-of-bound read in the rtreenode() function when handling invalid rtree tables.

CVSS v3.1 Base Score	9.8
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H/E:P/RL:O/RC:C
CWE	CWE-125: Out-of-bounds Read

Vulnerability CVE-2019-9169

In the GNU C Library (aka glibc or libc6) through 2.29, proceed_next_node in posix/regexec.c has a heap-based buffer over-read via an attempted case-insensitive regular-expression match.

CVSS v3.1 Base Score	9.8
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H/E:P/RL:O/RC:C
CWE	CWE-125: Out-of-bounds Read

Vulnerability CVE-2019-9636

Python 2.7.x through 2.7.16 and 3.x through 3.7.2 is affected by: Improper Handling of Unicode Encoding (with an incorrect netloc) during NFKC normalization. The impact is: Information disclosure (credentials, cookies, etc. that are cached against a given hostname). The components are: urllib.parse.urlsplit, urllib.parse.urlparse. The attack vector is: A specially crafted URL could be incorrectly parsed to locate cookies or authentication data and send that information to a different host than when parsed correctly. This is fixed in: v2.7.17, v2.7.17rc1, v2.7.18, v2.7.18rc1; v3.5.10, v3.5.10rc1, v3.5.7, v3.5.8, v3.5.8rc1, v3.5.8rc2, v3.5.9; v3.6.10, v3.6.10rc1, v3.6.11, v3.6.11rc1, v3.6.12, v3.6.9, v3.6.9rc1; v3.7.3, v3.7.3rc1, v3.7.4, v3.7.4rc1, v3.7.4rc2, v3.7.5, v3.7.5rc1, v3.7.6, v3.7.6rc1, v3.7.7, v3.7.7rc1, v3.7.8, v3.7.8rc1, v3.7.9.

CVSS v3.1 Base Score	9.8
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H/E:P/RL:O/RC:C
CWE	CWE-311: Missing Encryption of Sensitive Data

Vulnerability CVE-2019-9674

Lib/zipfile.py in Python through 3.7.2 allows remote attackers to cause a denial of service (resource consumption) via a ZIP bomb.

CVSS v3.1 Base Score	7.5
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:P/RL:O/RC:C
CWE	CWE-400: Uncontrolled Resource Consumption

Vulnerability CVE-2019-9740

An issue was discovered in urllib2 in Python 2.x through 2.7.16 and urllib in Python 3.x through 3.7.3. CRLF injection is possible if the attacker controls a url parameter, as demonstrated by the first argument to urllib.request.urlopen with `\r\n` (specifically in the query string after a `?` character) followed by an HTTP header or a Redis command. This is fixed in: v2.7.17, v2.7.17rc1, v2.7.18, v2.7.18rc1; v3.5.10, v3.5.10rc1, v3.5.8, v3.5.8rc1, v3.5.8rc2, v3.5.9; v3.6.10, v3.6.10rc1, v3.6.11, v3.6.11rc1, v3.6.12, v3.6.9, v3.6.9rc1; v3.7.4, v3.7.4rc1, v3.7.4rc2, v3.7.5, v3.7.5rc1, v3.7.6, v3.7.6rc1, v3.7.7, v3.7.7rc1, v3.7.8, v3.7.8rc1, v3.7.9.

CVSS v3.1 Base Score	6.1
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N/E:P/RL:O/RC:C
CWE	CWE-93: Improper Neutralization of CRLF Sequences ('CRLF Injection')

Vulnerability CVE-2019-9923

pax_decode_header in sparse.c in GNU Tar before 1.32 had a NULL pointer dereference when parsing certain archives that have malformed extended headers.

CVSS v3.1 Base Score	7.5
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:P/RL:O/RC:C
CWE	CWE-476: NULL Pointer Dereference

Vulnerability CVE-2019-9936

In SQLite 3.27.2, running fts5 prefix queries inside a transaction could trigger a heap-based buffer over-read in fts5HashEntrySort in sqlite3.c, which may lead to an information leak. This is related to ext/fts5/fts5_hash.c.

CVSS v3.1 Base Score	7.5
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:N/A:N/E:P/RL:O/RC:C
CWE	CWE-125: Out-of-bounds Read

Vulnerability CVE-2019-9937

In SQLite 3.27.2, interleaving reads and writes in a single transaction with an fts5 virtual table will lead to a NULL Pointer Dereference in fts5ChunkIterate in sqlite3.c. This is related to ext/fts5/fts5_hash.c and ext/fts5/fts5_index.c.

CVSS v3.1 Base Score	7.5
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:P/RL:O/RC:C
CWE	CWE-476: NULL Pointer Dereference

Vulnerability CVE-2019-9947

An issue was discovered in urllib2 in Python 2.x through 2.7.16 and urllib in Python 3.x through 3.7.3. CRLF injection is possible if the attacker controls a url parameter, as demonstrated by the first argument to urllib.request.urlopen with `\r\n` (specifically in the path component of a URL that lacks a `?` character) followed by an HTTP header or a Redis command. This is similar to the CVE-2019-9740 query string issue. This is fixed in: v2.7.17, v2.7.17rc1, v2.7.18, v2.7.18rc1; v3.5.10, v3.5.10rc1, v3.5.8, v3.5.8rc1, v3.5.8rc2, v3.5.9; v3.6.10, v3.6.10rc1, v3.6.11, v3.6.11rc1, v3.6.12, v3.6.9, v3.6.9rc1; v3.7.4, v3.7.4rc1, v3.7.4rc2, v3.7.5, v3.7.5rc1, v3.7.6, v3.7.6rc1, v3.7.7, v3.7.7rc1, v3.7.8, v3.7.8rc1, v3.7.9.

CVSS v3.1 Base Score	6.1
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N/E:P/RL:O/RC:C
CWE	CWE-93: Improper Neutralization of CRLF Sequences ('CRLF Injection')

Vulnerability CVE-2019-9948

urllib in Python 2.x through 2.7.16 supports the `local_file:` scheme, which makes it easier for remote attackers to bypass protection mechanisms that blacklist file: URLs, as demonstrated by triggering a `urllib.urlopen('local_file:///etc/passwd')` call.

CVSS v3.1 Base Score	9.1
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:N/E:P/RL:O/RC:C
CWE	CWE-22: Improper Limitation of a Pathname to a Restricted Directory ('Path Traversal')

Vulnerability CVE-2019-10160

A security regression of CVE-2019-9636 was discovered in python since commit d537ab0ff9767ef024f26246899728f0116 affecting versions 2.7, 3.5, 3.6, 3.7 and from v3.8.0a4 through v3.8.0b1, which still allows an attacker to exploit CVE-2019-9636 by abusing the user and password parts of a URL. When an application parses user-supplied URLs to store cookies, authentication credentials, or other kind of information, it is possible for an attacker to provide specially crafted URLs to make the application locate host-related information (e.g. cookies, authentication data) and send them to a different host than where it should, unlike if the URLs had been correctly parsed. The result of an attack may vary based on the application.

CVSS v3.1 Base Score	9.8
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H/E:P/RL:O/RC:C
CWE	CWE-172: Encoding Error

Vulnerability CVE-2019-11360

A buffer overflow in iptables-restore in netfilter iptables 1.8.2 allows an attacker to (at least) crash the program or potentially gain code execution via a specially crafted iptables-save file. This is related to `add_param_to_argv` in `xshared.c`.

CVSS v3.1 Base Score	4.2
CVSS Vector	CVSS:3.1/AV:L/AC:L/PR:H/UI:R/S:U/C:N/I:N/A:H/E:P/RL:O/RC:C
CWE	CWE-787: Out-of-bounds Write

Vulnerability CVE-2019-12290

GNU libidn2 before 2.2.0 fails to perform the roundtrip checks specified in RFC3490 Section 4.2 when converting A-labels to U-labels. This makes it possible in some circumstances for one domain to impersonate another. By creating a malicious domain that matches a target domain except for the inclusion of certain punycoded Unicode characters (that would be discarded when converted first to a Unicode label and then back to an ASCII label), arbitrary domains can be impersonated.

CVSS v3.1 Base Score	7.5
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:H/A:N/E:P/RL:O/RC:C
CWE	CWE-20: Improper Input Validation

Vulnerability CVE-2019-12900

BZ2_decompress in decompress.c in bzip2 through 1.0.6 has an out-of-bounds write when there are many selectors.

CVSS v3.1 Base Score	9.8
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H/E:P/RL:O/RC:C
CWE	CWE-787: Out-of-bounds Write

Vulnerability CVE-2019-12904

In Libgcrypt 1.8.4, the C implementation of AES is vulnerable to a flush-and-reload side-channel attack because physical addresses are available to other processes. (The C implementation is used on platforms where an assembly-language implementation is unavailable.) NOTE: the vendor's position is that the issue report cannot be validated because there is no description of an attack

CVSS v3.1 Base Score	5.9
CVSS Vector	CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:H/I:N/A:N/E:P/RL:O/RC:C
CWE	CWE-668: Exposure of Resource to Wrong Sphere

Vulnerability CVE-2019-13057

An issue was discovered in the server in OpenLDAP before 2.4.48. When the server administrator delegates rootDN (database admin) privileges for certain databases but wants to maintain isolation (e.g., for multi-tenant deployments), slapd does not properly stop a rootDN from requesting authorization as an identity from another database during a SASL bind or with a proxyAuthz (RFC 4370) control. (It is not a common configuration to deploy a system where the server administrator and a DB administrator enjoy different levels of trust.)

CVSS v3.1 Base Score	4.9
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:H/I:N/A:N/E:P/RL:O/RC:C
CWE	CWE-311: Missing Encryption of Sensitive Data

Vulnerability CVE-2019-13565

An issue was discovered in OpenLDAP 2.x before 2.4.48. When using SASL authentication and session encryption, and relying on the SASL security layers in slapd access controls, it is possible to obtain access that would otherwise be denied via a simple bind for any identity covered in those ACLs. After the first SASL bind is completed, the sasl_ssf value is retained for all new non-SASL connections. Depending on the ACL configuration, this can affect different types of operations (searches, modifications, etc.). In other words, a successful authorization step completed by one user affects the authorization requirement for a different user.

CVSS v3.1 Base Score	7.5
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:N/A:N/E:P/RL:O/RC:C
CWE	CWE-311: Missing Encryption of Sensitive Data

Vulnerability CVE-2019-13627

It was discovered that there was a ECDSA timing attack in the libgcrypt20 cryptographic library. Version affected: 1.8.4-5, 1.7.6-2+deb9u3, and 1.6.3-2+deb8u4. Versions fixed: 1.8.5-2 and 1.6.3-2+deb8u7.

CVSS v3.1 Base Score	6.3
CVSS Vector	CVSS:3.1/AV:L/AC:H/PR:N/UI:R/S:U/C:H/I:H/A:N/E:P/RL:O/RC:C
CWE	CWE-203: Observable Discrepancy

Vulnerability CVE-2019-15847

The POWER9 backend in GNU Compiler Collection (GCC) before version 10 could optimize multiple calls of the `__builtin_darn` intrinsic into a single call, thus reducing the entropy of the random number generator. This occurred because a volatile operation was not specified. For example, within a single execution of a program, the output of every `__builtin_darn()` call may be the same.

CVSS v3.1 Base Score	7.5
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:N/A:N/E:P/RL:O/RC:C
CWE	CWE-331: Insufficient Entropy

Vulnerability CVE-2019-15903

In libexpat before 2.2.8, crafted XML input could fool the parser into changing from DTD parsing to document parsing too early; a consecutive call to `XML_GetCurrentLineNumber` (or `XML_GetCurrentColumnNumber`) then resulted in a heap-based buffer over-read.

CVSS v3.1 Base Score	7.5
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:P/RL:O/RC:C
CWE	CWE-125: Out-of-bounds Read

Vulnerability CVE-2019-16056

An issue was discovered in Python through 2.7.16, 3.x through 3.5.7, 3.6.x through 3.6.9, and 3.7.x through 3.7.4. The email module wrongly parses email addresses that contain multiple `@` characters. An application that uses the email module and implements some kind of checks on the From/To headers of a message could be tricked into accepting an email address that should be denied. An attack may be the same as in CVE-2019-11340; however, this CVE applies to Python more generally.

CVSS v3.1 Base Score	7.5
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:N/A:N/E:P/RL:O/RC:C
CWE	CWE-311: Missing Encryption of Sensitive Data

Vulnerability CVE-2019-16168

In SQLite through 3.29.0, whereLoopAddBtreeIndex in `sqlite3.c` can crash a browser or other application because of missing validation of a `sqlite_stat1 sz` field, aka a “severe division by zero in the query planner.”

CVSS v3.1 Base Score	6.5
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:N/A:H/E:P/RL:O/RC:C
CWE	CWE-369: Divide By Zero

Vulnerability CVE-2019-16905

OpenSSH 7.7 through 7.9 and 8.x before 8.1, when compiled with an experimental key type, has a pre-authentication integer overflow if a client or server is configured to use a crafted XMSS key. This leads to memory corruption and local code execution because of an error in the XMSS key parsing algorithm. NOTE: the XMSS implementation is considered experimental in all released OpenSSH versions, and there is no supported way to enable it when building portable OpenSSH.

CVSS v3.1 Base Score	7.8
CVSS Vector	CVSS:3.1/AV:L/AC:L/PR:L/UI:N/S:U/C:H/I:H/A:H/E:P/RL:O/RC:C
CWE	CWE-190: Integer Overflow or Wraparound

Vulnerability CVE-2019-17498

In libssh2 v1.9.0 and earlier versions, the SSH_MSG_DISCONNECT logic in packet.c has an integer overflow in a bounds check, enabling an attacker to specify an arbitrary (out-of-bounds) offset for a subsequent memory read. A crafted SSH server may be able to disclose sensitive information or cause a denial of service condition on the client system when a user connects to the server.

CVSS v3.1 Base Score	8.1
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:H/I:N/A:H/E:P/RL:O/RC:C
CWE	CWE-190: Integer Overflow or Wraparound

Vulnerability CVE-2019-17543

LZ4 before 1.9.2 has a heap-based buffer overflow in LZ4_write32 (related to LZ4_compress_destSize), affecting applications that call LZ4_compress_fast with a large input. (This issue can also lead to data corruption.) NOTE: the vendor states “only a few specific / uncommon usages of the API are at risk.”

CVSS v3.1 Base Score	8.1
CVSS Vector	CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:H/I:H/A:H/E:P/RL:O/RC:C
CWE	CWE-787: Out-of-bounds Write

Vulnerability CVE-2019-17594

There is a heap-based buffer over-read in the _nc_find_entry function in tinfo/comp_hash.c in the terminfo library in ncurses before 6.1-20191012.

CVSS v3.1 Base Score	5.3
CVSS Vector	CVSS:3.1/AV:L/AC:L/PR:L/UI:N/S:U/C:L/I:L/A:L/E:P/RL:O/RC:C
CWE	CWE-125: Out-of-bounds Read

Vulnerability CVE-2019-17595

There is a heap-based buffer over-read in the fmt_entry function in tinfo/comp_hash.c in the terminfo library in ncurses before 6.1-20191012.

CVSS v3.1 Base Score	5.4
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:L/I:N/A:L/E:P/RL:O/RC:C
CWE	CWE-125: Out-of-bounds Read

Vulnerability CVE-2019-18224

idn2_to_ascii_4i in lib/lookup.c in GNU libidn2 before 2.1.1 has a heap-based buffer overflow via a long domain string.

CVSS v3.1 Base Score	9.8
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H/E:P/RL:O/RC:C
CWE	CWE-787: Out-of-bounds Write

Vulnerability CVE-2019-18276

An issue was discovered in disable_priv_mode in shell.c in GNU Bash through 5.0 patch 11. By default, if Bash is run with its effective UID not equal to its real UID, it will drop privileges by setting its effective UID to its real UID. However, it does so incorrectly. On Linux and other systems that support “saved UID” functionality, the saved UID is not dropped. An attacker with command execution in the shell can use “enable -f” for runtime loading of a new builtin, which can be a shared object that calls setuid() and therefore regains privileges. However, binaries running with an effective UID of 0 are unaffected.

CVSS v3.1 Base Score	7.8
CVSS Vector	CVSS:3.1/AV:L/AC:L/PR:L/UI:N/S:U/C:H/I:H/A:H/E:P/RL:O/RC:C
CWE	CWE-273: Improper Check for Dropped Privileges

Vulnerability CVE-2019-18348

An issue was discovered in urllib2 in Python 2.x through 2.7.17 and urllib in Python 3.x through 3.8.0. CRLF injection is possible if the attacker controls a url parameter, as demonstrated by the first argument to urllib.request.urlopen with `\r\n` (specifically in the host component of a URL) followed by an HTTP header. This is similar to the CVE-2019-9740 query string issue and the CVE-2019-9947 path string issue. (This is not exploitable when glibc has CVE-2016-10739 fixed.). This is fixed in: v2.7.18, v2.7.18rc1; v3.5.10, v3.5.10rc1; v3.6.11, v3.6.11rc1, v3.6.12; v3.7.8, v3.7.8rc1, v3.7.9; v3.8.3, v3.8.3rc1, v3.8.4, v3.8.4rc1, v3.8.5, v3.8.6, v3.8.6rc1.

CVSS v3.1 Base Score	6.1
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N/E:P/RL:O/RC:C
CWE	CWE-74: Improper Neutralization of Special Elements in Output Used by a Downstream Component ('Injection')

Vulnerability CVE-2019-19126

On the x86-64 architecture, the GNU C Library (aka glibc) before 2.31 fails to ignore the LD_PREFER_MAP_32BIT_EXEC environment variable during program execution after a security transition, allowing local attackers to restrict the possible mapping addresses for loaded libraries and thus bypass ASLR for a setuid program.

CVSS v3.1 Base Score	3.3
CVSS Vector	CVSS:3.1/AV:L/AC:L/PR:L/UI:N/S:U/C:L/I:N/A:N/E:P/RL:O/RC:C
CWE	CWE-665: Improper Initialization

Vulnerability CVE-2019-19242

SQLite 3.30.1 mishandles `pExpr->y.pTab`, as demonstrated by the `TK_COLUMN` case in `sqlite3ExprCodeTarget` in `expr.c`.

CVSS v3.1 Base Score	5.9
CVSS Vector	CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:N/I:N/A:H/E:P/RL:O/RC:C
CWE	CWE-476: NULL Pointer Dereference

Vulnerability CVE-2019-19244

Select in `select.c` in SQLite 3.30.1 allows a crash if a sub-select uses both `DISTINCT` and window functions, and also has certain `ORDER BY` usage.

CVSS v3.1 Base Score	7.5
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:P/RL:O/RC:C
CWE	CWE-20: Improper Input Validation

Vulnerability CVE-2019-19317

`lookupName` in `resolve.c` in SQLite 3.30.1 omits bits from the `colUsed` bitmask in the case of a generated column, which allows attackers to cause a denial of service or possibly have unspecified other impact.

CVSS v3.1 Base Score	9.8
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H/E:P/RL:O/RC:C
CWE	CWE-681: Incorrect Conversion between Numeric Types

Vulnerability CVE-2019-19603

SQLite 3.30.1 mishandles certain `SELECT` statements with a nonexistent `VIEW`, leading to an application crash.

CVSS v3.1 Base Score	7.5
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:P/RL:O/RC:C
CWE	CWE-20: Improper Input Validation

Vulnerability CVE-2019-19645

alter.c in SQLite through 3.30.1 allows attackers to trigger infinite recursion via certain types of self-referential views in conjunction with ALTER TABLE statements.

CVSS v3.1 Base Score	5.5
CVSS Vector	CVSS:3.1/AV:L/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H/E:P/RL:O/RC:C
CWE	CWE-674: Uncontrolled Recursion

Vulnerability CVE-2019-19646

pragma.c in SQLite through 3.30.1 mishandles NOT NULL in an integrity_check PRAGMA command in certain cases of generated columns.

CVSS v3.1 Base Score	9.8
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H/E:P/RL:O/RC:C
CWE	CWE-754: Improper Check for Unusual or Exceptional Conditions

Vulnerability CVE-2019-19880

exprListAppendList in window.c in SQLite 3.30.1 allows attackers to trigger an invalid pointer dereference because constant integer values in ORDER BY clauses of window definitions are mishandled.

CVSS v3.1 Base Score	7.5
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:P/RL:O/RC:C
CWE	CWE-476: NULL Pointer Dereference

Vulnerability CVE-2019-19906

cyrus-sasl (aka Cyrus SASL) 2.1.27 has an out-of-bounds write leading to unauthenticated remote denial-of-service in OpenLDAP via a malformed LDAP packet. The OpenLDAP crash is ultimately caused by an off-by-one error in _sasl_add_string in common.c in cyrus-sasl.

CVSS v3.1 Base Score	7.5
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:P/RL:O/RC:C
CWE	CWE-787: Out-of-bounds Write

Vulnerability CVE-2019-19923

flattenSubquery in select.c in SQLite 3.30.1 mishandles certain uses of SELECT DISTINCT involving a LEFT JOIN in which the right-hand side is a view. This can cause a NULL pointer dereference (or incorrect results).

CVSS v3.1 Base Score	7.5
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:P/RL:O/RC:C
CWE	CWE-476: NULL Pointer Dereference

Vulnerability CVE-2019-19924

SQLite 3.30.1 mishandles certain parser-tree rewriting, related to expr.c, vdbeaux.c, and window.c. This is caused by incorrect sqlite3WindowRewrite() error handling.

CVSS v3.1 Base Score	5.3
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:L/A:N/E:P/RL:O/RC:C
CWE	CWE-755: Improper Handling of Exceptional Conditions

Vulnerability CVE-2019-19925

zipfileUpdate in ext/misc/zipfile.c in SQLite 3.30.1 mishandles a NULL pathname during an update of a ZIP archive.

CVSS v3.1 Base Score	7.5
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:P/RL:O/RC:C
CWE	CWE-434: Unrestricted Upload of File with Dangerous Type

Vulnerability CVE-2019-19926

multiSelect in select.c in SQLite 3.30.1 mishandles certain errors during parsing, as demonstrated by errors from sqlite3WindowRewrite() calls. NOTE: this vulnerability exists because of an incomplete fix for CVE-2019-19880.

CVSS v3.1 Base Score	7.5
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:P/RL:O/RC:C
CWE	CWE-476: NULL Pointer Dereference

Vulnerability CVE-2019-19956

xmlParseBalancedChunkMemoryRecover in parser.c in libxml2 before 2.9.10 has a memory leak related to newDoc->oldNs.

CVSS v3.1 Base Score	7.5
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:U/RL:O/RC:C
CWE	CWE-772: Missing Release of Resource after Effective Lifetime

Vulnerability CVE-2019-19959

ext/misc/zipfile.c in SQLite 3.30.1 mishandles certain uses of INSERT INTO in situations involving embedded '\0' characters in filenames, leading to a memory-management error that can be detected by (for example) valgrind.

CVSS v3.1 Base Score	7.5
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:H/A:N/E:P/RL:O/RC:C
CWE	CWE-311: Missing Encryption of Sensitive Data

Vulnerability CVE-2019-20218

selectExpander in select.c in SQLite 3.30.1 proceeds with WITH stack unwinding even after a parsing error.

CVSS v3.1 Base Score	7.5
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:P/RL:O/RC:C
CWE	CWE-755: Improper Handling of Exceptional Conditions

Vulnerability CVE-2019-20367

nlist.c in libbsd before 0.10.0 has an out-of-bounds read during a comparison for a symbol name from the string table (strtab).

CVSS v3.1 Base Score	9.1
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:N/A:H/E:P/RL:O/RC:C
CWE	CWE-125: Out-of-bounds Read

Vulnerability CVE-2019-20388

xmlSchemaPreRun in xmlschemas.c in libxml2 2.9.10 allows an xmlSchemaValidateStream memory leak.

CVSS v3.1 Base Score	7.5
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:P/RL:O/RC:C
CWE	CWE-401: Missing Release of Memory after Effective Lifetime

Vulnerability CVE-2019-20795

iproute2 before 5.1.0 has a use-after-free in get_netnsid_from_name in ip/ipnetns.c. NOTE: security relevance may be limited to certain uses of setuid that, although not a default, are sometimes a configuration option offered to end users. Even when setuid is used, other factors (such as C library configuration) may block exploitability.

CVSS v3.1 Base Score	4.4
CVSS Vector	CVSS:3.1/AV:L/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H/E:P/RL:O/RC:C
CWE	CWE-416: Use After Free

Vulnerability CVE-2019-20907

In Lib/tarfile.py in Python through 3.8.3, an attacker is able to craft a TAR archive leading to an infinite loop when opened by tarfile.open, because _proc_pax lacks header validation.

CVSS v3.1 Base Score	7.5
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:P/RL:O/RC:C
CWE	CWE-835: Loop with Unreachable Exit Condition ('Infinite Loop')

Vulnerability CVE-2019-25013

The iconv feature in the GNU C Library (aka glibc or libc6) through 2.32, when processing invalid multi-byte input sequences in the EUC-KR encoding, may have a buffer over-read.

CVSS v3.1 Base Score	5.9
CVSS Vector	CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:N/I:N/A:H/E:P/RL:O/RC:C
CWE	CWE-125: Out-of-bounds Read

Vulnerability CVE-2019-1010022

DISPUTED GNU Libc current is affected by: Mitigation bypass. The impact is: Attacker may bypass stack guard protection. The component is: nptl. The attack vector is: Exploit stack buffer overflow vulnerability and use this bypass vulnerability to bypass stack guard. NOTE: Upstream comments indicate "this is being treated as a non-security bug and no real threat."

CVSS v3.1 Base Score	9.8
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H/E:P/RL:O/RC:C
CWE	CWE-119: Improper Restriction of Operations within the Bounds of a Memory Buffer

Vulnerability CVE-2019-1010023

DISPUTED GNU Libc current is affected by: Re-mapping current loaded library with malicious ELF file. The impact is: In worst case attacker may evaluate privileges. The component is: libld. The attack vector is: Attacker sends 2 ELF files to victim and asks to run ldd on it. ldd execute code. NOTE: Upstream comments indicate "this is being treated as a non-security bug and no real threat."

CVSS v3.1 Base Score	8.8
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:H/I:H/A:H/E:P/RL:O/RC:C
CWE	CWE-311: Missing Encryption of Sensitive Data

Vulnerability CVE-2019-1010024

DISPUTED GNU Libc current is affected by: Mitigation bypass. The impact is: Attacker may bypass ASLR using cache of thread stack and heap. The component is: glibc. NOTE: Upstream comments indicate "this is being treated as a non-security bug and no real threat."

CVSS v3.1 Base Score	5.3
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:N/A:N/E:P/RL:O/RC:C
CWE	CWE-200: Exposure of Sensitive Information to an Unauthorized Actor

Vulnerability CVE-2019-1010025

DISPUTED GNU Libc current is affected by: Mitigation bypass. The impact is: Attacker may guess the heap addresses of pthread_created thread. The component is: glibc. NOTE: the vendor's position is "ASLR bypass itself is not a vulnerability."

CVSS v3.1 Base Score	5.3
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:N/A:N/E:P/RL:O/RC:C
CWE	CWE-330: Use of Insufficiently Random Values

Vulnerability CVE-2019-1010180

GNU gdb All versions is affected by: Buffer Overflow - Out of bound memory access. The impact is: Deny of Service, Memory Disclosure, and Possible Code Execution. The component is: The main gdb module. The attack vector is: Open an ELF for debugging. The fixed version is: Not fixed yet.

CVSS v3.1 Base Score	7.8
CVSS Vector	CVSS:3.1/AV:L/AC:L/PR:N/UI:R/S:U/C:H/I:H/A:H/E:P/RL:O/RC:C
CWE	CWE-125: Out-of-bounds Read

Vulnerability CVE-2020-1712

A heap use-after-free vulnerability was found in systemd before version v245-rc1, where asynchronous Polkit queries are performed while handling dbus messages. A local unprivileged attacker can abuse this flaw to crash systemd services or potentially execute code and elevate their privileges, by sending specially crafted dbus messages.

CVSS v3.1 Base Score	7.8
CVSS Vector	CVSS:3.1/AV:L/AC:L/PR:L/UI:N/S:U/C:H/I:H/A:H
CWE	CWE-416: Use After Free

Vulnerability CVE-2020-1751

An out-of-bounds write vulnerability was found in glibc before 2.31 when handling signal trampolines on PowerPC. Specifically, the backtrace function did not properly check the array bounds when storing the frame address, resulting in a denial of service or potential code execution. The highest threat from this vulnerability is to system availability.

CVSS v3.1 Base Score	5.1
CVSS Vector	CVSS:3.1/AV:L/AC:H/PR:N/UI:N/S:U/C:N/I:N/A:H
CWE	CWE-787: Out-of-bounds Write

Vulnerability CVE-2020-1752

A use-after-free vulnerability introduced in glibc upstream version 2.14 was found in the way the tilde expansion was carried out. Directory paths containing an initial tilde followed by a valid username were affected by this issue. A local attacker could exploit this flaw by creating a specially crafted path that, when processed by the glob function, would potentially lead to arbitrary code execution. This was fixed in version 2.32.

CVSS v3.1 Base Score	7.0
CVSS Vector	CVSS:3.1/AV:L/AC:H/PR:N/UI:R/S:U/C:H/I:H/A:H/E:P/RL:O/RC:C
CWE	CWE-416: Use After Free

Vulnerability CVE-2020-6096

An exploitable signed comparison vulnerability exists in the ARMv7 memcpy() implementation of GNU glibc 2.30.9000. Calling memcpy() (on ARMv7 targets that utilize the GNU glibc implementation) with a negative value for the 'num' parameter results in a signed comparison vulnerability. If an attacker underflows the 'num' parameter to memcpy(), this vulnerability could lead to undefined behavior such as writing to out-of-bounds memory and potentially remote code execution. Furthermore, this memcpy() implementation allows for program execution to continue in scenarios where a segmentation fault or crash should have occurred. The dangers occur in that subsequent execution and iterations of this code will be executed with this corrupted data.

CVSS v3.1 Base Score	8.1
CVSS Vector	CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:H/I:H/A:H/E:P/RL:O/RC:C
CWE	CWE-195: Signed to Unsigned Conversion Error

Vulnerability CVE-2020-7595

xmlStringLenDecodeEntities in parser.c in libxml2 2.9.10 has an infinite loop in a certain end-of-file situation.

CVSS v3.1 Base Score	7.5
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:U/RL:O/RC:C
CWE	CWE-835: Loop with Unreachable Exit Condition ('Infinite Loop')

Vulnerability CVE-2020-8169

The libcurl library versions 7.62.0 to and including 7.70.0 are vulnerable to an information disclosure vulnerability that can lead to a partial password being leaked over the network and to the DNS server(s).

CVSS v3.1 Base Score	7.5
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:N/A:N/E:U/RL:O/RC:C
CWE	CWE-200: Exposure of Sensitive Information to an Unauthorized Actor

Vulnerability CVE-2020-8177

curl 7.20.0 through 7.70.0 is vulnerable to improper restriction of names for files and other resources that can lead to overwriting a local file when the -J flag is used.

CVSS v3.1 Base Score	7.1
CVSS Vector	CVSS:3.1/AV:L/AC:L/PR:L/UI:N/S:U/C:N/I:H/A:H/E:P/RL:O/RC:C
CWE	CWE-74: Improper Neutralization of Special Elements in Output Used by a Downstream Component ('Injection')

Vulnerability CVE-2020-8231

Due to use of a dangling pointer, libcurl 7.29.0 through 7.71.1 can use the wrong connection when sending data.

CVSS v3.1 Base Score	7.5
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:N/A:N/E:P/RL:O/RC:C
CWE	CWE-416: Use After Free

Vulnerability CVE-2020-8284

A malicious server can use the FTP PASV response to trick curl 7.73.0 and earlier into connecting back to a given IP address and port, and this way potentially make curl extract information about services that are otherwise private and not disclosed, for example doing port scanning and service banner extractions.

CVSS v3.1 Base Score	3.7
CVSS Vector	CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:L/I:N/A:N/E:U/RL:O/RC:C
CWE	CWE-200: Exposure of Sensitive Information to an Unauthorized Actor

Vulnerability CVE-2020-8285

curl 7.21.0 to and including 7.73.0 is vulnerable to uncontrolled recursion due to a stack overflow issue in FTP wildcard match parsing.

CVSS v3.1 Base Score	7.5
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:P/RL:O/RC:C
CWE	CWE-674: Uncontrolled Recursion

Vulnerability CVE-2020-8286

The libcurl library versions 7.41.0 to and including 7.73.0 are vulnerable to an improper check for certificate revocation due to insufficient verification of the OCSP response. This vulnerability could allow an attacker to pass a revoked certificate as valid.

CVSS v3.1 Base Score	7.5
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:H/A:N/E:U/RL:O/RC:C
CWE	CWE-295: Improper Certificate Validation

Vulnerability CVE-2020-8315

In Python (CPython) 3.6 through 3.6.10, 3.7 through 3.7.6, and 3.8 through 3.8.1, an insecure dependency load upon launch on Windows 7 may result in an attacker's copy of api-ms-win-core-path-l1-1-0.dll being loaded and used instead of the system's copy. Windows 8 and later are unaffected.

CVSS v3.1 Base Score	5.5
CVSS Vector	CVSS:3.1/AV:L/AC:L/PR:N/UI:R/S:U/C:N/I:H/A:N/E:P/RL:O/RC:C
CWE	CWE-427: Uncontrolled Search Path Element

Vulnerability CVE-2020-8492

Python 2.7 through 2.7.17, 3.5 through 3.5.9, 3.6 through 3.6.10, 3.7 through 3.7.6, and 3.8 through 3.8.1 allows an HTTP server to conduct Regular Expression Denial of Service (ReDoS) attacks against a client because of urllib.request.AbstractBasicAuthHandler catastrophic backtracking.

CVSS v3.1 Base Score	6.5
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:N/A:H/E:P/RL:O/RC:C
CWE	CWE-400: Uncontrolled Resource Consumption

Vulnerability CVE-2020-9327

In SQLite 3.31.1, `isAuxiliaryVtabOperator` allows attackers to trigger a NULL pointer dereference and segmentation fault because of generated column optimizations.

CVSS v3.1 Base Score	7.5
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:P/RL:O/RC:C
CWE	CWE-476: NULL Pointer Dereference

Vulnerability CVE-2020-10029

The GNU C Library (aka glibc or libc6) before 2.32 could overflow an on-stack buffer during range reduction if an input to an 80-bit long double function contains a non-canonical bit pattern, as seen when passing a 0x5d414141414141410000 value to `sinl` on x86 targets. This is related to `sysdeps/ieee754/ldbl-96/e_rem_pio2l.c`.

CVSS v3.1 Base Score	5.5
CVSS Vector	CVSS:3.1/AV:L/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H/E:P/RL:O/RC:C
CWE	CWE-787: Out-of-bounds Write

Vulnerability CVE-2020-10531

An issue was discovered in International Components for Unicode (ICU) for C/C++ through 66.1. An integer overflow, leading to a heap-based buffer overflow, exists in the `UnicodeString::doAppend()` function in `common/unistr.cpp`.

CVSS v3.1 Base Score	8.8
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:H/I:H/A:H/E:P/RL:O/RC:C
CWE	CWE-787: Out-of-bounds Write

Vulnerability CVE-2020-10543

Perl before 5.30.3 on 32-bit platforms allows a heap-based buffer overflow because nested regular expression quantifiers have an integer overflow.

CVSS v3.1 Base Score	8.2
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:L/A:H/E:P/RL:O/RC:C
CWE	CWE-787: Out-of-bounds Write

Vulnerability CVE-2020-10735

A flaw was found in python. In algorithms with quadratic time complexity using non-binary bases, when using `int("text")`, a system could take 50ms to parse an int string with 100,000 digits and 5s for 1,000,000 digits (float, decimal, `int.from_bytes()`, and `int()` for binary bases 2, 4, 8, 16, and 32 are not affected). The highest threat from this vulnerability is to system availability.

CVSS v3.1 Base Score	7.5
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:P/RL:O/RC:C
CWE	CWE-704: Incorrect Type Conversion or Cast

Vulnerability CVE-2020-10878

Perl before 5.30.3 has an integer overflow related to mishandling of a `"PL_regkind[OP(n)] == NOTHING"` situation. A crafted regular expression could lead to malformed bytecode with a possibility of instruction injection.

CVSS v3.1 Base Score	8.6
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:L/A:H/E:P/RL:O/RC:C
CWE	CWE-190: Integer Overflow or Wraparound

Vulnerability CVE-2020-11501

GnuTLS 3.6.x before 3.6.13 uses incorrect cryptography for DTLS. The earliest affected version is 3.6.3 (2018-07-16) because of an error in a 2017-10-06 commit. The DTLS client always uses 32 '\0' bytes instead of a random value, and thus contributes no randomness to a DTLS negotiation. This breaks the security guarantees of the DTLS protocol.

CVSS v3.1 Base Score	7.4
CVSS Vector	CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:H/I:H/A:N/E:P/RL:O/RC:C
CWE	CWE-330: Use of Insufficiently Random Values

Vulnerability CVE-2020-11655

SQLite through 3.31.1 allows attackers to cause a denial of service (segmentation fault) via a malformed window-function query because the AggInfo object's initialization is mishandled.

CVSS v3.1 Base Score	7.5
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:P/RL:O/RC:C
CWE	CWE-665: Improper Initialization

Vulnerability CVE-2020-11656

In SQLite through 3.31.1, the ALTER TABLE implementation has a use-after-free, as demonstrated by an ORDER BY clause that belongs to a compound SELECT statement.

CVSS v3.1 Base Score	9.8
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H/E:P/RL:O/RC:C
CWE	CWE-416: Use After Free

Vulnerability CVE-2020-12062

The scp client in OpenSSH 8.2 incorrectly sends duplicate responses to the server upon a utimes system call failure, which allows a malicious unprivileged user on the remote server to overwrite arbitrary files in the client's download directory by creating a crafted subdirectory anywhere on the remote server. The victim must use the command scp -rp to download a file hierarchy containing, anywhere inside, this crafted subdirectory. NOTE: the vendor points out that "this attack can achieve no more than a hostile peer is already able to achieve within the scp protocol" and "utimes does not fail under normal circumstances.

CVSS v3.1 Base Score	7.5
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:H/A:N/E:P/RL:O/RC:C
CWE	CWE-20: Improper Input Validation

Vulnerability CVE-2020-12243

In filter.c in slapd in OpenLDAP before 2.4.50, LDAP search filters with nested boolean expressions can result in denial of service (daemon crash).

CVSS v3.1 Base Score	7.5
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:P/RL:O/RC:C
CWE	CWE-674: Uncontrolled Recursion

Vulnerability CVE-2020-12723

regcomp.c in Perl before 5.30.3 allows a buffer overflow via a crafted regular expression because of recursive S_study_chunk calls.

CVSS v3.1 Base Score	7.5
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:P/RL:O/RC:C
CWE	CWE-120: Buffer Copy without Checking Size of Input ('Classic Buffer Overflow')

Vulnerability CVE-2020-12762

json-c through 0.14 has an integer overflow and out-of-bounds write via a large JSON file, as demonstrated by `printbuf_memappend`.

CVSS v3.1 Base Score	7.8
CVSS Vector	CVSS:3.1/AV:L/AC:L/PR:N/UI:R/S:U/C:H/I:H/A:H/E:P/RL:O/RC:C
CWE	CWE-190: Integer Overflow or Wraparound

Vulnerability CVE-2020-13434

SQLite through 3.32.0 has an integer overflow in `sqlite3_str_vappendf` in `printf.c`.

CVSS v3.1 Base Score	5.5
CVSS Vector	CVSS:3.1/AV:L/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H/E:P/RL:O/RC:C
CWE	CWE-190: Integer Overflow or Wraparound

Vulnerability CVE-2020-13435

SQLite through 3.32.0 has a segmentation fault in `sqlite3ExprCodeTarget` in `expr.c`.

CVSS v3.1 Base Score	5.5
CVSS Vector	CVSS:3.1/AV:L/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H/E:P/RL:O/RC:C
CWE	CWE-476: NULL Pointer Dereference

Vulnerability CVE-2020-13529

An exploitable denial-of-service vulnerability exists in `Systemd` 245. A specially crafted DHCP FORCERENEW packet can cause a server running the DHCP client to be vulnerable to a DHCP ACK spoofing attack. An attacker can forge a pair of FORCERENEW and DHCP ACK packets to reconfigure the server.

CVSS v3.1 Base Score	6.1
CVSS Vector	CVSS:3.1/AV:A/AC:H/PR:N/UI:N/S:C/C:N/I:N/A:H/E:P/RL:O/RC:C
CWE	CWE-290: Authentication Bypass by Spoofing

Vulnerability CVE-2020-13630

`ext/fts3/fts3.c` in SQLite before 3.32.0 has a use-after-free in `fts3EvalNextRow`, related to the snippet feature.

CVSS v3.1 Base Score	7.0
CVSS Vector	CVSS:3.1/AV:L/AC:H/PR:L/UI:N/S:U/C:H/I:H/A:H/E:P/RL:O/RC:C
CWE	CWE-416: Use After Free

Vulnerability CVE-2020-13631

SQLite before 3.32.0 allows a virtual table to be renamed to the name of one of its shadow tables, related to `alter.c` and `build.c`.

CVSS v3.1 Base Score	5.5
CVSS Vector	CVSS:3.1/AV:L/AC:L/PR:L/UI:N/S:U/C:N/I:H/A:N/E:P/RL:O/RC:C
CWE	CWE-20: Improper Input Validation

Vulnerability CVE-2020-13632

`ext/fts3/fts3_snippet.c` in SQLite before 3.32.0 has a NULL pointer dereference via a crafted `matchinfo()` query.

CVSS v3.1 Base Score	5.5
CVSS Vector	CVSS:3.1/AV:L/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H/E:P/RL:O/RC:C
CWE	CWE-476: NULL Pointer Dereference

Vulnerability CVE-2020-13776

systemd through v245 mishandles numerical usernames such as ones composed of decimal digits or 0x followed by hex digits, as demonstrated by use of root privileges when privileges of the 0x0 user account were intended. NOTE: this issue exists because of an incomplete fix for CVE-2017-1000082.

CVSS v3.1 Base Score	6.7
CVSS Vector	CVSS:3.1/AV:L/AC:H/PR:L/UI:R/S:U/C:H/I:H/A:H/E:P/RL:O/RC:C
CWE	CWE-269: Improper Privilege Management

Vulnerability CVE-2020-13777

GnuTLS 3.6.x before 3.6.14 uses incorrect cryptography for encrypting a session ticket (a loss of confidentiality in TLS 1.2, and an authentication bypass in TLS 1.3). The earliest affected version is 3.6.4 (2018-09-24) because of an error in a 2018-09-18 commit. Until the first key rotation, the TLS server always uses wrong data in place of an encryption key derived from an application.

CVSS v3.1 Base Score	7.4
CVSS Vector	CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:H/I:H/A:N/E:P/RL:O/RC:C
CWE	CWE-327: Use of a Broken or Risky Cryptographic Algorithm

Vulnerability CVE-2020-13871

SQLite 3.32.2 has a use-after-free in resetAccumulator in select.c because the parse tree rewrite for window functions is too late.

CVSS v3.1 Base Score	7.5
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:P/RL:O/RC:C
CWE	CWE-416: Use After Free

Vulnerability CVE-2020-14145

The client side in OpenSSH 5.7 through 8.4 has an Observable Discrepancy leading to an information leak in the algorithm negotiation. This allows man-in-the-middle attackers to target initial connection attempts (where no host key for the server has been cached by the client). NOTE: some reports state that 8.5 and 8.6 are also affected.

CVSS v3.1 Base Score	5.9
CVSS Vector	CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:H/I:N/A:N/E:P/RL:O/RC:C
CWE	CWE-203: Observable Discrepancy

Vulnerability CVE-2020-14422

Lib/ipaddress.py in Python through 3.8.3 improperly computes hash values in the IPv4Interface and IPv6Interface classes, which might allow a remote attacker to cause a denial of service if an application is affected by the performance of a dictionary containing IPv4Interface or IPv6Interface objects, and this attacker can cause many dictionary entries to be created. This is fixed in: v3.5.10, v3.5.10rc1; v3.6.12; v3.7.9; v3.8.4, v3.8.4rc1, v3.8.5, v3.8.6, v3.8.6rc1; v3.9.0, v3.9.0b4, v3.9.0b5, v3.9.0rc1, v3.9.0rc2.

CVSS v3.1 Base Score	5.9
CVSS Vector	CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:N/I:N/A:H/E:P/RL:O/RC:C
CWE	CWE-682: Incorrect Calculation

Vulnerability CVE-2020-15358

In SQLite before 3.32.3, select.c mishandles query-flattener optimization, leading to a multiSelectOrderBy heap overflow because of misuse of transitive properties for constant propagation.

CVSS v3.1 Base Score	5.5
CVSS Vector	CVSS:3.1/AV:L/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H/E:P/RL:O/RC:C
CWE	CWE-787: Out-of-bounds Write

Vulnerability CVE-2020-15523

In Python 3.6 through 3.6.10, 3.7 through 3.7.8, 3.8 through 3.8.4rc1, and 3.9 through 3.9.0b4 on Windows, a Trojan horse python3.dll might be used in cases where CPython is embedded in a native application. This occurs because python3X.dll may use an invalid search path for python3.dll loading (after Py_SetPath has been used). NOTE: this issue CANNOT occur when using python.exe from a standard (non-embedded) Python installation on Windows.

CVSS v3.1 Base Score	7.8
CVSS Vector	CVSS:3.1/AV:L/AC:L/PR:N/UI:R/S:U/C:H/I:H/A:H/E:P/RL:O/RC:C
CWE	CWE-427: Uncontrolled Search Path Element

Vulnerability CVE-2020-15778

scp in OpenSSH through 8.3p1 allows command injection in the scp.c toremote function, as demonstrated by backtick characters in the destination argument. NOTE: the vendor reportedly has stated that they intentionally omit validation of “anomalous argument transfers” because that could “stand a great chance of breaking existing workflows.”

CVSS v3.1 Base Score	7.8
CVSS Vector	CVSS:3.1/AV:L/AC:L/PR:N/UI:R/S:U/C:H/I:H/A:H/E:P/RL:O/RC:C
CWE	CWE-78: Improper Neutralization of Special Elements used in an OS Command ('OS Command Injection')

Vulnerability CVE-2020-15801

In Python 3.8.4, sys.path restrictions specified in a python38.pth file are ignored, allowing code to be loaded from arbitrary locations. The <executable-name>.pth file (e.g., the python.pth file) is not affected.

CVSS v3.1 Base Score	9.8
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H/E:P/RL:O/RC:C
CWE	CWE-426: Untrusted Search Path

Vulnerability CVE-2020-19185

Buffer Overflow vulnerability in one_one_mapping function in progs/dump_entry.c:1373 in ncurses 6.1 allows remote attackers to cause a denial of service via crafted command.

CVSS v3.1 Base Score	6.5
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:N/A:H/E:P/RL:O/RC:C
CWE	CWE-787: Out-of-bounds Write

Vulnerability CVE-2020-19186

Buffer Overflow vulnerability in _nc_find_entry function in tinfo/comp_hash.c:66 in ncurses 6.1 allows remote attackers to cause a denial of service via crafted command.

CVSS v3.1 Base Score	6.5
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:N/A:H/E:P/RL:O/RC:C
CWE	CWE-787: Out-of-bounds Write

Vulnerability CVE-2020-19187

Buffer Overflow vulnerability in fmt_entry function in progs/dump_entry.c:1100 in ncurses 6.1 allows remote attackers to cause a denial of service via crafted command.

CVSS v3.1 Base Score	6.5
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:N/A:H/E:P/RL:O/RC:C
CWE	CWE-787: Out-of-bounds Write

Vulnerability CVE-2020-19188

Buffer Overflow vulnerability in `fmt_entry` function in `progs/dump_entry.c:1116` in `ncurses 6.1` allows remote attackers to cause a denial of service via crafted command.

CVSS v3.1 Base Score	6.5
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:N/A:H/E:P/RL:O/RC:C
CWE	CWE-787: Out-of-bounds Write

Vulnerability CVE-2020-19189

Buffer Overflow vulnerability in `postprocess_terminfo` function in `tinfo/parse_entry.c:997` in `ncurses 6.1` allows remote attackers to cause a denial of service via crafted command.

CVSS v3.1 Base Score	6.5
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:N/A:H/E:P/RL:O/RC:C
CWE	CWE-787: Out-of-bounds Write

Vulnerability CVE-2020-19190

Buffer Overflow vulnerability in `_nc_find_entry` in `tinfo/comp_hash.c:70` in `ncurses 6.1` allows remote attackers to cause a denial of service via crafted command.

CVSS v3.1 Base Score	6.5
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:N/A:H/E:P/RL:O/RC:C
CWE	CWE-787: Out-of-bounds Write

Vulnerability CVE-2020-19909

Integer overflow vulnerability in `tool_operate.c` in `curl 7.65.2` via a large value as the retry delay. NOTE: many parties report that this has no direct security impact on the curl user; however, it may (in theory) cause a denial of service to associated systems or networks if, for example, `--retry-delay` is misinterpreted as a value much smaller than what was intended. This is not especially plausible because the overflow only happens if the user was trying to specify that curl should wait weeks (or longer) before trying to recover from a transient error.

CVSS v3.1 Base Score	3.3
CVSS Vector	CVSS:3.1/AV:L/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:L/E:P/RL:O/RC:C
CWE	CWE-190: Integer Overflow or Wraparound

Vulnerability CVE-2020-21047

The `libcpu` component which is used by `libasm` of `elfutils` version 0.177 (git 47780c9e), suffers from denial-of-service vulnerability caused by application crashes due to out-of-bounds write (CWE-787), off-by-one error (CWE-193) and reachable assertion (CWE-617); to exploit the vulnerability, the attackers need to craft certain ELF files which bypass the missing bound checks.

CVSS v3.1 Base Score	5.5
CVSS Vector	CVSS:3.1/AV:L/AC:L/PR:N/UI:R/S:U/C:N/I:N/A:H/E:P/RL:O/RC:C
CWE	CWE-787: Out-of-bounds Write

Vulnerability CVE-2020-21913

International Components for Unicode (ICU-20850) v66.1 was discovered to contain a use after free bug in the `pkg_createWithAssemblyCode` function in the file `tools/pkgdata/pkgdata.cpp`.

CVSS v3.1 Base Score	5.5
CVSS Vector	CVSS:3.1/AV:L/AC:L/PR:N/UI:R/S:U/C:N/I:N/A:H/E:P/RL:O/RC:C
CWE	CWE-416: Use After Free

Vulnerability CVE-2020-22218

An issue was discovered in function `_libssh2_packet_add` in `libssh2 1.10.0` allows attackers to access out of bounds memory.

CVSS v3.1 Base Score	7.5
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:P/RL:O/RC:C
CWE	CWE-787: Out-of-bounds Write

Vulnerability CVE-2020-24659

An issue was discovered in GnuTLS before 3.6.15. A server can trigger a NULL pointer dereference in a TLS 1.3 client if a `no_renegotiation` alert is sent with unexpected timing, and then an invalid second handshake occurs. The crash happens in the application's error handling path, where the `gnutls_deinit` function is called after detecting a handshake failure.

CVSS v3.1 Base Score	7.5
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:P/RL:O/RC:C
CWE	CWE-787: Out-of-bounds Write

Vulnerability CVE-2020-24977

GNOME project `libxml2 v2.9.10` has a global buffer over-read vulnerability in `xmlEncodeEntitiesInternal` at `libxml2/entities.c`. The issue has been fixed in commit `50f06b3e`.

CVSS v3.1 Base Score	6.5
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:N/A:L/E:P/RL:O/RC:C
CWE	CWE-125: Out-of-bounds Read

Vulnerability CVE-2020-25692

A NULL pointer dereference was found in OpenLDAP server and was fixed in `openldap 2.4.55`, during a request for renaming RDNs. An unauthenticated attacker could remotely crash the `slapd` process by sending a specially crafted request, causing a Denial of Service.

CVSS v3.1 Base Score	7.5
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:P/RL:O/RC:C
CWE	CWE-476: NULL Pointer Dereference

Vulnerability CVE-2020-25709

A flaw was found in OpenLDAP. This flaw allows an attacker who can send a malicious packet to be processed by OpenLDAP's `slapd` server, to trigger an assertion failure. The highest threat from this vulnerability is to system availability.

CVSS v3.1 Base Score	7.5
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:P/RL:O/RC:C
CWE	CWE-617: Reachable Assertion

Vulnerability CVE-2020-25710

A flaw was found in OpenLDAP in versions before 2.4.56. This flaw allows an attacker who sends a malicious packet processed by OpenLDAP to force a failed assertion in `csnNormalize23()`. The highest threat from this vulnerability is to system availability.

CVSS v3.1 Base Score	7.5
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:P/RL:O/RC:C
CWE	CWE-617: Reachable Assertion

Vulnerability CVE-2020-26116

http.client in Python 3.x before 3.5.10, 3.6.x before 3.6.12, 3.7.x before 3.7.9, and 3.8.x before 3.8.5 allows CRLF injection if the attacker controls the HTTP request method, as demonstrated by inserting CR and LF control characters in the first argument of HTTPConnection.request.

CVSS v3.1 Base Score	7.2
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:C/C:L/I:L/A:N/E:P/RL:O/RC:C
CWE	CWE-74: Improper Neutralization of Special Elements in Output Used by a Downstream Component ('Injection')

Vulnerability CVE-2020-27618

The iconv function in the GNU C Library (aka glibc or libc6) 2.32 and earlier, when processing invalid multi-byte input sequences in IBM1364, IBM1371, IBM1388, IBM1390, and IBM1399 encodings, fails to advance the input state, which could lead to an infinite loop in applications, resulting in a denial of service, a different vulnerability from CVE-2016-10228.

CVSS v3.1 Base Score	5.5
CVSS Vector	CVSS:3.1/AV:L/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H/E:P/RL:O/RC:C
CWE	CWE-835: Loop with Unreachable Exit Condition ('Infinite Loop')

Vulnerability CVE-2020-28196

MIT Kerberos 5 (aka krb5) before 1.17.2 and 1.18.x before 1.18.3 allows unbounded recursion via an ASN.1-encoded Kerberos message because the lib/krb5/asn.1/asn1_encode.c support for BER indefinite lengths lacks a recursion limit.

CVSS v3.1 Base Score	7.5
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:P/RL:O/RC:C
CWE	CWE-674: Uncontrolled Recursion

Vulnerability CVE-2020-29361

An issue was discovered in p11-kit 0.21.1 through 0.23.21. Multiple integer overflows have been discovered in the array allocations in the p11-kit library and the p11-kit list command, where overflow checks are missing before calling realloc or calloc.

CVSS v3.1 Base Score	7.5
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:P/RL:O/RC:C
CWE	CWE-190: Integer Overflow or Wraparound

Vulnerability CVE-2020-29362

An issue was discovered in p11-kit 0.21.1 through 0.23.21. A heap-based buffer over-read has been discovered in the RPC protocol used by the p11-kit server/remote commands and the client library. When the remote entity supplies a byte array through a serialized PKCS#11 function call, the receiving entity may allow the reading of up to 4 bytes of memory past the heap allocation.

CVSS v3.1 Base Score	5.3
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:N/A:N/E:P/RL:O/RC:C
CWE	CWE-125: Out-of-bounds Read

Vulnerability CVE-2020-29363

An issue was discovered in p11-kit 0.23.6 through 0.23.21. A heap-based buffer overflow has been discovered in the RPC protocol used by p11-kit server/remote commands and the client library. When the remote entity supplies a serialized byte array in a CK_ATTRIBUTE, the receiving entity may not allocate sufficient length for the buffer to store the deserialized value.

CVSS v3.1 Base Score	7.5
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:P/RL:O/RC:C
CWE	CWE-787: Out-of-bounds Write

Vulnerability CVE-2020-29562

The iconv function in the GNU C Library (aka glibc or libc6) 2.30 to 2.32, when converting UCS4 text containing an irreversible character, fails an assertion in the code path and aborts the program, potentially resulting in a denial of service.

CVSS v3.1 Base Score	4.8
CVSS Vector	CVSS:3.1/AV:N/AC:H/PR:L/UI:R/S:U/C:N/I:N/A:H/E:P/RL:O/RC:C
CWE	CWE-617: Reachable Assertion

Vulnerability CVE-2020-29573

sysdeps/i386/ldbl2mpn.c in the GNU C Library (aka glibc or libc6) before 2.23 on x86 targets has a stack-based buffer overflow if the input to any of the printf family of functions is an 80-bit long double with a non-canonical bit pattern, as seen when passing a `\x00\x04\x00\x00\x00\x00\x00\x00\x00\x04` value to `sprintf`. NOTE: the issue does not affect glibc by default in 2016 or later (i.e., 2.23 or later) because of commits made in 2015 for inlining of C99 math functions through use of GCC built-ins. In other words, the reference to 2.23 is intentional despite the mention of “Fixed for glibc 2.33” in the 26649 reference.

CVSS v3.1 Base Score	7.5
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:P/RL:O/RC:C
CWE	CWE-787: Out-of-bounds Write

Vulnerability CVE-2020-35525

In SQLite 3.31.1, a potential null pointer derreference was found in the INTERSEC query processing.

CVSS v3.1 Base Score	7.5
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:P/RL:O/RC:C
CWE	CWE-476: NULL Pointer Dereference

Vulnerability CVE-2020-35527

In SQLite 3.31.1, there is an out of bounds access problem through ALTER TABLE for views that have a nested FROM clause.

CVSS v3.1 Base Score	9.8
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H/E:P/RL:O/RC:C
CWE	CWE-119: Improper Restriction of Operations within the Bounds of a Memory Buffer

Vulnerability CVE-2020-36221

An integer underflow was discovered in OpenLDAP before 2.4.57 leading to slapd crashes in the Certificate Exact Assertion processing, resulting in denial of service (schema_init.c serialNumberAndIssuerCheck).

CVSS v3.1 Base Score	7.5
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:P/RL:O/RC:C
CWE	CWE-191: Integer Underflow (Wrap or Wraparound)

Vulnerability CVE-2020-36222

A flaw was discovered in OpenLDAP before 2.4.57 leading to an assertion failure in slapd in the saslAuthzTo validation, resulting in denial of service.

CVSS v3.1 Base Score	7.5
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:P/RL:O/RC:C
CWE	CWE-617: Reachable Assertion

Vulnerability CVE-2020-36223

A flaw was discovered in OpenLDAP before 2.4.57 leading to a slapd crash in the Values Return Filter control handling, resulting in denial of service (double free and out-of-bounds read).

CVSS v3.1 Base Score	7.5
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:P/RL:O/RC:C
CWE	CWE-125: Out-of-bounds Read

Vulnerability CVE-2020-36224

A flaw was discovered in OpenLDAP before 2.4.57 leading to an invalid pointer free and slapd crash in the saslAuthzTo processing, resulting in denial of service.

CVSS v3.1 Base Score	7.5
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:P/RL:O/RC:C
CWE	CWE-763: Release of Invalid Pointer or Reference

Vulnerability CVE-2020-36225

A flaw was discovered in OpenLDAP before 2.4.57 leading to a double free and slapd crash in the saslAuthzTo processing, resulting in denial of service.

CVSS v3.1 Base Score	7.5
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:P/RL:O/RC:C
CWE	CWE-415: Double Free

Vulnerability CVE-2020-36226

A flaw was discovered in OpenLDAP before 2.4.57 leading to a memch->bv_len miscalculation and slapd crash in the saslAuthzTo processing, resulting in denial of service.

CVSS v3.1 Base Score	7.5
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:P/RL:O/RC:C
CWE	CWE-311: Missing Encryption of Sensitive Data

Vulnerability CVE-2020-36227

A flaw was discovered in OpenLDAP before 2.4.57 leading to an infinite loop in slapd with the cancel_extop Cancel operation, resulting in denial of service.

CVSS v3.1 Base Score	7.5
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:P/RL:O/RC:C
CWE	CWE-835: Loop with Unreachable Exit Condition ('Infinite Loop')

Vulnerability CVE-2020-36228

An integer underflow was discovered in OpenLDAP before 2.4.57 leading to a slapd crash in the Certificate List Exact Assertion processing, resulting in denial of service.

CVSS v3.1 Base Score	7.5
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:P/RL:O/RC:C
CWE	CWE-191: Integer Underflow (Wrap or Wraparound)

Vulnerability CVE-2020-36229

A flaw was discovered in ldap_X509dn2bv in OpenLDAP before 2.4.57 leading to a slapd crash in the X.509 DN parsing in ad_keystring, resulting in denial of service.

CVSS v3.1 Base Score	7.5
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:P/RL:O/RC:C
CWE	CWE-843: Access of Resource Using Incompatible Type ('Type Confusion')

Vulnerability CVE-2020-36230

A flaw was discovered in OpenLDAP before 2.4.57 leading in an assertion failure in slapd in the X.509 DN parsing in decode.c ber_next_element, resulting in denial of service.

CVSS v3.1 Base Score	7.5
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:P/RL:O/RC:C
CWE	CWE-617: Reachable Assertion

Vulnerability CVE-2021-3177

Python 3.x through 3.9.1 has a buffer overflow in PyCArg_repr in _ctypes/callproc.c, which may lead to remote code execution in certain Python applications that accept floating-point numbers as untrusted input, as demonstrated by a 1e300 argument to c_double.from_param. This occurs because sprintf is used unsafely.

CVSS v3.1 Base Score	9.8
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H/E:P/RL:O/RC:C
CWE	CWE-120: Buffer Copy without Checking Size of Input ('Classic Buffer Overflow')

Vulnerability CVE-2021-3326

The iconv function in the GNU C Library (aka glibc or libc6) 2.32 and earlier, when processing invalid input sequences in the ISO-2022-JP-3 encoding, fails an assertion in the code path and aborts the program, potentially resulting in a denial of service.

CVSS v3.1 Base Score	7.5
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:P/RL:O/RC:C
CWE	CWE-617: Reachable Assertion

Vulnerability CVE-2021-3426

There's a flaw in Python 3's pydoc. A local or adjacent attacker who discovers or is able to convince another local or adjacent user to start a pydoc server could access the server and use it to disclose sensitive information belonging to the other user that they would not normally be able to access. The highest risk of this flaw is to data confidentiality. This flaw affects Python versions before 3.8.9, Python versions before 3.9.3 and Python versions before 3.10.0a7.

CVSS v3.1 Base Score	5.7
CVSS Vector	CVSS:3.1/AV:A/AC:L/PR:L/UI:N/S:U/C:H/I:N/A:N/E:P/RL:O/RC:C
CWE	CWE-22: Improper Limitation of a Pathname to a Restricted Directory ('Path Traversal')

Vulnerability CVE-2021-3516

There's a flaw in libxml2's xmllint in versions before 2.9.11. An attacker who is able to submit a crafted file to be processed by xmllint could trigger a use-after-free. The greatest impact of this flaw is to confidentiality, integrity, and availability.

CVSS v3.1 Base Score	7.8
CVSS Vector	CVSS:3.1/AV:L/AC:L/PR:N/UI:R/S:U/C:H/I:H/A:H/E:P/RL:O/RC:C
CWE	CWE-416: Use After Free

Vulnerability CVE-2021-3517

There is a flaw in the xml entity encoding functionality of libxml2 in versions before 2.9.11. An attacker who is able to supply a crafted file to be processed by an application linked with the affected functionality of libxml2 could trigger an out-of-bounds read. The most likely impact of this flaw is to application availability, with some potential impact to confidentiality and integrity if an attacker is able to use memory information to further exploit the application.

CVSS v3.1 Base Score	8.6
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:L/A:H/E:P/RL:O/RC:C
CWE	CWE-787: Out-of-bounds Write

Vulnerability CVE-2021-3518

There's a flaw in libxml2 in versions before 2.9.11. An attacker who is able to submit a crafted file to be processed by an application linked with libxml2 could trigger a use-after-free. The greatest impact from this flaw is to confidentiality, integrity, and availability.

CVSS v3.1 Base Score	8.8
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:H/I:H/A:H/E:P/RL:O/RC:C
CWE	CWE-416: Use After Free

Vulnerability CVE-2021-3520

There's a flaw in lz4. An attacker who submits a crafted file to an application linked with lz4 may be able to trigger an integer overflow, leading to calling of memmove() on a negative size argument, causing an out-of-bounds write and/or a crash. The greatest impact of this flaw is to availability, with some potential impact to confidentiality and integrity as well.

CVSS v3.1 Base Score	9.8
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H/E:P/RL:O/RC:C
CWE	CWE-190: Integer Overflow or Wraparound

Vulnerability CVE-2021-3537

A vulnerability found in libxml2 in versions before 2.9.11 shows that it did not propagate errors while parsing XML mixed content, causing a NULL dereference. If an untrusted XML document was parsed in recovery mode and post-validated, the flaw could be used to crash the application. The highest threat from this vulnerability is to system availability.

CVSS v3.1 Base Score	5.9
CVSS Vector	CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:N/I:N/A:H/E:P/RL:O/RC:C
CWE	CWE-476: NULL Pointer Dereference

Vulnerability CVE-2021-3541

A flaw was found in libxml2. Exponential entity expansion attack its possible bypassing all existing protection mechanisms and leading to denial of service.

CVSS v3.1 Base Score	6.5
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H/E:U/RL:O/RC:C
CWE	CWE-776: Improper Restriction of Recursive Entity References in DTDs ('XML Entity Expansion')

Vulnerability CVE-2021-3580

A flaw was found in the way nettle's RSA decryption functions handled specially crafted ciphertext. An attacker could use this flaw to provide a manipulated ciphertext leading to application crash and denial of service.

CVSS v3.1 Base Score	7.5
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:P/RL:O/RC:C
CWE	CWE-20: Improper Input Validation

Vulnerability CVE-2021-3733

There's a flaw in urllib's AbstractBasicAuthHandler class. An attacker who controls a malicious HTTP server that an HTTP client (such as web browser) connects to, could trigger a Regular Expression Denial of Service (ReDOS) during an authentication request with a specially crafted payload that is sent by the server to the client. The greatest threat that this flaw poses is to application availability.

CVSS v3.1 Base Score	6.5
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H/E:P/RL:O/RC:C
CWE	CWE-400: Uncontrolled Resource Consumption

Vulnerability CVE-2021-3737

A flaw was found in python. An improperly handled HTTP response in the HTTP client code of python may allow a remote attacker, who controls the HTTP server, to make the client script enter an infinite loop, consuming CPU time. The highest threat from this vulnerability is to system availability.

CVSS v3.1 Base Score	7.5
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:P/RL:O/RC:C
CWE	CWE-400: Uncontrolled Resource Consumption

Vulnerability CVE-2021-3826

Heap/stack buffer overflow in the dlang_lname function in d-demangle.c in libiberty allows attackers to potentially cause a denial of service (segmentation fault and crash) via a crafted mangled symbol.

CVSS v3.1 Base Score	7.5
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:P/RL:O/RC:C
CWE	CWE-119: Improper Restriction of Operations within the Bounds of a Memory Buffer

Vulnerability CVE-2021-3997

A flaw was found in systemd. An uncontrolled recursion in systemd-tmpfiles may lead to a denial of service at boot time when too many nested directories are created in /tmp.

CVSS v3.1 Base Score	5.5
CVSS Vector	CVSS:3.1/AV:L/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H/E:P/RL:O/RC:C
CWE	CWE-674: Uncontrolled Recursion

Vulnerability CVE-2021-3998

A flaw was found in glibc. The `realpath()` function can mistakenly return an unexpected value, potentially leading to information leakage and disclosure of sensitive data.

CVSS v3.1 Base Score	7.5
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:N/A:N/E:P/RL:O/RC:C
CWE	CWE-125: Out-of-bounds Read

Vulnerability CVE-2021-3999

A flaw was found in glibc. An off-by-one buffer overflow and underflow in `getcwd()` may lead to memory corruption when the size of the buffer is exactly 1. A local attacker who can control the input buffer and size passed to `getcwd()` in a `setuid` program could use this flaw to potentially execute arbitrary code and escalate their privileges on the system.

CVSS v3.1 Base Score	7.8
CVSS Vector	CVSS:3.1/AV:L/AC:L/PR:L/UI:N/S:U/C:H/I:H/A:H/E:P/RL:O/RC:C
CWE	CWE-193: Off-by-one Error

Vulnerability CVE-2021-4122

It was found that a specially crafted LUKS header could trick `cryptsetup` into disabling encryption during the recovery of the device. An attacker with physical access to the medium, such as a flash disk, could use this flaw to force a user into permanently disabling the encryption layer of that medium.

CVSS v3.1 Base Score	4.3
CVSS Vector	CVSS:3.1/AV:P/AC:L/PR:N/UI:R/S:U/C:N/I:H/A:N/E:P/RL:O/RC:C
CWE	CWE-345: Insufficient Verification of Data Authenticity

Vulnerability CVE-2021-4189

A flaw was found in Python, specifically in the FTP (File Transfer Protocol) client library in PASV (passive) mode. The issue is how the FTP client trusts the host from the PASV response by default. This flaw allows an attacker to set up a malicious FTP server that can trick FTP clients into connecting back to a given IP address and port. This vulnerability could lead to FTP client scanning ports, which otherwise would not have been possible.

CVSS v3.1 Base Score	5.3
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:N/A:N/E:P/RL:O/RC:C
CWE	CWE-252: Unchecked Return Value

Vulnerability CVE-2021-4209

A NULL pointer dereference flaw was found in GnuTLS. As Nettle's hash update functions internally call `memcpy`, providing zero-length input may cause undefined behavior. This flaw leads to a denial of service after authentication in rare circumstances.

CVSS v3.1 Base Score	6.5
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H/E:P/RL:O/RC:C
CWE	CWE-476: NULL Pointer Dereference

Vulnerability CVE-2021-20193

A flaw was found in the `src/list.c` of `tar` 1.33 and earlier. This flaw allows an attacker who can submit a crafted input file to `tar` to cause uncontrolled consumption of memory. The highest threat from this vulnerability is to system availability.

CVSS v3.1 Base Score	5.5
CVSS Vector	CVSS:3.1/AV:L/AC:L/PR:N/UI:R/S:U/C:N/I:N/A:H/E:P/RL:O/RC:C
CWE	CWE-125: Out-of-bounds Read

Vulnerability CVE-2021-20227

A flaw was found in SQLite's SELECT query functionality (src/select.c). This flaw allows an attacker who is capable of running SQL queries locally on the SQLite database to cause a denial of service or possible code execution by triggering a use-after-free. The highest threat from this vulnerability is to system availability.

CVSS v3.1 Base Score	5.5
CVSS Vector	CVSS:3.1/AV:L/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H/E:P/RL:O/RC:C
CWE	CWE-416: Use After Free

Vulnerability CVE-2021-20231

A flaw was found in gnutls. A use after free issue in client sending key_share extension may lead to memory corruption and other consequences.

CVSS v3.1 Base Score	9.8
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H/E:P/RL:O/RC:C
CWE	CWE-416: Use After Free

Vulnerability CVE-2021-20232

A flaw was found in gnutls. A use after free issue in client_send_params in lib/ext/pre_shared_key.c may lead to memory corruption and other potential consequences.

CVSS v3.1 Base Score	9.8
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H/E:P/RL:O/RC:C
CWE	CWE-416: Use After Free

Vulnerability CVE-2021-20305

A flaw was found in Nettle in versions before 3.7.2, where several Nettle signature verification functions (GOST DSA, EDDSA & ECDSA) result in the Elliptic Curve Cryptography point (ECC) multiply function being called with out-of-range scalars, possibly resulting in incorrect results. This flaw allows an attacker to force an invalid signature, causing an assertion failure or possible validation. The highest threat to this vulnerability is to confidentiality, integrity, as well as system availability.

CVSS v3.1 Base Score	8.1
CVSS Vector	CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:H/I:H/A:H/E:P/RL:O/RC:C
CWE	CWE-787: Out-of-bounds Write

Vulnerability CVE-2021-22876

curl 7.1.1 to and including 7.75.0 is vulnerable to an "Exposure of Private Personal Information to an Unauthorized Actor" by leaking credentials in the HTTP Referer: header. libcurl does not strip off user credentials from the URL when automatically populating the Referer: HTTP request header field in outgoing HTTP requests, and therefore risks leaking sensitive data to the server that is the target of the second HTTP request.

CVSS v3.1 Base Score	5.3
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:N/A:N/E:P/RL:O/RC:C
CWE	CWE-200: Exposure of Sensitive Information to an Unauthorized Actor

Vulnerability CVE-2021-22890

curl 7.63.0 to and including 7.75.0 includes vulnerability that allows a malicious HTTPS proxy to MITM a connection due to bad handling of TLS 1.3 session tickets. When using a HTTPS proxy and TLS 1.3, libcurl can confuse session tickets arriving from the HTTPS proxy but work as if they arrived from the remote server and then wrongly “short-cut” the host handshake. When confusing the tickets, a HTTPS proxy can trick libcurl to use the wrong session ticket resume for the host and thereby circumvent the server TLS certificate check and make a MITM attack to be possible to perform unnoticed. Note that such a malicious HTTPS proxy needs to provide a certificate that curl will accept for the MITMed server for an attack to work - unless curl has been told to ignore the server certificate check.

CVSS v3.1 Base Score	3.7
CVSS Vector	CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:N/I:L/A:N/E:P/RL:O/RC:C
CWE	CWE-290: Authentication Bypass by Spoofing

Vulnerability CVE-2021-22897

curl 7.61.0 through 7.76.1 suffers from exposure of data element to wrong session due to a mistake in the code for `CURLOPT_SSL_CIPHER_LIST` when libcurl is built to use the Schannel TLS library. The selected cipher set was stored in a single “static” variable in the library, which has the surprising side-effect that if an application sets up multiple concurrent transfers, the last one that sets the ciphers will accidentally control the set used by all transfers. In a worst-case scenario, this weakens transport security significantly.

CVSS v3.1 Base Score	5.3
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:N/A:N/E:P/RL:O/RC:C
CWE	CWE-668: Exposure of Resource to Wrong Sphere

Vulnerability CVE-2021-22898

NOTE: CVE-2021-22898 is an incomplete fix (see <https://hackerone.com/reports/1223882>)! Check if affected products also have fixed CVE-22925 instead! Do not use CVE-2021-22898 in public advisories!

curl 7.7 through 7.76.1 suffers from an information disclosure when the `-t` command line option, known as `CURLOPT_TELNETOPTIONS` in libcurl, is used to send variable=content pairs to TELNET servers. Due to a flaw in the option parser for sending `NEW_ENV` variables, libcurl could be made to pass on uninitialized data from a stack based buffer to the server, resulting in potentially revealing sensitive internal information to the server using a clear-text network protocol.

CVSS v3.1 Base Score	3.1
CVSS Vector	CVSS:3.1/AV:N/AC:H/PR:N/UI:R/S:U/C:L/I:N/A:N/E:P/RL:O/RC:C
CWE	CWE-909: Missing Initialization of Resource

Vulnerability CVE-2021-22901

curl 7.75.0 through 7.76.1 suffers from a use-after-free vulnerability resulting in already freed memory being used when a TLS 1.3 session ticket arrives over a connection. A malicious server can use this in rare unfortunate circumstances to potentially reach remote code execution in the client. When libcurl at run-time sets up support for TLS 1.3 session tickets on a connection using OpenSSL, it stores pointers to the transfer in-memory object for later retrieval when a session ticket arrives. If the connection is used by multiple transfers (like with a reused HTTP/1.1 connection or multiplexed HTTP/2 connection) that first transfer object might be freed before the new session is established on that connection and then the function will access a memory buffer that might be freed. When using that memory, libcurl might even call a function pointer in the object, making it possible for a remote code execution if the server could somehow manage to get crafted memory content into the correct place in memory.

CVSS v3.1 Base Score	8.1
CVSS Vector	CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:H/I:H/A:H/E:P/RL:O/RC:C
CWE	CWE-416: Use After Free

Vulnerability CVE-2021-22922

When curl is instructed to download content using the metalink feature, the contents is verified against a hash provided in the metalink XML file. The metalink XML file points out to the client how to get the same content from a set of different URLs, potentially hosted by different servers and the client can then download the file from one or several of them. In a serial or parallel manner. If one of the servers hosting the contents has been breached and the contents of the specific file on that server is replaced with a modified payload, curl should detect this when the hash of the file mismatches after a completed download. It should remove the contents and instead try getting the contents from another URL. This is not done, and instead such a hash mismatch is only mentioned in text and the potentially malicious content is kept in the file on disk.

CVSS v3.1 Base Score	6.5
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:H/A:N/E:P/RL:O/RC:C
CWE	CWE-354: Improper Validation of Integrity Check Value

Vulnerability CVE-2021-22923

When curl is instructed to get content using the metalink feature, and a user name and password are used to download the metalink XML file, those same credentials are then subsequently passed on to each of the servers from which curl will download or try to download the contents from. Often contrary to the user's expectations and intentions and without telling the user it happened.

CVSS v3.1 Base Score	5.3
CVSS Vector	CVSS:3.1/AV:N/AC:H/PR:N/UI:R/S:U/C:H/I:N/A:N/E:P/RL:O/RC:C
CWE	CWE-522: Insufficiently Protected Credentials

Vulnerability CVE-2021-22924

libcurl keeps previously used connections in a connection pool for subsequent transfers to reuse, if one of them matches the setup. Due to errors in the logic, the config matching function did not take 'issuercert' into account and it compared the involved paths *case insensitively*, which could lead to libcurl reusing wrong connections. File paths are, or can be, case sensitive on many systems but not all, and can even vary depending on used file systems. The comparison also didn't include the 'issuer cert' which a transfer can set to qualify how to verify the server certificate.

CVSS v3.1 Base Score	3.7
CVSS Vector	CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:L/I:N/A:N/E:P/RL:O/RC:C
CWE	CWE-706: Use of Incorrectly-Resolved Name or Reference

Vulnerability CVE-2021-22925

curl supports the `-t` command line option, known as `CURLOPT_TELNETOPTIONS` in libcurl. This rarely used option is used to send variable=content pairs to TELNET servers. Due to a flaw in the option parser for sending `NEW_ENV` variables, libcurl could be made to pass on uninitialized data from a stack based buffer to the server. Therefore potentially revealing sensitive internal information to the server using a clear-text network protocol. This could happen because curl did not call and use `sscanf()` correctly when parsing the string provided by the application.

CVSS v3.1 Base Score	5.3
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:N/A:N/E:P/RL:O/RC:C
CWE	CWE-908: Use of Uninitialized Resource

Vulnerability CVE-2021-22926

libcurl-using applications can ask for a specific client certificate to be used in a transfer. This is done with the `CURLOPT_SSLCERT` option (`--cert` with the command line tool). When libcurl is built to use the macOS native TLS library Secure Transport, an application can ask for the client certificate by name or with a file name - using the same option. If the name exists as a file, it will be used instead of by name. If the application runs with a current working directory that is writable by other users (like `/tmp`), a malicious user can create a file name with the same name as the app wants to use by name, and thereby trick the application to use the file based cert instead of the one referred to by name making libcurl send the wrong client certificate in the TLS connection handshake.

CVSS v3.1 Base Score	7.5
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:P/RL:O/RC:C
CWE	CWE-295: Improper Certificate Validation

Vulnerability CVE-2021-22945

When sending data to an MQTT server, libcurl $\leq 7.73.0$ and $7.78.0$ could in some circumstances erroneously keep a pointer to an already freed memory area and both use that again in a subsequent call to send data and also free it *again*.

CVSS v3.1 Base Score	9.1
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:N/A:H/E:P/RL:O/RC:C
CWE	CWE-415: Double Free

Vulnerability CVE-2021-22946

A user can tell curl $\geq 7.20.0$ and $\leq 7.78.0$ to require a successful upgrade to TLS when speaking to an IMAP, POP3 or FTP server (`--ssl-reqd` on the command line or `CURLOPT_USE_SSL` set to `CURLUSESSL_CONTROL` or `CURLUSESSL_ALL` with libcurl). This requirement could be bypassed if the server would return a properly crafted but perfectly legitimate response. This flaw would then make curl silently continue its operations **without TLS** contrary to the instructions and expectations, exposing possibly sensitive data in clear text over the network.

CVSS v3.1 Base Score	7.5
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:N/A:N/E:P/RL:O/RC:C
CWE	CWE-319: Cleartext Transmission of Sensitive Information

Vulnerability CVE-2021-22947

When curl $\geq 7.20.0$ and $\leq 7.78.0$ connects to an IMAP or POP3 server to retrieve data using STARTTLS to upgrade to TLS security, the server can respond and send back multiple responses at once that curl caches. curl would then upgrade to TLS but not flush the in-queue of cached responses but instead continue using and trusting the responses it got *before* the TLS handshake as if they were authenticated. Using this flaw, it allows a Man-In-The-Middle attacker to first inject the fake responses, then pass-through the TLS traffic from the legitimate server and trick curl into sending data back to the user thinking the attacker's injected data comes from the TLS-protected server.

CVSS v3.1 Base Score	5.9
CVSS Vector	CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:N/I:H/A:N/E:P/RL:O/RC:C
CWE	CWE-345: Insufficient Verification of Data Authenticity

Vulnerability CVE-2021-23336

The package python/cpython from 0 and before 3.6.13, from 3.7.0 and before 3.7.10, from 3.8.0 and before 3.8.8, from 3.9.0 and before 3.9.2 are vulnerable to Web Cache Poisoning via `urllib.parse.parse_qs` and `urllib.parse.parse_qs` by using a vector called parameter cloaking. When the attacker can separate query parameters using a semicolon (;), they can cause a difference in the interpretation of the request between the proxy (running with default configuration) and the server. This can result in malicious requests being cached as completely safe ones, as the proxy would usually not see the semicolon as a separator, and therefore would not include it in a cache key of an unkeyed parameter.

CVSS v3.1 Base Score	5.9
CVSS Vector	CVSS:3.1/AV:N/AC:H/PR:N/UI:R/S:U/C:N/I:L/A:H/E:P/RL:U/RC:C
CWE	CWE-20: Improper Input Validation

Vulnerability CVE-2021-27212

In OpenLDAP through 2.4.57 and 2.5.x through 2.5.1 alpha, an assertion failure in `slapd` can occur in the `issuerAndThisUpdateCheck` function via a crafted packet, resulting in a denial of service (daemon exit) via a short timestamp. This is related to `schema_init.c` and `checkTime`.

CVSS v3.1 Base Score	7.5
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:P/RL:O/RC:C
CWE	CWE-617: Reachable Assertion

Vulnerability CVE-2021-27218

An issue was discovered in GNOME GLib before 2.66.7 and 2.67.x before 2.67.4. If `g_byte_array_new_take()` was called with a buffer of 4GB or more on a 64-bit platform, the length would be truncated modulo 2^{32} , causing unintended length truncation.

CVSS v3.1 Base Score	7.5
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:P/RL:O/RC:C
CWE	CWE-681: Incorrect Conversion between Numeric Types

Vulnerability CVE-2021-27219

An issue was discovered in GNOME GLib before 2.66.6 and 2.67.x before 2.67.3. The function `g_bytes_new` has an integer overflow on 64-bit platforms due to an implicit cast from 64 bits to 32 bits. The overflow could potentially lead to memory corruption.

CVSS v3.1 Base Score	7.5
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:P/RL:O/RC:C
CWE	CWE-681: Incorrect Conversion between Numeric Types

Vulnerability CVE-2021-27645

The nameserver caching daemon (`nscd`) in the GNU C Library (aka `glibc` or `libc6`) 2.29 through 2.33, when processing a request for netgroup lookup, may crash due to a double-free, potentially resulting in degraded service or Denial of Service on the local system. This is related to `netgroupcache.c`.

CVSS v3.1 Base Score	2.5
CVSS Vector	CVSS:3.1/AV:L/AC:H/PR:L/UI:N/S:U/C:N/I:N/A:L/E:P/RL:O/RC:C
CWE	CWE-415: Double Free

Vulnerability CVE-2021-28041

ssh-agent in OpenSSH before 8.5 has a double free that may be relevant in a few less-common scenarios, such as unconstrained agent-socket access on a legacy operating system, or the forwarding of an agent to an attacker-controlled host.

CVSS v3.1 Base Score	7.1
CVSS Vector	CVSS:3.1/AV:N/AC:H/PR:L/UI:R/S:U/C:H/I:H/A:H/E:P/RL:O/RC:C
CWE	CWE-415: Double Free

Vulnerability CVE-2021-28153

An issue was discovered in GNOME GLib before 2.66.8. When `g_file_replace()` is used with `G_FILE_CREATE_REPLACE_DESTINATION` to replace a path that is a dangling symlink, it incorrectly also creates the target of the symlink as an empty file, which could conceivably have security relevance if the symlink is attacker-controlled. (If the path is a symlink to a file that already exists, then the contents of that file correctly remain unchanged.)

CVSS v3.1 Base Score	5.3
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:L/A:N/E:P/RL:O/RC:C
CWE	CWE-59: Improper Link Resolution Before File Access ('Link Following')

Vulnerability CVE-2021-28363

The `urllib3` library 1.26.x before 1.26.4 for Python omits SSL certificate validation in some cases involving HTTPS to HTTPS proxies. The initial connection to the HTTPS proxy (if an `SSLContext` isn't given via `proxy_config`) doesn't verify the hostname of the certificate. This means certificates for different servers that still validate properly with the default `urllib3` `SSLContext` will be silently accepted.

CVSS v3.1 Base Score	6.5
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:L/A:N/E:P/RL:O/RC:C
CWE	CWE-295: Improper Certificate Validation

Vulnerability CVE-2021-28861

Python 3.x through 3.10 has an open redirection vulnerability in `lib/http/server.py` due to no protection against multiple `/` at the beginning of URI path which may leads to information disclosure. NOTE: this is disputed by a third party because the `http.server.html` documentation page states "Warning: `http.server` is not recommended for production. It only implements basic security checks."

CVSS v3.1 Base Score	7.4
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:H/I:N/A:N/E:P/RL:O/RC:C
CWE	CWE-601: URL Redirection to Untrusted Site ('Open Redirect')

Vulnerability CVE-2021-31239

An issue found in SQLite SQLite3 v.3.35.4 that could allow a remote attacker to cause a denial of service via the `apendvfs.c` function.

CVSS v3.1 Base Score	7.5
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:P/RL:O/RC:C
CWE	CWE-125: Out-of-bounds Read

Vulnerability CVE-2021-32292

An issue was discovered in json-c from 20200420 (post 0.14 unreleased code) through 0.15-20200726. A stack-buffer-overflow exists in the auxiliary sample program json_parse which is located in the function parseit.

CVSS v3.1 Base Score	9.8
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H/E:P/RL:O/RC:C
CWE	CWE-787: Out-of-bounds Write

Vulnerability CVE-2021-33294

In elfutils 0.183, an infinite loop was found in the function handle_syntab in readelf.c .Which allows attackers to cause a denial of service (infinite loop) via crafted file.

CVSS v3.1 Base Score	5.5
CVSS Vector	CVSS:3.1/AV:L/AC:L/PR:N/UI:R/S:U/C:N/I:N/A:H/E:P/RL:O/RC:C
CWE	CWE-835: Loop with Unreachable Exit Condition ('Infinite Loop')

Vulnerability CVE-2021-33560

Libgcrypt before 1.8.8 and 1.9.x before 1.9.3 mishandles ElGamal encryption because it lacks exponent blinding to address a side-channel attack against mpi_powm, and the window size is not chosen appropriately. This, for example, affects use of ElGamal in OpenPGP.

CVSS v3.1 Base Score	7.5
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:N/A:N/E:P/RL:O/RC:C
CWE	CWE-203: Observable Discrepancy

Vulnerability CVE-2021-33574

The mq_notify function in the GNU C Library (aka glibc) versions 2.32 and 2.33 has a use-after-free. It may use the notification thread attributes object (passed through its struct sigevent parameter) after it has been freed by the caller, leading to a denial of service (application crash) or possibly unspecified other impact.

CVSS v3.1 Base Score	9.8
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H/E:P/RL:O/RC:C
CWE	CWE-416: Use After Free

Vulnerability CVE-2021-33910

The use of alloca function with an uncontrolled size in function unit_name_path_escape allows a local attacker, able to mount a filesystem on a very long path, to crash systemd and the whole system by allocating a very large space in the stack.

CVSS v3.1 Base Score	5.5
CVSS Vector	CVSS:3.1/AV:L/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H/E:P/RL:O/RC:C
CWE	CWE-770: Allocation of Resources Without Limits or Throttling

Vulnerability CVE-2021-35942

The wordexp function in the GNU C Library (aka glibc) through 2.33 may crash or read arbitrary memory in parse_param (in posix/wordexp.c) when called with an untrusted, crafted pattern, potentially resulting in a denial of service or disclosure of information. This occurs because atoi was used but strtoul should have been used to ensure correct calculations.

CVSS v3.1 Base Score	9.1
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:N/A:H/E:P/RL:O/RC:C
CWE	CWE-190: Integer Overflow or Wraparound

Vulnerability CVE-2021-36084

The CIL compiler in SELinux 3.2 has a use-after-free in `__cil_verify_classperms` (called from `__cil_verify_classpermission` and `__cil_pre_verify_helper`).

CVSS v3.1 Base Score	3.3
CVSS Vector	CVSS:3.1/AV:L/AC:L/PR:N/UI:R/S:U/C:N/I:N/A:L/E:P/RL:O/RC:C
CWE	CWE-416: Use After Free

Vulnerability CVE-2021-36085

The CIL compiler in SELinux 3.2 has a use-after-free in `__cil_verify_classperms` (called from `__verify_map_perm_classperms` and `hashtab_map`).

CVSS v3.1 Base Score	3.3
CVSS Vector	CVSS:3.1/AV:L/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:L/E:P/RL:O/RC:C
CWE	CWE-416: Use After Free

Vulnerability CVE-2021-36086

The CIL compiler in SELinux 3.2 has a use-after-free in `cil_reset_classpermission` (called from `cil_reset_classperms_set` and `cil_reset_classperms_list`).

CVSS v3.1 Base Score	3.3
CVSS Vector	CVSS:3.1/AV:L/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:L/E:P/RL:O/RC:C
CWE	CWE-416: Use After Free

Vulnerability CVE-2021-36087

The CIL compiler in SELinux 3.2 has a heap-based buffer over-read in `ebitmap_match_any` (called indirectly from `cil_check_neverallow`). This occurs because there is sometimes a lack of checks for invalid statements in an optional block.

CVSS v3.1 Base Score	3.3
CVSS Vector	CVSS:3.1/AV:L/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:L/E:P/RL:O/RC:C
CWE	CWE-125: Out-of-bounds Read

Vulnerability CVE-2021-36222

`ec_verify` in `kdc/kdc_preauth_ec.c` in the Key Distribution Center (KDC) in MIT Kerberos 5 (aka `krb5`) before 1.18.4 and 1.19.x before 1.19.2 allows remote attackers to cause a NULL pointer dereference and daemon crash. This occurs because a return value is not properly managed in a certain situation.

CVSS v3.1 Base Score	7.5
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:P/RL:O/RC:C
CWE	CWE-476: NULL Pointer Dereference

Vulnerability CVE-2021-36690

A segmentation fault can occur in the `sqlite3.exe` command-line component of SQLite 3.36.0 via the `idxGetTableInfo` function when there is a crafted SQL query. NOTE: the vendor disputes the relevance of this report because a `sqlite3.exe` user already has full privileges (e.g., is intentionally allowed to execute commands). This report does NOT imply any problem in the SQLite library.

CVSS v3.1 Base Score	7.5
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:P/RL:O/RC:C
CWE	CWE-311: Missing Encryption of Sensitive Data

Vulnerability CVE-2021-37600

An integer overflow in util-linux through 2.37.1 can potentially cause a buffer overflow if an attacker were able to use system resources in a way that leads to a large number in the /proc/sysvipc/sem file. NOTE: this is unexploitable in GNU C Library environments, and possibly in all realistic environments

CVSS v3.1 Base Score	5.5
CVSS Vector	CVSS:3.1/AV:L/AC:L/PR:N/UI:R/S:U/C:N/I:N/A:H/E:P/RL:O/RC:C
CWE	CWE-190: Integer Overflow or Wraparound

Vulnerability CVE-2021-37750

The Key Distribution Center (KDC) in MIT Kerberos 5 (aka krb5) before 1.18.5 and 1.19.x before 1.19.3 has a NULL pointer dereference in kdc/do_tgs_req.c via a FAST inner body that lacks a server field.

CVSS v3.1 Base Score	6.5
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H/E:P/RL:O/RC:C
CWE	CWE-476: NULL Pointer Dereference

Vulnerability CVE-2021-38604

In librt in the GNU C Library (aka glibc) through 2.34, sysdeps/unix/sysv/linux/mq_notify.c mishandles certain NOTIFY_REMOVED data, leading to a NULL pointer dereference. NOTE: this vulnerability was introduced as a side effect of the CVE-2021-33574 fix.

CVSS v3.1 Base Score	7.5
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:P/RL:O/RC:C
CWE	CWE-476: NULL Pointer Dereference

Vulnerability CVE-2021-41617

sshd in OpenSSH 6.2 through 8.x before 8.8, when certain non-default configurations are used, allows privilege escalation because supplemental groups are not initialized as expected. Helper programs for AuthorizedKeysCommand and AuthorizedPrincipalsCommand may run with privileges associated with group memberships of the sshd process, if the configuration specifies running the command as a different user.

CVSS v3.1 Base Score	7.0
CVSS Vector	CVSS:3.1/AV:L/AC:H/PR:L/UI:N/S:U/C:H/I:H/A:H/E:P/RL:O/RC:C
CWE	CWE-311: Missing Encryption of Sensitive Data

Vulnerability CVE-2021-43396

DISPUTED In iconvdata/iso-2022-jp-3.c in the GNU C Library (aka glibc) 2.34, remote attackers can force iconv() to emit a spurious '\0' character via crafted ISO-2022-JP-3 data that is accompanied by an internal state reset. This may affect data integrity in certain iconv() use cases. NOTE: the vendor states "the bug cannot be invoked through user input and requires iconv to be invoked with a NULL inbuf, which ought to require a separate application bug to do so unintentionally. Hence there's no security impact to the bug."

CVSS v3.1 Base Score	7.5
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:H/A:N/E:P/RL:O/RC:C
CWE	CWE-311: Missing Encryption of Sensitive Data

Vulnerability CVE-2021-43618

GNU Multiple Precision Arithmetic Library (GMP) through 6.2.1 has an mpz/inp_raw.c integer overflow and resultant buffer overflow via crafted input, leading to a segmentation fault on 32-bit platforms.

CVSS v3.1 Base Score	7.5
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:P/RL:O/RC:C
CWE	CWE-190: Integer Overflow or Wraparound

Vulnerability CVE-2021-44879

In `gc_data_segment` in `fs/f2fs/gc.c` in the Linux kernel before 5.16.3, special files are not considered, leading to a `move_data_page` NULL pointer dereference.

CVSS v3.1 Base Score	5.5
CVSS Vector	CVSS:3.1/AV:L/AC:L/PR:N/UI:R/S:U/C:N/I:N/A:H/E:P/RL:O/RC:C
CWE	CWE-476: NULL Pointer Dereference

Vulnerability CVE-2021-45960

In Expat (aka libexpat) before 2.4.3, a left shift by 29 (or more) places in the `storeAtts` function in `xmlparse.c` can lead to `realloc` misbehavior (e.g., allocating too few bytes, or only freeing memory).

CVSS v3.1 Base Score	8.8
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:H/I:H/A:H/E:P/RL:O/RC:C
CWE	CWE-400: Uncontrolled Resource Consumption

Vulnerability CVE-2021-46143

In `doProlog` in `xmlparse.c` in Expat (aka libexpat) before 2.4.3, an integer overflow exists for `m_groupSize`.

CVSS v3.1 Base Score	7.8
CVSS Vector	CVSS:3.1/AV:L/AC:L/PR:N/UI:R/S:U/C:H/I:H/A:H/E:P/RL:O/RC:C
CWE	CWE-190: Integer Overflow or Wraparound

Vulnerability CVE-2021-46195

GCC v12.0 was discovered to contain an uncontrolled recursion via the component `libiberty/rust-demangle.c`. This vulnerability allows attackers to cause a Denial of Service (DoS) by consuming excessive CPU and memory resources.

CVSS v3.1 Base Score	5.5
CVSS Vector	CVSS:3.1/AV:L/AC:L/PR:N/UI:R/S:U/C:N/I:N/A:H/E:P/RL:O/RC:C
CWE	CWE-674: Uncontrolled Recursion

Vulnerability CVE-2021-46828

In `libtirpc` before 1.3.3rc1, remote attackers could exhaust the file descriptors of a process that uses `libtirpc` because idle TCP connections are mishandled. This can, in turn, lead to an `svc_run` infinite loop without accepting new connections.

CVSS v3.1 Base Score	7.5
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:P/RL:O/RC:C
CWE	CWE-770: Allocation of Resources Without Limits or Throttling

Vulnerability CVE-2021-46848

GNU Libtasn1 before 4.19.0 has an `ETYPE_OK` off-by-one array size check that affects `asn1_encode_simple_der`.

CVSS v3.1 Base Score	9.1
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:N/A:H/E:P/RL:O/RC:C
CWE	CWE-193: Off-by-one Error

Vulnerability CVE-2022-0391

A flaw was found in Python, specifically within the `urllib.parse` module. This module helps break Uniform Resource Locator (URL) strings into components. The issue involves how the `urlparse` method does not sanitize input and allows characters like `'r'` and `'n'` in the URL path. This flaw allows an attacker to input a crafted URL, leading to injection attacks. This flaw affects Python versions prior to 3.10.0b1, 3.9.5, 3.8.11, 3.7.11 and 3.6.14.

CVSS v3.1 Base Score	7.5
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:H/A:N/E:P/RL:O/RC:C
CWE	CWE-74: Improper Neutralization of Special Elements in Output Used by a Downstream Component ('Injection')

Vulnerability CVE-2022-0563

A flaw was found in the `util-linux` `chfn` and `chsh` utilities when compiled with Readline support. The Readline library uses an `"INPUTRC"` environment variable to get a path to the library config file. When the library cannot parse the specified file, it prints an error message containing data from the file. This flaw allows an unprivileged user to read root-owned files, potentially leading to privilege escalation. This flaw affects `util-linux` versions prior to 2.37.4.

CVSS v3.1 Base Score	5.5
CVSS Vector	CVSS:3.1/AV:L/AC:L/PR:L/UI:N/S:U/C:H/I:N/A:N/E:P/RL:O/RC:C
CWE	CWE-209: Generation of Error Message Containing Sensitive Information

Vulnerability CVE-2022-0778

The `BN_mod_sqrt()` function in `openssl`, which computes a modular square root, contains a bug that can cause it to loop forever for non-prime moduli. Internally this function is used when parsing certificates that contain elliptic curve public keys in compressed form or explicit elliptic curve parameters with a base point encoded in compressed form. It is possible to trigger the infinite loop by crafting a certificate that has invalid explicit curve parameters. Since certificate parsing happens prior to verification of the certificate signature, any process that parses an externally supplied certificate may thus be subject to a denial of service attack. The infinite loop can also be reached when parsing crafted private keys as they can contain explicit elliptic curve parameters.

CVSS v3.1 Base Score	7.5
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H
CVSS v4.0 Base Score	8.7
CVSS Vector	CVSS:4.0/AV:N/AC:L/AT:N/PR:N/UI:N/VC:N/VI:N/VA:H/SC:N/SI:N/SA:N
CWE	CWE-835: Loop with Unreachable Exit Condition ('Infinite Loop')

Vulnerability CVE-2022-1271

An arbitrary file write vulnerability was found in GNU `gzip`'s `zgrep` utility. When `zgrep` is applied on the attacker's chosen file name (for example, a crafted file name), this can overwrite an attacker's content to an arbitrary attacker-selected file. This flaw occurs due to insufficient validation when processing filenames with two or more newlines where selected content and the target file names are embedded in crafted multi-line file names. This flaw allows a remote, low privileged attacker to force `zgrep` to write arbitrary files on the system.

CVSS v3.1 Base Score	8.8
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:H/I:H/A:H/E:P/RL:O/RC:C
CWE	CWE-20: Improper Input Validation

Vulnerability CVE-2022-1292

The `c_rehash` script does not properly sanitise shell metacharacters to prevent command injection.

CVSS v3.1 Base Score	9.8
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H/E:P/RL:O/RC:C
CWE	CWE-78: Improper Neutralization of Special Elements used in an OS Command ('OS Command Injection')

Vulnerability CVE-2022-1304

An out-of-bounds read/write vulnerability was found in `e2fsprogs` 1.46.5. This issue leads to a segmentation fault and possibly arbitrary code execution via a specially crafted filesystem.

CVSS v3.1 Base Score	7.8
CVSS Vector	CVSS:3.1/AV:L/AC:L/PR:N/UI:R/S:U/C:H/I:H/A:H/E:P/RL:O/RC:C
CWE	CWE-787: Out-of-bounds Write

Vulnerability CVE-2022-1343

Under certain circumstances, the command line OCSP verify function reports successful verification when the verification in fact failed. In this case the incorrect successful response will also be accompanied by error messages showing the failure and contradicting the apparently successful result.

CVSS v3.1 Base Score	5.3
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:L/A:N/E:P/RL:O/RC:C
CWE	CWE-295: Improper Certificate Validation

Vulnerability CVE-2022-1434

When using the RC4-MD5 ciphersuite, which is disabled by default, an attacker is able to modify data in transit due to an incorrect use of the AAD data as the MAC key in OpenSSL 3.0. An attacker is not able to decrypt any communication.

CVSS v3.1 Base Score	5.9
CVSS Vector	CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:N/I:H/A:N/E:P/RL:O/RC:C
CWE	CWE-327: Use of a Broken or Risky Cryptographic Algorithm

Vulnerability CVE-2022-1473

The used OpenSSL version improperly reuses memory when decoding certificates or keys. This can lead to a process termination and Denial of Service for long lived processes.

CVSS v3.1 Base Score	7.5
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:P/RL:O/RC:C
CWE	CWE-404: Improper Resource Shutdown or Release

Vulnerability CVE-2022-2068

In addition to the `c_rehash` shell command injection identified in CVE-2022-1292, further circumstances where the `c_rehash` script does not properly sanitise shell metacharacters to prevent command injection were found by code review. When the CVE-2022-1292 was fixed it was not discovered that there are other places in the script where the file names of certificates being hashed were possibly passed to a command executed through the shell. This script is distributed by some operating systems in a manner where it is automatically executed. On such operating systems, an attacker could execute arbitrary commands with the privileges of the script. Use of the `c_rehash` script is considered obsolete and should be replaced by the OpenSSL `rehash` command line tool.

CVSS v3.1 Base Score	9.8
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H/E:P/RL:O/RC:C
CWE	CWE-78: Improper Neutralization of Special Elements used in an OS Command ('OS Command Injection')

Vulnerability CVE-2022-2097

AES OCB mode for 32-bit x86 platforms using the AES-NI assembly optimised implementation will not encrypt the entirety of the data under some circumstances. This could reveal sixteen bytes of data that was preexisting in the memory that wasn't written. In the special case of "in place" encryption, sixteen bytes of the plaintext would be revealed. Since OpenSSL does not support OCB based cipher suites for TLS and DTLS, they are both unaffected.

CVSS v3.1 Base Score	5.3
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:N/A:N/E:P/RL:O/RC:C
CWE	CWE-326: Inadequate Encryption Strength

Vulnerability CVE-2022-2274

The OpenSSL 3.0.4 release introduced a serious bug in the RSA implementation for X86_64 CPUs supporting the AVX512IFMA instructions. This issue makes the RSA implementation with 2048 bit private keys incorrect on such machines and memory corruption will happen during the computation. As a consequence of the memory corruption an attacker may be able to trigger a remote code execution on the machine performing the computation. SSL/TLS servers or other servers using 2048 bit RSA private keys running on machines supporting AVX512IFMA instructions of the X86_64 architecture are affected by this issue.

CVSS v3.1 Base Score	9.8
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H/E:P/RL:O/RC:C
CWE	CWE-787: Out-of-bounds Write

Vulnerability CVE-2022-2509

A vulnerability found in gnutls. This security flaw happens because of a double free error occurs during verification of pkcs7 signatures in gnutls_pkcs7_verify function.

CVSS v3.1 Base Score	7.5
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:P/RL:O/RC:C
CWE	CWE-415: Double Free

Vulnerability CVE-2022-3715

A flaw was found in the bash package, where a heap-buffer overflow can occur in valid parameter_transform. This issue may lead to memory problems.

CVSS v3.1 Base Score	7.8
CVSS Vector	CVSS:3.1/AV:L/AC:L/PR:L/UI:N/S:U/C:H/I:H/A:H/E:P/RL:O/RC:C
CWE	CWE-787: Out-of-bounds Write

Vulnerability CVE-2022-3821

An off-by-one Error issue was discovered in Systemd in format_timespan() function of time-util.c. An attacker could supply specific values for time and accuracy that leads to buffer overrun in format_timespan(), leading to a Denial of Service.

CVSS v3.1 Base Score	5.5
CVSS Vector	CVSS:3.1/AV:L/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H/E:P/RL:O/RC:C
CWE	CWE-193: Off-by-one Error

Vulnerability CVE-2022-4304

A timing based side channel exists in the OpenSSL RSA Decryption implementation which could be sufficient to recover a plaintext across a network in a Bleichenbacher style attack. To achieve a successful decryption an attacker would have to be able to send a very large number of trial messages for decryption. The vulnerability affects all RSA padding modes: PKCS#1 v1.5, RSA-OEAP and RSASVE. For example, in a TLS connection, RSA is commonly used by a client to send an encrypted pre-master secret to the server. An attacker that had observed a genuine connection between a client and a server could use this flaw to send trial messages to the server and record the time taken to process them. After a sufficiently large number of messages the attacker could recover the pre-master secret used for the original connection and thus be able to decrypt the application data sent over that connection.

CVSS v3.1 Base Score	5.9
CVSS Vector	CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:N/I:H/A:N/E:U/RL:O/RC:C
CWE	CWE-326: Inadequate Encryption Strength

Vulnerability CVE-2022-4450

The function PEM_read_bio_ex() reads a PEM file from a BIO and parses and decodes the “name” (e.g. “CERTIFICATE”), any header data and the payload data. If the function succeeds then the “name_out”, “header” and “data” arguments are populated with pointers to buffers containing the relevant decoded data. The caller is responsible for freeing those buffers. It is possible to construct a PEM file that results in 0 bytes of payload data. In this case PEM_read_bio_ex() will return a failure code but will populate the header argument with a pointer to a buffer that has already been freed. If the caller also frees this buffer then a double free will occur. This will most likely lead to a crash. This could be exploited by an attacker who has the ability to supply malicious PEM files for parsing to achieve a denial of service attack. The functions PEM_read_bio() and PEM_read() are simple wrappers around PEM_read_bio_ex() and therefore these functions are also directly affected. These functions are also called indirectly by a number of other OpenSSL functions including PEM_X509_INFO_read_bio_ex() and SSL_CTX_use_serverinfo_file() which are also vulnerable. Some OpenSSL internal uses of these functions are not vulnerable because the caller does not free the header argument if PEM_read_bio_ex() returns a failure code. These locations include the PEM_read_bio_TYPE() functions as well as the decoders introduced in OpenSSL 3.0. The OpenSSL asn1parse command line application is also impacted by this issue.

CVSS v3.1 Base Score	5.9
CVSS Vector	CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:N/I:N/A:H/E:U/RL:O/RC:C
CWE	CWE-415: Double Free

Vulnerability CVE-2022-22576

An improper authentication vulnerability exists in curl 7.33.0 to and including 7.82.0 which might allow reuse OAUTH2-authenticated connections without properly making sure that the connection was authenticated with the same credentials as set for this transfer. This affects SASL-enabled protocols: SMTP(S), IMAP(S), POP3(S) and LDAP(S) (openldap only).

CVSS v3.1 Base Score	8.1
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:H/I:H/A:N/E:P/RL:O/RC:C
CWE	CWE-287: Improper Authentication

Vulnerability CVE-2022-22822

addBinding in xmlparse.c in Expat (aka libexpat) before 2.4.3 has an integer overflow.

CVSS v3.1 Base Score	9.8
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H/E:P/RL:O/RC:C
CWE	CWE-190: Integer Overflow or Wraparound

Vulnerability CVE-2022-22823

build_model in xmlparse.c in Expat (aka libexpat) before 2.4.3 has an integer overflow.

CVSS v3.1 Base Score	9.8
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H/E:P/RL:O/RC:C
CWE	CWE-190: Integer Overflow or Wraparound

Vulnerability CVE-2022-22824

defineAttribute in xmlparse.c in Expat (aka libexpat) before 2.4.3 has an integer overflow.

CVSS v3.1 Base Score	9.8
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H/E:P/RL:O/RC:C
CWE	CWE-190: Integer Overflow or Wraparound

Vulnerability CVE-2022-22825

lookup in xmlparse.c in Expat (aka libexpat) before 2.4.3 has an integer overflow.

CVSS v3.1 Base Score	8.8
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:H/I:H/A:H/E:P/RL:O/RC:C
CWE	CWE-190: Integer Overflow or Wraparound

Vulnerability CVE-2022-22826

nextScaffoldPart in xmlparse.c in Expat (aka libexpat) before 2.4.3 has an integer overflow.

CVSS v3.1 Base Score	8.8
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:H/I:H/A:H/E:P/RL:O/RC:C
CWE	CWE-190: Integer Overflow or Wraparound

Vulnerability CVE-2022-22827

storeAtts in xmlparse.c in Expat (aka libexpat) before 2.4.3 has an integer overflow.

CVSS v3.1 Base Score	8.8
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:H/I:H/A:H/E:P/RL:O/RC:C
CWE	CWE-190: Integer Overflow or Wraparound

Vulnerability CVE-2022-23218

The deprecated compatibility function svcunix_create in the sunrpc module of the GNU C Library (aka glibc) through 2.34 copies its path argument on the stack without validating its length, which may result in a buffer overflow, potentially resulting in a denial of service or (if an application is not built with a stack protector enabled) arbitrary code execution.

CVSS v3.1 Base Score	9.8
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H/E:P/RL:O/RC:C
CWE	CWE-120: Buffer Copy without Checking Size of Input ('Classic Buffer Overflow')

Vulnerability CVE-2022-23219

The deprecated compatibility function clnt_create in the sunrpc module of the GNU C Library (aka glibc) through 2.34 copies its hostname argument on the stack without validating its length, which may result in a buffer overflow, potentially resulting in a denial of service or (if an application is not built with a stack protector enabled) arbitrary code execution.

CVSS v3.1 Base Score	9.8
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H/E:P/RL:O/RC:C
CWE	CWE-120: Buffer Copy without Checking Size of Input ('Classic Buffer Overflow')

Vulnerability CVE-2022-23308

valid.c in libxml2 before 2.9.13 has a use-after-free of ID and IDREF attributes.

CVSS v3.1 Base Score	7.5
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:P/RL:O/RC:C
CWE	CWE-416: Use After Free

Vulnerability CVE-2022-23852

Expat (aka libexpat) before 2.4.4 has a signed integer overflow in XML_GetBuffer, for configurations with a nonzero XML_CONTEXT_BYTES.

CVSS v3.1 Base Score	9.8
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H/E:P/RL:O/RC:C
CWE	CWE-190: Integer Overflow or Wraparound

Vulnerability CVE-2022-23990

Expat (aka libexpat) before 2.4.4 has an integer overflow in the doProlog function.

CVSS v3.1 Base Score	9.8
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H/E:P/RL:O/RC:C
CWE	CWE-190: Integer Overflow or Wraparound

Vulnerability CVE-2022-24407

In Cyrus SASL 2.1.17 through 2.1.27 before 2.1.28, plugins/sql.c does not escape the password for a SQL INSERT or UPDATE statement.

CVSS v3.1 Base Score	8.8
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:H/I:H/A:H/E:P/RL:O/RC:C
CWE	CWE-89: Improper Neutralization of Special Elements used in an SQL Command ('SQL Injection')

Vulnerability CVE-2022-25235

xmlltok_impl.c in Expat (aka libexpat) before 2.4.5 lacks certain validation of encoding, such as checks for whether a UTF-8 character is valid in a certain context.

CVSS v3.1 Base Score	9.8
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H/E:P/RL:O/RC:C
CWE	CWE-116: Improper Encoding or Escaping of Output

Vulnerability CVE-2022-25236

xmlparse.c in Expat (aka libexpat) before 2.4.5 allows attackers to insert namespace-separator characters into namespace URIs.

CVSS v3.1 Base Score	9.8
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H/E:P/RL:O/RC:C
CWE	CWE-668: Exposure of Resource to Wrong Sphere

Vulnerability CVE-2022-25313

In Expat (aka libexpat) before 2.4.5, an attacker can trigger stack exhaustion in build_model via a large nesting depth in the DTD element.

CVSS v3.1 Base Score	6.5
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:N/A:H/E:P/RL:O/RC:C
CWE	CWE-400: Uncontrolled Resource Consumption

Vulnerability CVE-2022-25314

In Expat (aka libexpat) before 2.4.5, there is an integer overflow in copyString.

CVSS v3.1 Base Score	7.5
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:P/RL:O/RC:C
CWE	CWE-190: Integer Overflow or Wraparound

Vulnerability CVE-2022-25315

In Expat (aka libexpat) before 2.4.5, there is an integer overflow in storeRawNames.

CVSS v3.1 Base Score	9.8
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H/E:P/RL:O/RC:C
CWE	CWE-190: Integer Overflow or Wraparound

Vulnerability CVE-2022-26488

In Python before 3.10.3 on Windows, local users can gain privileges because the search path is inadequately secured. The installer may allow a local attacker to add user-writable directories to the system search path. To exploit, an administrator must have installed Python for all users and enabled PATH entries. A non-administrative user can trigger a repair that incorrectly adds user-writable paths into PATH, enabling search-path hijacking of other users and system services. This affects Python (CPython) through 3.7.12, 3.8.x through 3.8.12, 3.9.x through 3.9.10, and 3.10.x through 3.10.2.

CVSS v3.1 Base Score	7.0
CVSS Vector	CVSS:3.1/AV:L/AC:H/PR:L/UI:N/S:U/C:H/I:H/A:H/E:P/RL:O/RC:C
CWE	CWE-426: Untrusted Search Path

Vulnerability CVE-2022-27774

An insufficiently protected credentials vulnerability exists in curl 4.9 to and include curl 7.82.0 are affected that could allow an attacker to extract credentials when follows HTTP(S) redirects is used with authentication could leak credentials to other services that exist on different protocols or port numbers.

CVSS v3.1 Base Score	5.7
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:L/UI:R/S:U/C:H/I:N/A:N/E:P/RL:O/RC:C
CWE	CWE-522: Insufficiently Protected Credentials

Vulnerability CVE-2022-27775

An information disclosure vulnerability exists in curl 7.65.0 to 7.82.0 are vulnerable that by using an IPv6 address that was in the connection pool but with a different zone id it could reuse a connection instead.

CVSS v3.1 Base Score	7.5
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:N/A:N/E:P/RL:O/RC:C
CWE	CWE-311: Missing Encryption of Sensitive Data

Vulnerability CVE-2022-27776

A insufficiently protected credentials vulnerability in fixed in curl 7.83.0 might leak authentication or cookie header data on HTTP redirects to the same host but another port number.

CVSS v3.1 Base Score	6.5
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:H/I:N/A:N/E:P/RL:O/RC:C
CWE	CWE-522: Insufficiently Protected Credentials

Vulnerability CVE-2022-27778

A use of incorrectly resolved name vulnerability fixed in 7.83.1 might remove the wrong file when `--no-clobber` is used together with `--remove-on-error`.

CVSS v3.1 Base Score	8.1
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:H/A:H/E:P/RL:O/RC:C
CWE	CWE-706: Use of Incorrectly-Resolved Name or Reference

Vulnerability CVE-2022-27779

libcurl wrongly allows cookies to be set for Top Level Domains (TLDs) if the host name is provided with a trailing dot. curl can be told to receive and send cookies. curl's "cookie engine" can be built with or without [Public Suffix List](#) awareness. If PSL support not provided, a more rudimentary check exists to at least prevent cookies from being set on TLDs. This check was broken if the host name in the URL uses a trailing dot. This can allow arbitrary sites to set cookies that then would get sent to a different and unrelated site or domain.

CVSS v3.1 Base Score	5.3
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:N/A:N/E:P/RL:O/RC:C
CWE	CWE-311: Missing Encryption of Sensitive Data

Vulnerability CVE-2022-27780

The curl URL parser wrongly accepts percent-encoded URL separators like `'/'` when decoding the host name part of a URL, making it a *different* URL using the wrong host name when it is later retrieved. For example, a URL like `http://example.com%2F127.0.0.1/`, would be allowed by the parser and get transposed into `http://example.com/127.0.0.1/`. This flaw can be used to circumvent filters, checks and more.

CVSS v3.1 Base Score	7.5
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:H/A:N/E:P/RL:O/RC:C
CWE	CWE-918: Server-Side Request Forgery (SSRF)

Vulnerability CVE-2022-27781

libcurl provides the `CURLOPT_CERTINFO` option to allow applications to request details to be returned about a server's certificate chain. Due to an erroneous function, a malicious server could make libcurl built with NSS get stuck in a never-ending busy-loop when trying to retrieve that information.

CVSS v3.1 Base Score	7.5
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:P/RL:O/RC:C
CWE	CWE-400: Uncontrolled Resource Consumption

Vulnerability CVE-2022-27782

libcurl would reuse a previously created connection even when a TLS or SSH related option had been changed that should have prohibited reuse. libcurl keeps previously used connections in a connection pool for subsequent transfers to reuse if one of them matches the setup. However, several TLS and SSH settings were left out from the configuration match checks, making them match too easily.

CVSS v3.1 Base Score	7.5
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:H/A:N/E:P/RL:O/RC:C
CWE	CWE-295: Improper Certificate Validation

Vulnerability CVE-2022-27943

libiberty/rust-demangle.c in GNU GCC 11.2 allows stack consumption in demangle_const, as demonstrated by nm-new.

CVSS v3.1 Base Score	5.5
CVSS Vector	CVSS:3.1/AV:L/AC:L/PR:N/UI:R/S:U/C:N/I:N/A:H/E:P/RL:O/RC:C
CWE	CWE-674: Uncontrolled Recursion

Vulnerability CVE-2022-28321

The Linux-PAM package before 1.5.2-6.1 for openSUSE Tumbleweed allows authentication bypass for SSH logins. The pam_access.so module doesn't correctly restrict login if a user tries to connect from an IP address that is not resolvable via DNS. In such conditions, a user with denied access to a machine can still get access. NOTE: the relevance of this issue is largely limited to openSUSE Tumbleweed and openSUSE Factory; it does not affect Linux-PAM upstream.

CVSS v3.1 Base Score	9.8
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H/E:P/RL:O/RC:C
CWE	CWE-287: Improper Authentication

Vulnerability CVE-2022-29155

In OpenLDAP 2.x before 2.5.12 and 2.6.x before 2.6.2, a SQL injection vulnerability exists in the experimental back-sql backend to slapd, via a SQL statement within an LDAP query. This can occur during an LDAP search operation when the search filter is processed, due to a lack of proper escaping.

CVSS v3.1 Base Score	9.8
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H/E:P/RL:O/RC:C
CWE	CWE-89: Improper Neutralization of Special Elements used in an SQL Command ('SQL Injection')

Vulnerability CVE-2022-29824

In libxml2 before 2.9.14, several buffer handling functions in buf.c (*xmlBuf*) and tree.c (*xmlBuffer*) don't check for integer overflows. This can result in out-of-bounds memory writes. Exploitation requires a victim to open a crafted, multi-gigabyte XML file. Other software using libxml2's buffer functions, for example libxslt through 1.1.35, is affected as well.

CVSS v3.1 Base Score	6.5
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:N/A:H/E:P/RL:O/RC:C
CWE	CWE-190: Integer Overflow or Wraparound

Vulnerability CVE-2022-30115

Using its HSTS support, curl can be instructed to use HTTPS directly instead of using an insecure clear-text HTTP step even when HTTP is provided in the URL. This mechanism could be bypassed if the host name in the given URL used a trailing dot while not using one when it built the HSTS cache. Or the other way around - by having the trailing dot in the HSTS cache and *not* using the trailing dot in the URL.

CVSS v3.1 Base Score	4.3
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:L/I:N/A:N/E:P/RL:O/RC:C
CWE	CWE-319: Cleartext Transmission of Sensitive Information

Vulnerability CVE-2022-32205

A malicious server can serve excessive amounts of “Set-Cookie:” headers in a HTTP response to curl and curl < 7.84.0 stores all of them. A sufficiently large amount of (big) cookies make subsequent HTTP requests to this, or other servers to which the cookies match, create requests that become larger than the threshold that curl uses internally to avoid sending crazy large requests (1048576 bytes) and instead returns an error. This denial state might remain for as long as the same cookies are kept, match and haven’t expired. Due to cookie matching rules, a server on “foo.example.com” can set cookies that also would match for “bar.example.com”, making it possible for a “sister server” to effectively cause a denial of service for a sibling site on the same second level domain using this method.

CVSS v3.1 Base Score	4.3
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:N/A:L/E:P/RL:O/RC:C
CWE	CWE-770: Allocation of Resources Without Limits or Throttling

Vulnerability CVE-2022-32206

curl < 7.84.0 supports “chained” HTTP compression algorithms, meaning that a server response can be compressed multiple times and potentially with different algorithms. The number of acceptable “links” in this “decompression chain” was unbounded, allowing a malicious server to insert a virtually unlimited number of compression steps. The use of such a decompression chain could result in a “malloc bomb”, making curl end up spending enormous amounts of allocated heap memory, or trying to and returning out of memory errors.

CVSS v3.1 Base Score	6.5
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:N/A:H/E:P/RL:O/RC:C
CWE	CWE-770: Allocation of Resources Without Limits or Throttling

Vulnerability CVE-2022-32207

When curl < 7.84.0 saves cookies, alt-svc and hsts data to local files, it makes the operation atomic by finalizing the operation with a rename from a temporary name to the final target file name. In that rename operation, it might accidentally *widen* the permissions for the target file, leaving the updated file accessible to more users than intended.

CVSS v3.1 Base Score	9.8
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H/E:P/RL:O/RC:C
CWE	CWE-276: Incorrect Default Permissions

Vulnerability CVE-2022-32208

When curl < 7.84.0 does FTP transfers secured by krb5, it handles message verification failures wrongly. This flaw makes it possible for a Man-In-The-Middle attack to go unnoticed and even allows it to inject data to the client.

CVSS v3.1 Base Score	5.9
CVSS Vector	CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:H/I:N/A:N/E:P/RL:O/RC:C
CWE	CWE-787: Out-of-bounds Write

Vulnerability CVE-2022-32221

When doing HTTP(S) transfers, libcurl might erroneously use the read callback ([CURLOPT_READFUNCTION](#)) to ask for data to send, even when the [CURLOPT_POSTFIELDS](#) option has been set, if the same handle previously was used to issue a [PUT](#) request which used that callback. This flaw may surprise the application and cause it to misbehave and either send off the wrong data or use memory after free or similar in the subsequent [POST](#) request. The problem exists in the logic for a reused handle when it is changed from a PUT to a POST.

CVSS v3.1 Base Score	8.2
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:L/A:N/E:P/RL:O/RC:C
CWE	CWE-440: Expected Behavior Violation

Vulnerability CVE-2022-35252

When curl is used to retrieve and parse cookies from a HTTP(S) server, it accepts cookies using control codes that when later are sent back to a HTTP server might make the server return 400 responses. Effectively allowing a "sister site" to deny service to all siblings.

CVSS v3.1 Base Score	7.5
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:U/RL:O/RC:C
CWE	CWE-1286: Improper Validation of Syntactic Correctness of Input

Vulnerability CVE-2022-35260

curl can be told to parse a `.netrc` file for credentials. If that file ends in a line with 4095 consecutive non-white space letters and no newline, curl would first read past the end of the stack-based buffer, and if the read works, write a zero byte beyond its boundary. This will in most cases cause a segfault or similar, but circumstances might also cause different outcomes. If a malicious user can provide a custom netrc file to an application or otherwise affect its contents, this flaw could be used as denial-of-service.

CVSS v3.1 Base Score	8.6
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:L/A:H/E:U/RL:O/RC:C
CWE	CWE-121: Stack-based Buffer Overflow

Vulnerability CVE-2022-35737

SQLite 1.0.12 through 3.39.x before 3.39.2 sometimes allows an array-bounds overflow if billions of bytes are used in a string argument to a C API.

CVSS v3.1 Base Score	7.5
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:P/RL:O/RC:C
CWE	CWE-129: Improper Validation of Array Index

Vulnerability CVE-2022-37434

zlib through 1.2.12 has a heap-based buffer over-read or buffer overflow in inflate in inflate.c via a large gzip header extra field. NOTE: only applications that call inflateGetHeader are affected. Some common applications bundle the affected zlib source code but may be unable to call inflateGetHeader (e.g., see the nodejs/node reference).

CVSS v3.1 Base Score	9.8
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H/E:P/RL:O/RC:C
CWE	CWE-787: Out-of-bounds Write

Vulnerability CVE-2022-37454

The Keccak XKCP SHA-3 reference implementation before fdc6fef has an integer overflow and resultant buffer overflow that allows attackers to execute arbitrary code or eliminate expected cryptographic properties. This occurs in the sponge function interface.

CVSS v3.1 Base Score	9.8
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H/E:P/RL:O/RC:C
CWE	CWE-190: Integer Overflow or Wraparound

Vulnerability CVE-2022-40303

An issue was discovered in libxml2 before 2.10.3. When parsing a multi-gigabyte XML document with the XML_PARSE_HUGE parser option enabled, several integer counters can overflow. This results in an attempt to access an array at a negative 2GB offset, typically leading to a segmentation fault.

CVSS v3.1 Base Score	7.5
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:P/RL:O/RC:C
CWE	CWE-190: Integer Overflow or Wraparound

Vulnerability CVE-2022-40304

An issue was discovered in libxml2 before 2.10.3. Certain invalid XML entity definitions can corrupt a hash table key, potentially leading to subsequent logic errors. In one case, a double-free can be provoked.

CVSS v3.1 Base Score	7.8
CVSS Vector	CVSS:3.1/AV:L/AC:L/PR:N/UI:R/S:U/C:H/I:H/A:H/E:P/RL:O/RC:C
CWE	CWE-415: Double Free

Vulnerability CVE-2022-40674

libexpat before 2.4.9 has a use-after-free in the doContent function in xmlparse.c.

CVSS v3.1 Base Score	9.8
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H/E:P/RL:O/RC:C
CWE	CWE-416: Use After Free

Vulnerability CVE-2022-42898

PAC parsing in MIT Kerberos 5 (aka krb5) before 1.19.4 and 1.20.x before 1.20.1 has integer overflows that may lead to remote code execution (in KDC, kadmind, or a GSS or Kerberos application server) on 32-bit platforms (which have a resultant heap-based buffer overflow), and cause a denial of service on other platforms. This occurs in krb5_pac_parse in lib/krb5/krb/pac.c. Heimdal before 7.7.1 has “a similar bug.”

CVSS v3.1 Base Score	8.8
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:H/I:H/A:H/E:P/RL:O/RC:C
CWE	CWE-190: Integer Overflow or Wraparound

Vulnerability CVE-2022-42915

curl before 7.86.0 has a double free. If curl is told to use an HTTP proxy for a transfer with a non-HTTP(S) URL, it sets up the connection to the remote server by issuing a CONNECT request to the proxy, and then tunnels the rest of the protocol through. An HTTP proxy might refuse this request (HTTP proxies often only allow outgoing connections to specific port numbers, like 443 for HTTPS) and instead return a non-200 status code to the client. Due to flaws in the error/cleanup handling, this could trigger a double free in curl if one of the following schemes were used in the URL for the transfer: dict, gopher, gophers, ldap, ldaps, rtmp, rtmps, or telnet. The earliest affected version is 7.77.0.

CVSS v3.1 Base Score	7.5
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:U/RL:O/RC:C
CWE	CWE-415: Double Free

Vulnerability CVE-2022-42916

In curl before 7.86.0, the HSTS check could be bypassed to trick it into staying with HTTP. Using its HSTS support, curl can be instructed to use HTTPS directly (instead of using an insecure cleartext HTTP step) even when HTTP is provided in the URL. This mechanism could be bypassed if the host name in the given URL uses IDN characters that get replaced with ASCII counterparts as part of the IDN conversion, e.g., using the character UTF-8 U+3002 (IDEOGRAPHIC FULL STOP) instead of the common ASCII full stop of U+002E (.). The earliest affected version is 7.77.0 2021-05-26.

CVSS v3.1 Base Score	9.1
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:N/E:U/RL:O/RC:C
CWE	CWE-319: Cleartext Transmission of Sensitive Information

Vulnerability CVE-2022-43551

A vulnerability exists in curl <7.87.0 HSTS check that could be bypassed to trick it to keep using HTTP. Using its HSTS support, curl can be instructed to use HTTPS instead of using an insecure clear-text HTTP step even when HTTP is provided in the URL. However, the HSTS mechanism could be bypassed if the host name in the given URL first uses IDN characters that get replaced to ASCII counterparts as part of the IDN conversion. Like using the character UTF-8 U+3002 (IDEOGRAPHIC FULL STOP) instead of the common ASCII full stop U+002E (.). Then in a subsequent request, it does not detect the HSTS state and makes a clear text transfer. Because it would store the info IDN encoded but look for it IDN decoded.

CVSS v3.1 Base Score	7.5
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:N/A:N/E:P/RL:O/RC:C
CWE	CWE-319: Cleartext Transmission of Sensitive Information

Vulnerability CVE-2022-43552

curl can be asked to tunnel virtually all protocols it supports through an HTTP proxy. HTTP proxies can (and often do) deny such tunnel operations using an appropriate HTTP error response code. When getting denied to tunnel the specific protocols SMB or TELNET, curl would use a heap-allocated struct after it had been freed, in its transfer shutdown code path.

CVSS v3.1 Base Score	5.9
CVSS Vector	CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:N/I:N/A:H/E:U/RL:O/RC:C
CWE	CWE-416: Use After Free

Vulnerability CVE-2022-43680

In libexpat through 2.4.9, there is a use-after free caused by overeager destruction of a shared DTD in XML_ExternalEntityParserCreate in out-of-memory situations.

CVSS v3.1 Base Score	7.5
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:P/RL:O/RC:C
CWE	CWE-416: Use After Free

Vulnerability CVE-2022-45061

An issue was discovered in Python before 3.11.1. An unnecessary quadratic algorithm exists in one path when processing some inputs to the IDNA (RFC 3490) decoder, such that a crafted, unreasonably long name being presented to the decoder could lead to a CPU denial of service. Hostnames are often supplied by remote servers that could be controlled by a malicious actor; in such a scenario, they could trigger excessive CPU consumption on the client attempting to make use of an attacker-supplied supposed hostname. For example, the attack payload could be placed in the Location header of an HTTP response with status code 302. A fix is planned in 3.11.1, 3.10.9, 3.9.16, 3.8.16, and 3.7.16.

CVSS v3.1 Base Score	7.5
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:P/RL:O/RC:C
CWE	CWE-407: Inefficient Algorithmic Complexity

Vulnerability CVE-2022-45873

systemd 250 and 251 allows local users to achieve a systemd-coredump deadlock by triggering a crash that has a long backtrace. This occurs in parse_elf_object in shared/elf-util.c. The exploitation methodology is to crash a binary calling the same function recursively, and put it in a deeply nested directory to make its backtrace large enough to cause the deadlock. This must be done 16 times when MaxConnections=16 is set for the systemd/units/systemd-coredump.socket file.

CVSS v3.1 Base Score	5.5
CVSS Vector	CVSS:3.1/AV:L/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H/E:P/RL:O/RC:C
CWE	CWE-400: Uncontrolled Resource Consumption

Vulnerability CVE-2022-46908

SQLite through 3.40.0, when relying on `–safe` for execution of an untrusted CLI script, does not properly implement the `azProhibitedFunctions` protection mechanism, and instead allows UDF functions such as `WRITEFILE`.

CVSS v3.1 Base Score	7.3
CVSS Vector	CVSS:3.1/AV:L/AC:L/PR:L/UI:N/S:U/C:H/I:H/A:L/E:P/RL:O/RC:C
CWE	CWE-311: Missing Encryption of Sensitive Data

Vulnerability CVE-2022-48303

GNU Tar through 1.34 has a one-byte out-of-bounds read that results in use of uninitialized memory for a conditional jump. Exploitation to change the flow of control has not been demonstrated. The issue occurs in `from_header` in `list.c` via a V7 archive in which `mtime` has approximately 11 whitespace characters.

CVSS v3.1 Base Score	5.5
CVSS Vector	CVSS:3.1/AV:L/AC:L/PR:N/UI:R/S:U/C:N/I:N/A:H/E:P/RL:O/RC:C
CWE	CWE-125: Out-of-bounds Read

Vulnerability CVE-2022-48522

In Perl 5.34.0, function `S_find_uninit_var` in `sv.c` has a stack-based crash that can lead to remote code execution or local privilege escalation.

CVSS v3.1 Base Score	9.8
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H/E:P/RL:O/RC:C
CWE	CWE-787: Out-of-bounds Write

Vulnerability CVE-2022-48560

A use-after-free exists in Python through 3.9 via `heappushpop` in `heapq`.

CVSS v3.1 Base Score	7.5
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:P/RL:O/RC:C
CWE	CWE-416: Use After Free

Vulnerability CVE-2023-0215

The public API function `BIO_new_NDEF` is a helper function used for streaming ASN.1 data via a BIO. It is primarily used internally to OpenSSL to support the SMIME, CMS and PKCS7 streaming capabilities, but may also be called directly by end user applications. The function receives a BIO from the caller, prepends a new `BIO_f_asn1` filter BIO onto the front of it to form a BIO chain, and then returns the new head of the BIO chain to the caller. Under certain conditions, for example if a CMS recipient public key is invalid, the new filter BIO is freed and the function returns a NULL result indicating a failure. However, in this case, the BIO chain is not properly cleaned up and the BIO passed by the caller still retains internal pointers to the previously freed filter BIO. If the caller then goes on to call `BIO_pop()` on the BIO then a use-after-free will occur. This will most likely result in a crash. This scenario occurs directly in the internal function `B64_write_ASN1()` which may cause `BIO_new_NDEF()` to be called and will subsequently call `BIO_pop()` on the BIO. This internal function is in turn called by the public API functions `PEM_write_bio_ASN1_stream`, `PEM_write_bio_CMS_stream`, `PEM_write_bio_PKCS7_stream`, `SMIME_write_ASN1`, `SMIME_write_CMS` and `SMIME_write_PKCS7`. Other public API functions that may be impacted by this include `i2d_ASN1_bio_stream`, `BIO_new_CMS`, `BIO_new_PKCS7`, `i2d_CMS_bio_stream` and `i2d_PKCS7_bio_stream`. The OpenSSL `cms` and `smime` command line applications are similarly affected.

CVSS v3.1 Base Score	5.9
CVSS Vector	CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:N/I:N/A:H/E:U/RL:O/RC:C
CWE	CWE-416: Use After Free

Vulnerability CVE-2023-0286

There is a type confusion vulnerability relating to X.400 address processing inside an X.509 GeneralName. X.400 addresses were parsed as an ASN1_STRING but the public structure definition for GENERAL_NAME incorrectly specified the type of the x400Address field as ASN1_TYPE. This field is subsequently interpreted by the OpenSSL function GENERAL_NAME_cmp as an ASN1_TYPE rather than an ASN1_STRING. When CRL checking is enabled (i.e. the application sets the X509_V_FLAG_CRL_CHECK flag), this vulnerability may allow an attacker to pass arbitrary pointers to a memcmp call, enabling them to read memory contents or enact a denial of service. In most cases, the attack requires the attacker to provide both the certificate chain and CRL, neither of which need to have a valid signature. If the attacker only controls one of these inputs, the other input must already contain an X.400 address as a CRL distribution point, which is uncommon. As such, this vulnerability is most likely to only affect applications which have implemented their own functionality for retrieving CRLs over a network.

CVSS v3.1 Base Score	7.4
CVSS Vector	CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:H/I:N/A:H/E:U/RL:O/RC:C
CWE	CWE-20: Improper Input Validation

Vulnerability CVE-2023-0361

A timing side-channel in the handling of RSA ClientKeyExchange messages was discovered in GnuTLS. This side-channel can be sufficient to recover the key encrypted in the RSA ciphertext across a network in a Bleichenbacher style attack. To achieve a successful decryption the attacker would need to send a large amount of specially crafted messages to the vulnerable server. By recovering the secret from the ClientKeyExchange message, the attacker would be able to decrypt the application data exchanged over that connection.

CVSS v3.1 Base Score	7.4
CVSS Vector	CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:H/I:H/A:N/E:P/RL:O/RC:C
CWE	CWE-203: Observable Discrepancy

Vulnerability CVE-2023-0464

A security vulnerability has been identified in all supported versions of OpenSSL related to the verification of X.509 certificate chains that include policy constraints. Attackers may be able to exploit this vulnerability by creating a malicious certificate chain that triggers exponential use of computational resources, leading to a denial-of-service (DoS) attack on affected systems.

Policy processing is disabled by default but can be enabled by passing the `-policy` argument to the command line utilities or by calling the `X509_VERIFY_PARAM_set1_policies()` function.

CVSS v3.1 Base Score	7.5
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:P/RL:O/RC:C
CWE	CWE-295: Improper Certificate Validation

Vulnerability CVE-2023-0465

Applications that use a non-default option when verifying certificates may be vulnerable to an attack from a malicious CA to circumvent certain checks.

Invalid certificate policies in leaf certificates are silently ignored by OpenSSL and other certificate policy checks are skipped for that certificate. A malicious CA could use this to deliberately assert invalid certificate policies in order to circumvent policy checking on the certificate altogether.

Policy processing is disabled by default but can be enabled by passing the `-policy` argument to the command line utilities or by calling the `X509_VERIFY_PARAM_set1_policies()` function.

CVSS v3.1 Base Score	5.3
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:L/A:N/E:P/RL:O/RC:C
CWE	CWE-295: Improper Certificate Validation

Vulnerability CVE-2023-0466

The function `X509_VERIFY_PARAM_add0_policy()` is documented to implicitly enable the certificate policy check when doing certificate verification. However the implementation of the function does not enable the check which allows certificates with invalid or incorrect policies to pass the certificate verification.

As suddenly enabling the policy check could break existing deployments it was decided to keep the existing behavior of the `X509_VERIFY_PARAM_add0_policy()` function.

Instead the applications that require OpenSSL to perform certificate policy check need to use `X509_VERIFY_PARAM_set1_policies()` or explicitly enable the policy check by calling `X509_VERIFY_PARAM_set_flags()` with the `X509_V_FLAG_POLICY_CHECK` flag argument.

Certificate policy checks are disabled by default in OpenSSL and are not commonly used by applications.

CVSS v3.1 Base Score	5.3
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:L/A:N/E:P/RL:O/RC:C
CWE	CWE-295: Improper Certificate Validation

Vulnerability CVE-2023-0687

A vulnerability was found in GNU C Library 2.38. It has been declared as critical. This vulnerability affects the function `__monstartup` of the file `gmon.c` of the component Call Graph Monitor. The manipulation leads to buffer overflow. It is recommended to apply a patch to fix this issue. VDB-220246 is the identifier assigned to this vulnerability. NOTE: The real existence of this vulnerability is still doubted at the moment. The inputs that induce this vulnerability are basically addresses of the running application that is built with `gmon` enabled. It's basically trusted input or input that needs an actual security flaw to be compromised or controlled.

CVSS v3.1 Base Score	4.6
CVSS Vector	CVSS:3.1/AV:A/AC:H/PR:L/UI:N/S:U/C:L/I:L/A:L
CWE	CWE-120: Buffer Copy without Checking Size of Input ('Classic Buffer Overflow')

Vulnerability CVE-2023-1077

In the Linux kernel, `pick_next_rt_entity()` may return a type confused entry, not detected by the `BUG_ON` condition, as the confused entry will not be `NULL`, but `list_head`. The buggy error condition would lead to a type confused entry with the list head, which would then be used as a type confused `sched_rt_entity`, causing memory corruption.

CVSS v3.1 Base Score	7.8
CVSS Vector	CVSS:3.1/AV:L/AC:L/PR:L/UI:N/S:U/C:H/I:H/A:H/E:P/RL:O/RC:C
CWE	CWE-843: Access of Resource Using Incompatible Type ('Type Confusion')

Vulnerability CVE-2023-1206

A hash collision flaw was found in the IPv6 connection lookup table in the Linux kernel's IPv6 functionality when a user makes a new kind of SYN flood attack. A user located in the local network or with a high bandwidth connection can increase the CPU usage of the server that accepts IPV6 connections up to 95%.

CVSS v3.1 Base Score	5.7
CVSS Vector	CVSS:3.1/AV:A/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H/E:P/RL:O/RC:C
CWE	CWE-400: Uncontrolled Resource Consumption

Vulnerability CVE-2023-2650

Issue summary: Processing some specially crafted ASN.1 object identifiers or data containing them may be very slow. Impact summary: Applications that use OBJ_obj2txt() directly, or use any of the OpenSSL subsystems OCSP, PKCS7/SMIME, CMS, CMP/CRMF or TS with no message size limit may experience notable to very long delays when processing those messages, which may lead to a Denial of Service. An OBJECT IDENTIFIER is composed of a series of numbers - sub-identifiers - most of which have no size limit. OBJ_obj2txt() may be used to translate an ASN.1 OBJECT IDENTIFIER given in DER encoding form (using the OpenSSL type ASN1_OBJECT) to its canonical numeric text form, which are the sub-identifiers of the OBJECT IDENTIFIER in decimal form, separated by periods. When one of the sub-identifiers in the OBJECT IDENTIFIER is very large (these are sizes that are seen as absurdly large, taking up tens or hundreds of KiBs), the translation to a decimal number in text may take a very long time. The time complexity is $O(\text{square}(n))$ with 'n' being the size of the sub-identifiers in bytes (*). With OpenSSL 3.0, support to fetch cryptographic algorithms using names / identifiers in string form was introduced. This includes using OBJECT IDENTIFIERS in canonical numeric text form as identifiers for fetching algorithms. Such OBJECT IDENTIFIERS may be received through the ASN.1 structure AlgorithmIdentifier, which is commonly used in multiple protocols to specify what cryptographic algorithm should be used to sign or verify, encrypt or decrypt, or digest passed data. Applications that call OBJ_obj2txt() directly with untrusted data are affected, with any version of OpenSSL. If the use is for the mere purpose of display, the severity is considered low. In OpenSSL 3.0 and newer, this affects the subsystems OCSP, PKCS7/SMIME, CMS, CMP/CRMF or TS. It also impacts anything that processes X.509 certificates, including simple things like verifying its signature. The impact on TLS is relatively low, because all versions of OpenSSL have a 100KiB limit on the peer's certificate chain. Additionally, this only impacts clients, or servers that have explicitly enabled client authentication. In OpenSSL 1.1.1 and 1.0.2, this only affects displaying diverse objects, such as X.509 certificates. This is assumed to not happen in such a way that it would cause a Denial of Service, so these versions are considered not affected by this issue in such a way that it would be cause for concern, and the severity is therefore considered low.

CVSS v3.1 Base Score	6.5
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:N/A:H/E:P/RL:O/RC:C
CWE	CWE-770: Allocation of Resources Without Limits or Throttling

Vulnerability CVE-2023-2953

A vulnerability was found in openldap. This security flaw causes a null pointer dereference in ber_memalloc_x() function.

CVSS v3.1 Base Score	7.5
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:P/RL:O/RC:C
CWE	CWE-476: NULL Pointer Dereference

Vulnerability CVE-2023-3212

A NULL pointer dereference issue was found in the gfs2 file system in the Linux kernel. It occurs on corrupt gfs2 file systems when the evict code tries to reference the journal descriptor structure after it has been freed and set to NULL. A privileged local user could use this flaw to cause a kernel panic.

CVSS v3.1 Base Score	4.4
CVSS Vector	CVSS:3.1/AV:L/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H/E:P/RL:O/RC:C
CWE	CWE-476: NULL Pointer Dereference

Vulnerability CVE-2023-3446

Issue summary: Checking excessively long DH keys or parameters may be very slow. Impact summary: Applications that use the functions `DH_check()`, `DH_check_ex()` or `EVP_PKEY_param_check()` to check a DH key or DH parameters may experience long delays. Where the key or parameters that are being checked have been obtained from an untrusted source this may lead to a Denial of Service. The function `DH_check()` performs various checks on DH parameters. One of those checks confirms that the modulus ('p' parameter) is not too large. Trying to use a very large modulus is slow and OpenSSL will not normally use a modulus which is over 10,000 bits in length. However the `DH_check()` function checks numerous aspects of the key or parameters that have been supplied. Some of those checks use the supplied modulus value even if it has already been found to be too large. An application that calls `DH_check()` and supplies a key or parameters obtained from an untrusted source could be vulnerable to a Denial of Service attack. The function `DH_check()` is itself called by a number of other OpenSSL functions. An application calling any of those other functions may similarly be affected. The other functions affected by this are `DH_check_ex()` and `EVP_PKEY_param_check()`. Also vulnerable are the OpenSSL `dhparam` and `pkeyparam` command line applications when using the '-check' option. The OpenSSL SSL/TLS implementation is not affected by this issue. The OpenSSL 3.0 and 3.1 FIPS providers are not affected by this issue.

CVSS v3.1 Base Score	5.3
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:P/RL:O/RC:C
CWE	CWE-1333: Inefficient Regular Expression Complexity

Vulnerability CVE-2023-3609

A use-after-free vulnerability in the Linux kernel's net/sched: cls_u32 component can be exploited to achieve local privilege escalation.

If `tcf_change_indev()` fails, `u32_set_parms()` will immediately return an error after incrementing or decrementing the reference counter in `tcf_bind_filter()`. If an attacker can control the reference counter and set it to zero, they can cause the reference to be freed, leading to a use-after-free vulnerability.

CVSS v3.1 Base Score	7.8
CVSS Vector	CVSS:3.1/AV:L/AC:L/PR:L/UI:N/S:U/C:H/I:H/A:H/E:P/RL:O/RC:C
CWE	CWE-416: Use After Free

Vulnerability CVE-2023-3611

An out-of-bounds write vulnerability in the Linux kernel's net/sched: sch_qfq component can be exploited to achieve local privilege escalation.

The `qfq_change_agg()` function in `net/sched/sch_qfq.c` allows an out-of-bounds write because `lmax` is updated according to packet sizes without bounds checks.

CVSS v3.1 Base Score	7.8
CVSS Vector	CVSS:3.1/AV:L/AC:L/PR:L/UI:N/S:U/C:H/I:H/A:H
CWE	CWE-787: Out-of-bounds Write

Vulnerability CVE-2023-3772

A flaw was found in the Linux kernel's IP framework for transforming packets (XFRM subsystem). This issue may allow a malicious user with `CAP_NET_ADMIN` privileges to directly dereference a NULL pointer in `xfrm_update_ae_params()`, leading to a possible kernel crash and denial of service.

CVSS v3.1 Base Score	5.5
CVSS Vector	CVSS:3.1/AV:L/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H
CWE	CWE-476: NULL Pointer Dereference

Vulnerability CVE-2023-3817

Issue summary: Checking excessively long DH keys or parameters may be very slow. Impact summary: Applications that use the functions `DH_check()`, `DH_check_ex()` or `EVP_PKEY_param_check()` to check a DH key or DH parameters may experience long delays. Where the key or parameters that are being checked have been obtained from an untrusted source this may lead to a Denial of Service. The function `DH_check()` performs various checks on DH parameters. After fixing CVE-2023-3446 it was discovered that a large `q` parameter value can also trigger an overly long computation during some of these checks. A correct `q` value, if present, cannot be larger than the modulus `p` parameter, thus it is unnecessary to perform these checks if `q` is larger than `p`. An application that calls `DH_check()` and supplies a key or parameters obtained from an untrusted source could be vulnerable to a Denial of Service attack. The function `DH_check()` is itself called by a number of other OpenSSL functions. An application calling any of those other functions may similarly be affected. The other functions affected by this are `DH_check_ex()` and `EVP_PKEY_param_check()`. Also vulnerable are the OpenSSL `dhparam` and `pkeyparam` command line applications when using the “-check” option. The OpenSSL SSL/TLS implementation is not affected by this issue. The OpenSSL 3.0 and 3.1 FIPS providers are not affected by this issue.

CVSS v3.1 Base Score	5.3
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:P/RL:O/RC:C
CWE	CWE-834: Excessive Iteration

Vulnerability CVE-2023-4016

Under some circumstances, this weakness allows a user who has access to run the “ps” utility on a machine, the ability to write almost unlimited amounts of unfiltered data into the process heap.

CVSS v3.1 Base Score	2.5
CVSS Vector	CVSS:3.1/AV:L/AC:H/PR:L/UI:N/S:U/C:N/I:N/A:L
CWE	CWE-122: Heap-based Buffer Overflow

Vulnerability CVE-2023-4039

A failure in the `-fstack-protector` feature in GCC-based toolchains that target AArch64 allows an attacker to exploit an existing buffer overflow in dynamically-sized local variables in your application without this being detected. This stack-protector failure only applies to C99-style dynamically-sized local variables or those created using `alloca()`. The stack-protector operates as intended for statically-sized local variables.

The default behavior when the stack-protector detects an overflow is to terminate your application, resulting in controlled loss of availability. An attacker who can exploit a buffer overflow without triggering the stack-protector might be able to change program flow control to cause an uncontrolled loss of availability or to go further and affect confidentiality or integrity.

CVSS v3.1 Base Score	4.8
CVSS Vector	CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:L/I:L/A:N
CWE	CWE-693: Protection Mechanism Failure

Vulnerability CVE-2023-4527

A flaw was found in `glibc`. When the `getaddrinfo` function is called with the `AF_UNSPEC` address family and the system is configured with `no-aaaa` mode via `/etc/resolv.conf`, a DNS response via TCP larger than 2048 bytes can potentially disclose stack contents through the function returned address data, and may cause a crash.

CVSS v3.1 Base Score	6.5
CVSS Vector	CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:L/I:N/A:H
CWE	CWE-125: Out-of-bounds Read

Vulnerability CVE-2023-4623

A use-after-free vulnerability in the Linux kernel's net/sched: sch_hfsc (HFSC qdisc traffic control) component can be exploited to achieve local privilege escalation.

If a class with a link-sharing curve (i.e. with the HFSC_FSC flag set) has a parent without a link-sharing curve, then `init_vf()` will call `vtree_insert()` on the parent, but `vtree_remove()` will be skipped in `update_vf()`. This leaves a dangling pointer that can cause a use-after-free.

We recommend upgrading past commit `b3d26c5702c7d6c45456326e56d2ccf3f103e60f`.

CVSS v3.1 Base Score	7.8
CVSS Vector	CVSS:3.1/AV:L/AC:L/PR:L/UI:N/S:U/C:H/I:H/A:H
CWE	CWE-416: Use After Free

Vulnerability CVE-2023-4806

A flaw was found in glibc. In an extremely rare situation, the `getaddrinfo` function may access memory that has been freed, resulting in an application crash. This issue is only exploitable when a NSS module implements only the `nssgethostbyname2_r` and `_nssgetcanonname_r` hooks without implementing the `_nss*_gethostbyname3_r` hook. The resolved name should return a large number of IPv6 and IPv4, and the call to the `getaddrinfo` function should have the `AF_INET6` address family with `AI_CANONNAME`, `AI_ALL` and `AI_V4MAPPED` as flags.

CVSS v3.1 Base Score	5.9
CVSS Vector	CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:N/I:N/A:H
CWE	CWE-416: Use After Free

Vulnerability CVE-2023-4807

Issue summary: The POLY1305 MAC (message authentication code) implementation contains a bug that might corrupt the internal state of applications on the Windows 64 platform when running on newer X86_64 processors supporting the AVX512-IFMA instructions. Impact summary: If in an application that uses the OpenSSL library an attacker can influence whether the POLY1305 MAC algorithm is used, the application state might be corrupted with various application dependent consequences. The POLY1305 MAC (message authentication code) implementation in OpenSSL does not save the contents of non-volatile XMM registers on Windows 64 platform when calculating the MAC of data larger than 64 bytes. Before returning to the caller all the XMM registers are set to zero rather than restoring their previous content. The vulnerable code is used only on newer x86_64 processors supporting the AVX512-IFMA instructions. The consequences of this kind of internal application state corruption can be various - from no consequences, if the calling application does not depend on the contents of non-volatile XMM registers at all, to the worst consequences, where the attacker could get complete control of the application process. However given the contents of the registers are just zeroized so the attacker cannot put arbitrary values inside, the most likely consequence, if any, would be an incorrect result of some application dependent calculations or a crash leading to a denial of service. The POLY1305 MAC algorithm is most frequently used as part of the CHACHA20-POLY1305 AEAD (authenticated encryption with associated data) algorithm. The most common usage of this AEAD cipher is with TLS protocol versions 1.2 and 1.3 and a malicious client can influence whether this AEAD cipher is used by the server. This implies that server applications using OpenSSL can be potentially impacted. However we are currently not aware of any concrete application that would be affected by this issue therefore we consider this a Low severity security issue. As a workaround the AVX512-IFMA instructions support can be disabled at runtime by setting the environment variable `OPENSSL_ia32cap: OPENSSL_ia32cap=: 0x200000` The FIPS provider is not affected by this issue.

CVSS v3.1 Base Score	7.8
CVSS Vector	CVSS:3.1/AV:L/AC:L/PR:L/UI:N/S:U/C:H/I:H/A:H/E:P/RL:O/RC:C
CWE	CWE-20: Improper Input Validation

Vulnerability CVE-2023-4813

A flaw was found in glibc. In an uncommon situation, the `gaih_inet` function may use memory that has been freed, resulting in an application crash. This issue is only exploitable when the `getaddrinfo` function is called and the hosts database in `/etc/nsswitch.conf` is configured with `SUCCESS=continue` or `SUCCESS=merge`.

CVSS v3.1 Base Score	5.9
CVSS Vector	CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:N/I:N/A:H/E:P/RL:O/RC:C
CWE	CWE-416: Use After Free

Vulnerability CVE-2023-4911

A buffer overflow was discovered in the GNU C Library's dynamic loader `ld.so` while processing the `GLIBC_TUNABLES` environment variable. This issue could allow a local attacker to use maliciously crafted `GLIBC_TUNABLES` environment variables when launching binaries with SUID permission to execute code with elevated privileges.

CVSS v3.1 Base Score	7.8
CVSS Vector	CVSS:3.1/AV:L/AC:L/PR:L/UI:N/S:U/C:H/I:H/A:H/E:P/RL:O/RC:C
CWE	CWE-121: Stack-based Buffer Overflow

Vulnerability CVE-2023-4921

A use-after-free vulnerability in the Linux kernel's `net/sched: sch_qfq` component can be exploited to achieve local privilege escalation.

When the `plug qdisc` is used as a class of the `qfq qdisc`, sending network packets triggers use-after-free in `qfq_dequeue()` due to the incorrect `.peek` handler of `sch_plug` and lack of error checking in `agg_dequeue()`.

We recommend upgrading past commit `8fc134fee27f2263988ae38920bc03da416b03d8`.

CVSS v3.1 Base Score	7.8
CVSS Vector	CVSS:3.1/AV:L/AC:L/PR:L/UI:N/S:U/C:H/I:H/A:H
CWE	CWE-416: Use After Free

Vulnerability CVE-2023-5156

A flaw was found in the GNU C Library. A recent fix for CVE-2023-4806 introduced the potential for a memory leak, which may result in an application crash.

CVSS v3.1 Base Score	5.3
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L
CWE	CWE-401: Missing Release of Memory after Effective Lifetime

Vulnerability CVE-2023-5678

Issue summary: Generating excessively long X9.42 DH keys or checking excessively long X9.42 DH keys or parameters may be very slow. Impact summary: Applications that use the functions `DH_generate_key()` to generate an X9.42 DH key may experience long delays. Likewise, applications that use `DH_check_pub_key()`, `DH_check_pub_key_ex()` or `EVP_PKEY_public_check()` to check an X9.42 DH key or X9.42 DH parameters may experience long delays. Where the key or parameters that are being checked have been obtained from an untrusted source this may lead to a Denial of Service. While `DH_check()` performs all the necessary checks (as of CVE-2023-3817), `DH_check_pub_key()` doesn't make any of these checks, and is therefore vulnerable for excessively large P and Q parameters. Likewise, while `DH_generate_key()` performs a check for an excessively large P, it doesn't check for an excessively large Q. An application that calls `DH_generate_key()` or `DH_check_pub_key()` and supplies a key or parameters obtained from an untrusted source could be vulnerable to a Denial of Service attack. `DH_generate_key()` and `DH_check_pub_key()` are also called by a number of other OpenSSL functions. An application calling any of those other functions may similarly be affected. The other functions affected by this are `DH_check_pub_key_ex()`, `EVP_PKEY_public_check()`, and `EVP_PKEY_generate()`. Also vulnerable are the OpenSSL `pkey` command line application when using the “-pubcheck” option, as well as the OpenSSL `genpkey` command line application. The OpenSSL SSL/TLS implementation is not affected by this issue. The OpenSSL 3.0 and 3.1 FIPS providers are not affected by this issue.

CVSS v3.1 Base Score	5.3
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:P/RL:O/RC:C
CWE	CWE-754: Improper Check for Unusual or Exceptional Conditions

Vulnerability CVE-2023-5717

A heap out-of-bounds write vulnerability in the Linux kernel's Linux Kernel Performance Events (perf) component can be exploited to achieve local privilege escalation.

If `perf_read_group()` is called while an event's `sibling_list` is smaller than its child's `sibling_list`, it can increment or write to memory locations outside of the allocated buffer.

We recommend upgrading past commit 32671e3799ca2e4590773fd0e63aaa4229e50c06.

CVSS v3.1 Base Score	7.8
CVSS Vector	CVSS:3.1/AV:L/AC:L/PR:L/UI:N/S:U/C:H/I:H/A:H
CWE	CWE-787: Out-of-bounds Write

Vulnerability CVE-2023-5981

A vulnerability was found that the response times to malformed ciphertexts in RSA-PSK ClientKeyExchange differ from response times of ciphertexts with correct PKCS#1 v1.5 padding.

CVSS v3.1 Base Score	5.9
CVSS Vector	CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:H/I:N/A:N/E:P/RL:O/RC:C
CWE	CWE-203: Observable Discrepancy

Vulnerability CVE-2023-6121

An out-of-bounds read vulnerability was found in the NVMe-oF/TCP subsystem in the Linux kernel. This issue may allow a remote attacker to send a crafted TCP packet, triggering a heap-based buffer overflow that results in `kmalloc` data being printed and potentially leaked to the kernel ring buffer (`dmesg`).

CVSS v3.1 Base Score	4.3
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:L/I:N/A:N/E:P/RL:O/RC:C
CWE	CWE-20: Improper Input Validation

Vulnerability CVE-2023-6817

A use-after-free vulnerability in the Linux kernel's netfilter: nf_tables component can be exploited to achieve local privilege escalation.

The function nft_pipapo_walk did not skip inactive elements during set walk which could lead double deactivations of PIPAPO (Pile Packet Policies) elements, leading to use-after-free.

We recommend upgrading past commit 317eb9685095678f2c9f5a8189de698c5354316a.

CVSS v3.1 Base Score	7.8
CVSS Vector	CVSS:3.1/AV:L/AC:L/PR:L/UI:N/S:U/C:H/I:H/A:H
CWE	CWE-416: Use After Free

Vulnerability CVE-2023-6931

A heap out-of-bounds write vulnerability in the Linux kernel's Performance Events system component can be exploited to achieve local privilege escalation.

A perf_event's read_size can overflow, leading to an heap out-of-bounds increment or write in perf_read_group().

We recommend upgrading past commit 382c27f4ed28f803b1f1473ac2d8db0afc795a1b.

CVSS v3.1 Base Score	7.8
CVSS Vector	CVSS:3.1/AV:L/AC:L/PR:L/UI:N/S:U/C:H/I:H/A:H
CWE	CWE-787: Out-of-bounds Write

Vulnerability CVE-2023-6932

A use-after-free vulnerability in the Linux kernel's ipv4: igmp component can be exploited to achieve local privilege escalation.

A race condition can be exploited to cause a timer be mistakenly registered on a RCU read locked object which is freed by another thread.

We recommend upgrading past commit e2b706c691905fe78468c361aaabc719d0a496f1.

CVSS v3.1 Base Score	7.8
CVSS Vector	CVSS:3.1/AV:L/AC:L/PR:L/UI:N/S:U/C:H/I:H/A:H
CWE	CWE-416: Use After Free

Vulnerability CVE-2023-23914

A cleartext transmission of sensitive information vulnerability exists in curl <v7.88.0 that could cause HSTS functionality fail when multiple URLs are requested serially. Using its HSTS support, curl can be instructed to use HTTPS instead of using an insecure clear-text HTTP step even when HTTP is provided in the URL. This HSTS mechanism would however surprisingly be ignored by subsequent transfers when done on the same command line because the state would not be properly carried on.

CVSS v3.1 Base Score	9.1
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:N/E:P/RL:O/RC:C
CWE	CWE-319: Cleartext Transmission of Sensitive Information

Vulnerability CVE-2023-23915

A cleartext transmission of sensitive information vulnerability exists in curl <v7.88.0 that could cause HSTS functionality to behave incorrectly when multiple URLs are requested in parallel. Using its HSTS support, curl can be instructed to use HTTPS instead of using an insecure clear-text HTTP step even when HTTP is provided in the URL. This HSTS mechanism would however surprisingly fail when multiple transfers are done in parallel as the HSTS cache file gets overwritten by the most recently completed transfer. A later HTTP-only transfer to the earlier host name would then *not* get upgraded properly to HSTS.

CVSS v3.1 Base Score	6.5
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:L/A:N/E:P/RL:O/RC:C
CWE	CWE-319: Cleartext Transmission of Sensitive Information

Vulnerability CVE-2023-23916

An allocation of resources without limits or throttling vulnerability exists in curl <v7.88.0 based on the “chained” HTTP compression algorithms, meaning that a server response can be compressed multiple times and potentially with differential algorithms. The number of acceptable “links” in this “decompression chain” was capped, but the cap was implemented on a per-header basis allowing a malicious server to insert a virtually unlimited number of compression steps simply by using many headers. The use of such a decompression chain could result in a “malloc bomb”, making curl end up spending enormous amounts of allocated heap memory, or trying to and returning out of memory errors.

CVSS v3.1 Base Score	6.5
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:N/A:H/E:P/RL:O/RC:C
CWE	CWE-770: Allocation of Resources Without Limits or Throttling

Vulnerability CVE-2023-24329

An issue in the urllib.parse component of Python before 3.11.4 allows attackers to bypass blocklisting methods by supplying a URL that starts with blank characters.

CVSS v3.1 Base Score	7.5
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:H/A:N/E:P/RL:O/RC:C
CWE	CWE-20: Improper Input Validation

Vulnerability CVE-2023-25136

OpenSSH server (sshd) 9.1 introduced a double-free vulnerability during options.kex_algorithms handling. This is fixed in OpenSSH 9.2. The double free can be leveraged, by an unauthenticated remote attacker in the default configuration, to jump to any location in the sshd address space. One third-party report states “remote code execution is theoretically possible.”

CVSS v3.1 Base Score	6.5
CVSS Vector	CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:N/I:L/A:H/E:P/RL:O/RC:C
CWE	CWE-415: Double Free

Vulnerability CVE-2023-25139

sprintf in the GNU C Library (glibc) 2.37 has a buffer overflow (out-of-bounds write) in some situations with a correct buffer size. This is unrelated to CWE-676. It may write beyond the bounds of the destination buffer when attempting to write a padded, thousands-separated string representation of a number, if the buffer is allocated the exact size required to represent that number as a string. For example, 1,234,567 (with padding to 13) overflows by two bytes.

CVSS v3.1 Base Score	9.8
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H/E:P/RL:O/RC:C
CWE	CWE-787: Out-of-bounds Write

Vulnerability CVE-2023-26604

systemd before 247 does not adequately block local privilege escalation for some Sudo configurations, e.g., plausible sudoers files in which the “systemctl status” command may be executed. Specifically, systemd does not set LESSSECURE to 1, and thus other programs may be launched from the less program. This presents a substantial security risk when running systemctl from Sudo, because less executes as root when the terminal size is too small to show the complete systemctl output.

CVSS v3.1 Base Score	7.8
CVSS Vector	CVSS:3.1/AV:L/AC:L/PR:L/UI:N/S:U/C:H/I:H/A:H/E:P/RL:O/RC:C
CWE	CWE-311: Missing Encryption of Sensitive Data

Vulnerability CVE-2023-27371

GNU libmicrohttpd before 0.9.76 allows remote DoS (Denial of Service) due to improper parsing of a multipart/form-data boundary in the postprocessor.c MHD_create_post_processor() method. This allows an attacker to remotely send a malicious HTTP POST packet that includes one or more ‘\0’ bytes in a multipart/form-data boundary field, which - assuming a specific heap layout - will result in an out-of-bounds read and a crash in the find_boundary() function.

CVSS v3.1 Base Score	5.9
CVSS Vector	CVSS:3.1/AC:H/AV:N/A:H/C:N/I:N/PR:N/S:U/UI:N
CWE	CWE-20: Improper Input Validation

Vulnerability CVE-2023-27533

A vulnerability in input validation exists in curl <8.0 during communication using the TELNET protocol may allow an attacker to pass on maliciously crafted user name and “telnet options” during server negotiation. The lack of proper input scrubbing allows an attacker to send content or perform option negotiation without the application’s intent. This vulnerability could be exploited if an application allows user input, thereby enabling attackers to execute arbitrary code on the system.

CVSS v3.1 Base Score	8.8
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:H/I:H/A:H/E:P/RL:O/RC:C
CWE	CWE-74: Improper Neutralization of Special Elements in Output Used by a Downstream Component ('Injection')

Vulnerability CVE-2023-27534

A path traversal vulnerability exists in curl <8.0.0 SFTP implementation causes the tilde () character to be wrongly replaced when used as a prefix in the first path element, in addition to its intended use as the first element to indicate a path relative to the user’s home directory. Attackers can exploit this flaw to bypass filtering or execute arbitrary code by crafting a path like / 2/foo while accessing a server with a specific user.

CVSS v3.1 Base Score	8.8
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:H/I:H/A:H/E:P/RL:O/RC:C
CWE	CWE-22: Improper Limitation of a Pathname to a Restricted Directory ('Path Traversal')

Vulnerability CVE-2023-27535

An authentication bypass vulnerability exists in libcurl <8.0.0 in the FTP connection reuse feature that can result in wrong credentials being used during subsequent transfers. Previously created connections are kept in a connection pool for reuse if they match the current setup. However, certain FTP settings such as `CURLOPT_FTP_ACCOUNT`, `CURLOPT_FTP_ALTERNATIVE_TO_USER`, `CURLOPT_FTP_SSL_CCC`, and `CURLOPT_USE_SSL` were not included in the configuration match checks, causing them to match too easily. This could lead to libcurl using the wrong credentials when performing a transfer, potentially allowing unauthorized access to sensitive information.

CVSS v3.1 Base Score	5.9
CVSS Vector	CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:H/I:N/A:N/E:P/RL:O/RC:C
CWE	CWE-287: Improper Authentication

Vulnerability CVE-2023-27536

An authentication bypass vulnerability exists libcurl <8.0.0 in the connection reuse feature which can reuse previously established connections with incorrect user permissions due to a failure to check for changes in the `CURLOPT_GSSAPI_DELEGATION` option. This vulnerability affects `krb5/kerberos/negotiate/GSSAPI` transfers and could potentially result in unauthorized access to sensitive information. The safest option is to not reuse connections if the `CURLOPT_GSSAPI_DELEGATION` option has been changed.

CVSS v3.1 Base Score	5.9
CVSS Vector	CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:H/I:N/A:N/E:P/RL:O/RC:C
CWE	CWE-287: Improper Authentication

Vulnerability CVE-2023-27537

A double free vulnerability exists in libcurl <8.0.0 when sharing HSTS data between separate “handles”. This sharing was introduced without considerations for do this sharing across separate threads but there was no indication of this fact in the documentation. Due to missing mutexes or thread locks, two threads sharing the same HSTS data could end up doing a double-free or use-after-free.

CVSS v3.1 Base Score	5.9
CVSS Vector	CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:N/I:N/A:H/E:P/RL:O/RC:C
CWE	CWE-415: Double Free

Vulnerability CVE-2023-27538

libcurl would reuse a previously created connection even when an SSH related option had been changed that should have prohibited reuse. libcurl keeps previously used connections in a connection pool for subsequent transfers to reuse if one of them matches the setup. However, two SSH settings were left out from the configuration match checks, making them match too easily.

CVSS v3.1 Base Score	7.5
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:H/A:N/E:P/RL:O/RC:C
CWE	CWE-20: Improper Input Validation

Vulnerability CVE-2023-28484

In libxml2 before 2.10.4, parsing of certain invalid XSD schemas can lead to a NULL pointer dereference and subsequently a segfault. This occurs in `xmlSchemaFixupComplexType` in `xmlschemas.c`.

CVSS v3.1 Base Score	6.5
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:N/A:H/E:P/RL:O/RC:C
CWE	CWE-476: NULL Pointer Dereference

Vulnerability CVE-2023-28531

ssh-add in OpenSSH before 9.3 adds smartcard keys to ssh-agent without the intended per-hop destination constraints. The earliest affected version is 8.9.

CVSS v3.1 Base Score	9.8
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H/E:P/RL:O/RC:C
CWE	CWE-311: Missing Encryption of Sensitive Data

Vulnerability CVE-2023-29383

In Shadow 4.13, it is possible to inject control characters into fields provided to the SUID program chfn (change finger). Although it is not possible to exploit this directly (e.g., adding a new user fails because `\n` is in the block list), it is possible to misrepresent the `/etc/passwd` file when viewed. Use of `\r` manipulations and Unicode characters to work around blocking of the `:` character make it possible to give the impression that a new user has been added. In other words, an adversary may be able to convince a system administrator to take the system offline (an indirect, social-engineered denial of service) by demonstrating that `cat /etc/passwd` shows a rogue user account.

CVSS v3.1 Base Score	3.3
CVSS Vector	CVSS:3.1/AV:L/AC:L/PR:L/UI:N/S:U/C:N/I:L/A:N/E:P/RL:O/RC:C
CWE	CWE-74: Improper Neutralization of Special Elements in Output Used by a Downstream Component ('Injection')

Vulnerability CVE-2023-29469

An issue was discovered in libxml2 before 2.10.4. When hashing empty dict strings in a crafted XML document, `xmlDictComputeFastKey` in `dict.c` can produce non-deterministic values, leading to various logic and memory errors, such as a double free. This behavior occurs because there is an attempt to use the first byte of an empty string, and any value is possible (not solely the `'\0'` value).

CVSS v3.1 Base Score	6.5
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:N/A:H/E:P/RL:O/RC:C
CWE	CWE-415: Double Free

Vulnerability CVE-2023-29491

`ncurses` before 6.4 20230408, when used by a `setuid` application, allows local users to trigger security-relevant memory corruption via malformed data in a terminfo database file that is found in `$HOME/.terminfo` or reached via the `TERMINFO` or `TERM` environment variable.

CVSS v3.1 Base Score	7.8
CVSS Vector	CVSS:3.1/AV:L/AC:L/PR:L/UI:N/S:U/C:H/I:H/A:H/E:P/RL:O/RC:C
CWE	CWE-787: Out-of-bounds Write

Vulnerability CVE-2023-29499

A flaw was found in GLib. `GVariant` deserialization fails to validate that the input conforms to the expected format, leading to denial of service.

CVSS v3.1 Base Score	7.5
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:P/RL:O/RC:C
CWE	CWE-400: Uncontrolled Resource Consumption

Vulnerability CVE-2023-31085

An issue was discovered in `drivers/mtd/ubi/cdev.c` in the Linux kernel 6.2. There is a divide-by-zero error in `do_div(sz,mtd->erasesize)`, used indirectly by `ctrl_cdev_ioctl`, when `mtd->erasesize` is 0.

CVSS v3.1 Base Score	5.5
CVSS Vector	CVSS:3.1/AV:L/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H/E:P/RL:O/RC:C
CWE	CWE-369: Divide By Zero

Vulnerability CVE-2023-32611

A flaw was found in GLib. GVariant deserialization is vulnerable to a slowdown issue where a crafted GVariant can cause excessive processing, leading to denial of service.

CVSS v3.1 Base Score	5.5
CVSS Vector	CVSS:3.1/AV:L/AC:L/PR:N/UI:R/S:U/C:N/I:N/A:H/E:P/RL:O/RC:C
CWE	CWE-400: Uncontrolled Resource Consumption

Vulnerability CVE-2023-32636

A flaw was found in glib, where the gvariant deserialization code is vulnerable to a denial of service introduced by additional input validation added to resolve CVE-2023-29499. The offset table validation may be very slow. This bug does not affect any released version of glib but does affect glib distributors who followed the guidance of glib developers to backport the initial fix for CVE-2023-29499.

CVSS v3.1 Base Score	4.7
CVSS Vector	CVSS:3.1/AV:L/AC:H/PR:L/UI:N/S:U/C:N/I:N/A:H
CWE	CWE-400: Uncontrolled Resource Consumption

Vulnerability CVE-2023-32643

A flaw was found in GLib. The GVariant deserialization code is vulnerable to a heap buffer overflow introduced by the fix for CVE-2023-32665. This bug does not affect any released version of GLib, but does affect GLib distributors who followed the guidance of GLib developers to backport the initial fix for CVE-2023-32665.

CVSS v3.1 Base Score	5.3
CVSS Vector	CVSS:3.1/AV:L/AC:L/PR:N/UI:R/S:U/C:L/I:L/A:L
CWE	CWE-122: Heap-based Buffer Overflow

Vulnerability CVE-2023-32665

A flaw was found in GLib. GVariant deserialization is vulnerable to an exponential blowup issue where a crafted GVariant can cause excessive processing, leading to denial of service.

CVSS v3.1 Base Score	5.5
CVSS Vector	CVSS:3.1/AV:L/AC:L/PR:N/UI:R/S:U/C:N/I:N/A:H/E:P/RL:O/RC:C
CWE	CWE-502: Deserialization of Untrusted Data

Vulnerability CVE-2023-34319

The fix for XSA-423 added logic to Linux's netback driver to deal with a frontend splitting a packet in a way such that not all of the headers would come in one piece. Unfortunately the logic introduced there didn't account for the extreme case of the entire packet being split into as many pieces as permitted by the protocol, yet still being smaller than the area that's specially dealt with to keep all (possible) headers together. Such an unusual packet would therefore trigger a buffer overrun in the driver.

CVSS v3.1 Base Score	7.8
CVSS Vector	CVSS:3.1/AV:L/AC:L/PR:L/UI:N/S:U/C:H/I:H/A:H/E:P/RL:O/RC:C
CWE	CWE-787: Out-of-bounds Write

Vulnerability CVE-2023-34969

D-Bus before 1.15.6 sometimes allows unprivileged users to crash dbus-daemon. If a privileged user with control over the dbus-daemon is using the org.freedesktop.DBus.Monitoring interface to monitor message bus traffic, then an unprivileged user with the ability to connect to the same dbus-daemon can cause a dbus-daemon crash under some circumstances via an unreplyable message. When done on the well-known system bus, this is a denial-of-service vulnerability. The fixed versions are 1.12.28, 1.14.8, and 1.15.6.

CVSS v3.1 Base Score	6.5
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H/E:P/RL:O/RC:C
CWE	CWE-311: Missing Encryption of Sensitive Data

Vulnerability CVE-2023-35001

Linux Kernel nftables Out-Of-Bounds Read/Write Vulnerability; nft_byteorder poorly handled vm register contents when CAP_NET_ADMIN is in any user or network namespace

CVSS v3.1 Base Score	7.8
CVSS Vector	CVSS:3.1/AV:L/AC:L/PR:L/UI:N/S:U/C:H/I:H/A:H
CWE	CWE-787: Out-of-bounds Write

Vulnerability CVE-2023-35945

Envoy is a cloud-native high-performance edge/middle/service proxy. Envoy's HTTP/2 codec may leak a header map and bookkeeping structures upon receiving **RST_STREAM** immediately followed by the **GOAWAY** frames from an upstream server. In nghttp2, cleanup of pending requests due to receipt of the **GOAWAY** frame skips de-allocation of the bookkeeping structure and pending compressed header. The error return [code path] is taken if connection is already marked for not sending more requests due to **GOAWAY** frame. The clean-up code is right after the return statement, causing memory leak. Denial of service through memory exhaustion. This vulnerability was patched in versions(s) 1.26.3, 1.25.8, 1.24.9, 1.23.11.

CVSS v3.1 Base Score	7.5
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:P/RL:O/RC:C
CWE	CWE-400: Uncontrolled Resource Consumption

Vulnerability CVE-2023-38408

The PKCS#11 feature in ssh-agent in OpenSSH before 9.3p2 has an insufficiently trustworthy search path, leading to remote code execution if an agent is forwarded to an attacker-controlled system. (Code in /usr/lib is not necessarily safe for loading into ssh-agent.) NOTE: this issue exists because of an incomplete fix for CVE-2016-10009.

CVSS v3.1 Base Score	7.7
CVSS Vector	CVSS:3.1/AV:L/AC:L/PR:H/UI:R/S:C/C:H/I:H/A:H/E:P/RL:O/RC:C
CWE	CWE-20: Improper Input Validation

Vulnerability CVE-2023-38545

This flaw makes curl overflow a heap based buffer in the SOCKS5 proxy handshake.

When curl is asked to pass along the hostname to the SOCKS5 proxy to allow that to resolve the address instead of it getting done by curl itself, the maximum length that hostname can be is 255 bytes.

If the hostname is detected to be longer than 255 bytes, curl switches to local name resolving and instead passes on the resolved address only to the proxy. Due to a bug, the local variable that means “let the host resolve the name” could get the wrong value during a slow SOCKS5 handshake, and contrary to the intention, copy the too long hostname to the target buffer instead of copying just the resolved address there.

CVSS v3.1 Base Score	8.8
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:H/I:H/A:H/E:P/RL:O/RC:C
CWE	CWE-122: Heap-based Buffer Overflow

Vulnerability CVE-2023-38546

This flaw allows an attacker to insert cookies at will into a running program using libcurl, if the specific series of conditions are met.

libcurl performs transfers. In its API, an application creates “easy handles” that are the individual handles for single transfers.

libcurl provides a function call that duplicates an easy handle called [curl_easy_duphandle](#).

If a transfer has cookies enabled when the handle is duplicated, the cookie-enable state is also cloned - but without cloning the actual cookies. If the source handle did not read any cookies from a specific file on disk, the cloned version of the handle would instead store the file name as `none` (using the four ASCII letters, no quotes).

Subsequent use of the cloned handle that does not explicitly set a source to load cookies from would then inadvertently load cookies from a file named `none` - if such a file exists and is readable in the current directory of the program using libcurl. And if using the correct file format of course.

CVSS v3.1 Base Score	3.7
CVSS Vector	CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:N/I:L/A:N/E:P/RL:O/RC:C
CWE	CWE-73: External Control of File Name or Path

Vulnerability CVE-2023-39128

GNU gdb (GDB) 13.0.50.20220805-git was discovered to contain a stack overflow via the function `ada_decode` at `/gdb/ada-lang.c`.

CVSS v3.1 Base Score	5.5
CVSS Vector	CVSS:3.1/AV:L/AC:L/PR:N/UI:R/S:U/C:N/I:N/A:H/E:P/RL:O/RC:C
CWE	CWE-787: Out-of-bounds Write

Vulnerability CVE-2023-39189

A flaw was found in the Netfilter subsystem in the Linux kernel. The `nfnl_osf_add_callback` function did not validate the user mode controlled `opt_num` field. This flaw allows a local privileged (CAP_NET_ADMIN) attacker to trigger an out-of-bounds read, leading to a crash or information disclosure.

CVSS v3.1 Base Score	5.1
CVSS Vector	CVSS:3.1/AV:L/AC:L/PR:H/UI:N/S:U/C:H/I:N/A:L/E:P/RL:O/RC:C
CWE	CWE-125: Out-of-bounds Read

Vulnerability CVE-2023-39192

A flaw was found in the Netfilter subsystem in the Linux kernel. The xt_u32 module did not validate the fields in the xt_u32 structure. This flaw allows a local privileged attacker to trigger an out-of-bounds read by setting the size fields with a value beyond the array boundaries, leading to a crash or information disclosure.

CVSS v3.1 Base Score	6.7
CVSS Vector	CVSS:3.1/AV:L/AC:L/PR:H/UI:N/S:C/C:H/I:N/A:L
CWE	CWE-125: Out-of-bounds Read

Vulnerability CVE-2023-39193

A flaw was found in the Netfilter subsystem in the Linux kernel. The sctp_mt_check did not validate the flag_count field. This flaw allows a local privileged (CAP_NET_ADMIN) attacker to trigger an out-of-bounds read, leading to a crash or information disclosure.

CVSS v3.1 Base Score	6.1
CVSS Vector	CVSS:3.1/AV:L/AC:L/PR:L/UI:N/S:U/C:H/I:N/A:L
CWE	CWE-125: Out-of-bounds Read

Vulnerability CVE-2023-39194

A flaw was found in the XFRM subsystem in the Linux kernel. The specific flaw exists within the processing of state filters, which can result in a read past the end of an allocated buffer. This flaw allows a local privileged (CAP_NET_ADMIN) attacker to trigger an out-of-bounds read, potentially leading to an information disclosure.

CVSS v3.1 Base Score	3.2
CVSS Vector	CVSS:3.1/AV:L/AC:L/PR:H/UI:N/S:C/C:L/I:N/A:N
CWE	CWE-125: Out-of-bounds Read

Vulnerability CVE-2023-39615

Xmlsoft Libxml2 v2.11.0 was discovered to contain an out-of-bounds read via the xmlSAX2StartElement() function at /libxml2/SAX2.c. This vulnerability allows attackers to cause a Denial of Service (DoS) via supplying a crafted XML file. NOTE: the vendor's position is that the product does not support the legacy SAX1 interface with custom callbacks; there is a crash even without crafted input.

CVSS v3.1 Base Score	6.5
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:N/A:H/E:P/RL:O/RC:C
CWE	CWE-119: Improper Restriction of Operations within the Bounds of a Memory Buffer

Vulnerability CVE-2023-40283

An issue was discovered in l2cap_sock_release in net/bluetooth/l2cap_sock.c in the Linux kernel before 6.4.10. There is a use-after-free because the children of an sk are mishandled.

CVSS v3.1 Base Score	7.8
CVSS Vector	CVSS:3.1/AV:L/AC:L/PR:L/UI:N/S:U/C:H/I:H/A:H/E:P/RL:O/RC:C
CWE	CWE-416: Use After Free

Vulnerability CVE-2023-42754

A NULL pointer dereference flaw was found in the Linux kernel ipv4 stack. The socket buffer (skb) was assumed to be associated with a device before calling `__ip_options_compile`, which is not always the case if the skb is re-routed by ipvs. This issue may allow a local user with CAP_NET_ADMIN privileges to crash the system.

CVSS v3.1 Base Score	5.5
CVSS Vector	CVSS:3.1/AV:L/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H/E:P/RL:O/RC:C
CWE	CWE-476: NULL Pointer Dereference

Vulnerability CVE-2023-42755

A flaw was found in the IPv4 Resource Reservation Protocol (RSVP) classifier in the Linux kernel. The `xprt` pointer may go beyond the linear part of the skb, leading to an out-of-bounds read in the `rsvp_classify` function. This issue may allow a local user to crash the system and cause a denial of service.

CVSS v3.1 Base Score	6.5
CVSS Vector	CVSS:3.1/AV:L/AC:L/PR:L/UI:N/S:C/C:N/I:N/A:H
CWE	CWE-125: Out-of-bounds Read

Vulnerability CVE-2023-44487

The HTTP/2 protocol allows a denial of service (server resource consumption) because request cancellation can reset many streams quickly, as exploited in the wild in August through October 2023.

CVSS v3.1 Base Score	7.5
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:P/RL:O/RC:C
CVSS v4.0 Base Score	8.7
CVSS Vector	CVSS:4.0/AV:N/AC:L/AT:N/PR:N/UI:N/VC:N/VI:N/VA:H/SC:N/SI:N/SA:N
CWE	CWE-400: Uncontrolled Resource Consumption

Vulnerability CVE-2023-45322

libxml2 through 2.11.5 has a use-after-free that can only occur after a certain memory allocation fails. This occurs in `xmlUnlinkNode` in `tree.c`. NOTE: the vendor's position is "I don't think these issues are critical enough to warrant a CVE ID ... because an attacker typically can't control when memory allocations fail."

CVSS v3.1 Base Score	6.5
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:N/A:H/E:P/RL:O/RC:C
CWE	CWE-416: Use After Free

Vulnerability CVE-2023-45853

MiniZip in zlib through 1.3 has an integer overflow and resultant heap-based buffer overflow in `zipOpenNewFileInZip4_64` via a long filename, comment, or extra field. NOTE: MiniZip is not a supported part of the zlib product.

CVSS v3.1 Base Score	9.8
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H/E:P/RL:O/RC:C
CWE	CWE-190: Integer Overflow or Wraparound

Vulnerability CVE-2023-45871

An issue was discovered in drivers/net/ethernet/intel/igb/igb_main.c in the IGB driver in the Linux kernel before 6.5.3. A buffer size may not be adequate for frames larger than the MTU.

CVSS v3.1 Base Score	9.8
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H/E:P/RL:O/RC:C
CWE	CWE-120: Buffer Copy without Checking Size of Input ('Classic Buffer Overflow')

Vulnerability CVE-2023-45898

The Linux kernel before 6.5.4 has an es1 use-after-free in fs/ext4/extents_status.c, related to ext4_es_insert_extent.

CVSS v3.1 Base Score	7.8
CVSS Vector	CVSS:3.1/AV:L/AC:L/PR:L/UI:N/S:U/C:H/I:H/A:H/E:P/RL:O/RC:C
CWE	CWE-20: Improper Input Validation

Vulnerability CVE-2023-45918

ncurses 6.4-20230610 has a NULL pointer dereference in tgetstr in tinfo/lib_termcap.c.

CVSS v3.1 Base Score	5.5
CVSS Vector	CVSS:3.1/AV:L/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H/E:P/RL:O/RC:C
CWE	CWE-20: Improper Input Validation

Vulnerability CVE-2023-46218

This flaw allows a malicious HTTP server to set “super cookies” in curl that are then passed back to more origins than what is otherwise allowed or possible. This allows a site to set cookies that then would get sent to different and unrelated sites and domains. It could do this by exploiting a mixed case flaw in curl’s function that verifies a given cookie domain against the Public Suffix List (PSL). For example a cookie could be set with `domain=co.uk` when the URL used a lower case hostname `curl.co.uk`, even though `co.uk` is listed as a PSL domain.

CVSS v3.1 Base Score	6.5
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:L/A:N/E:P/RL:O/RC:C
CWE	CWE-20: Improper Input Validation

Vulnerability CVE-2023-46219

When saving HSTS data to an excessively long file name, curl could end up removing all contents, making subsequent requests using that file unaware of the HSTS status they should otherwise use.

CVSS v3.1 Base Score	5.3
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:L/A:N/E:P/RL:O/RC:C
CWE	CWE-311: Missing Encryption of Sensitive Data

Vulnerability CVE-2023-46862

An issue was discovered in the Linux kernel through 6.5.9. During a race with SQ thread exit, an io_uring/fdinfo.c io_uring_show_fdinfo NULL pointer dereference can occur.

CVSS v3.1 Base Score	4.7
CVSS Vector	CVSS:3.1/AV:L/AC:H/PR:L/UI:N/S:U/C:N/I:N/A:H/E:P/RL:O/RC:C
CWE	CWE-20: Improper Input Validation

Vulnerability CVE-2023-48795

The SSH transport protocol with certain OpenSSH extensions, found in OpenSSH before 9.6 and other products, allows remote attackers to bypass integrity checks such that some packets are omitted (from the extension negotiation message), and a client and server may consequently end up with a connection for which some security features have been downgraded or disabled, aka a Terrapin attack. This occurs because the SSH Binary Packet Protocol (BPP), implemented by these extensions, mishandles the handshake phase and mishandles use of sequence numbers. For example, there is an effective attack against SSH's use of ChaCha20-Poly1305 (and CBC with Encrypt-then-MAC). The bypass occurs in chacha20-poly1305@openssh.com and (if CBC is used) the -etm@openssh.com MAC algorithms. This also affects Maverick Synergy Java SSH API before 3.1.0-SNAPSHOT, Dropbear through 2022.83, Ssh before 5.1.1 in Erlang/OTP, PuTTY before 0.80, AsyncSSH before 2.14.2, golang.org/x/crypto before 0.17.0, libssh before 0.10.6, libssh2 through 1.11.0, Thorn Tech SFTP Gateway before 3.4.6, Tera Term before 5.1, Paramiko before 3.4.0, jsch before 0.2.15, SFTPGO before 2.5.6, Netgate pfSense Plus through 23.09.1, Netgate pfSense CE through 2.7.2, HPN-SSH through 18.2.0, ProFTPD before 1.3.8b (and before 1.3.9rc2), ORYX CycloneSSH before 2.3.4, NetSarang XShell 7 before Build 0144, CrushFTP before 10.6.0, ConnectBot SSH library before 2.2.22, Apache MINA sshd through 2.11.0, sshj through 0.37.0, TinySSH through 20230101, trilead-ssh2 6401, the net-ssh gem 7.2.0 for Ruby, the mscdex ssh2 module before 1.15.0 for Node.js, the thrussh library before 0.35.1 for Rust, and the Russh crate before 0.40.2 for Rust; and there could be effects on Bitwise SSH through 9.31.

CVSS v3.1 Base Score	5.9
CVSS Vector	CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:N/I:H/A:N/E:P/RL:O/RC:C
CVSS v4.0 Base Score	8.2
CVSS Vector	CVSS:4.0/AV:N/AC:H/AT:N/PR:N/UI:N/VC:N/VI:H/VA:N/SC:N/SI:N/SA:N
CWE	CWE-222: Truncation of Security-relevant Information

Vulnerability CVE-2023-52425

libexpat through 2.5.0 allows a denial of service (resource consumption) because many full reparsings are required in the case of a large token for which multiple buffer fills are needed.

CVSS v3.1 Base Score	7.5
CVSS Vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:P/RL:O/RC:C
CWE	CWE-400: Uncontrolled Resource Consumption

Vulnerability CVE-2023-52426

libexpat through 2.5.0 allows recursive XML Entity Expansion if XML_DTD is undefined at compile time.

CVSS v3.1 Base Score	5.5
CVSS Vector	CVSS:3.1/AV:L/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H/E:P/RL:O/RC:C
CWE	CWE-776: Improper Restriction of Recursive Entity References in DTDs ('XML Entity Expansion')

Vulnerability CVE-2024-0584

A use-after-free issue was found in igmp_start_timer in net/ipv4/igmp.c in the network sub-component in the Linux Kernel. This flaw allows a local user to observe a refcnt use-after-free issue when receiving an igmp query packet, leading to a kernel information leak.

CVSS v3.1 Base Score	5.5
CVSS Vector	CVSS:3.1/AV:L/AC:L/PR:L/UI:N/S:U/C:H/I:N/A:N/E:P/RL:O/RC:C
CWE	CWE-416: Use After Free

ADDITIONAL INFORMATION

This SSA advises vulnerabilities for firmware version V3.1 only; for versions < V3.1 refer to Siemens Security Bulletin SSB-439005 (<https://cert-portal.siemens.com/productcert/html/ssb-439005.html>).

For further inquiries on security vulnerabilities in Siemens products and solutions, please contact the Siemens ProductCERT:

<https://www.siemens.com/cert/advisories>

HISTORY DATA

V1.0 (2023-12-12):	Publication Date
V1.1 (2024-01-09):	Added CVE-2021-44879, CVE-2023-46218, CVE-2023-46219, and CVE-2023-48795
V1.2 (2024-02-13):	Added CVE-2023-45898, CVE-2023-46862, CVE-2023-6121, CVE-2023-6817, CVE-2023-6931, CVE-2023-6932, CVE-2024-0584
V1.3 (2024-03-12):	Added CVE-2023-52425, CVE-2023-52426, CVE-2023-45918

TERMS OF USE

Siemens Security Advisories are subject to the terms and conditions contained in Siemens' underlying license terms or other applicable agreements previously agreed to with Siemens (hereinafter "License Terms"). To the extent applicable to information, software or documentation made available in or through a Siemens Security Advisory, the Terms of Use of Siemens' Global Website (https://www.siemens.com/terms_of_use, hereinafter "Terms of Use"), in particular Sections 8-10 of the Terms of Use, shall apply additionally. In case of conflicts, the License Terms shall prevail over the Terms of Use.